

## 第 4 編 計算結果出力及び技術資料



## 1 . 気仙沼港

断面モデル名	領域ID	領域名	UTM(E)	UTM(N)	スガニチユード(M)	深さ(Km)	浸水範囲	浸水深度合計	東経(度分秒)	北緯(度分秒)
mode100101	23A	気仙沼	120	180	8	1	606	467.8	146 48 5	36 9 55
mode100102	23A	気仙沼	120	180	8	10	636	454.4	146 48 5	36 9 55
mode100103	23A	気仙沼	120	180	8	20	616	408.5	146 48 5	36 9 55
mode100104	23A	気仙沼	120	180	8.3	1	1414	1569.5	146 48 5	36 9 55
mode100105	23A	気仙沼	120	180	8.3	10	1507	1579.5	146 48 5	36 9 55
mode100106	23A	気仙沼	120	180	8.3	20	1512	1500.4	146 48 5	36 9 55
mode100107	23A	気仙沼	120	180	8.6	1	3292	5626.8	146 48 5	36 9 55
mode100108	23A	気仙沼	120	180	8.6	10	3332	5631.8	146 48 5	36 9 55
mode100109	23A	気仙沼	120	180	8.6	20	3294	5435	146 48 5	36 9 55
mode100110	23A	気仙沼	120	180	7.7	1	384	199.4	146 48 5	36 9 55
mode100111	23A	気仙沼	120	180	7.7	10	394	191	146 48 5	36 9 55
mode100112	23A	気仙沼	120	180	7.7	20	386	167.4	146 48 5	36 9 55
mode100113	23A	気仙沼	120	180	7.7	1	397	217.7	146 48 5	36 9 55
mode100114	23A	気仙沼	120	180	8.7	1	644	482	146 48 5	36 9 55
mode100115	23A	気仙沼	120	180	8.3	1	1232	1299.3	146 48 5	36 9 55
mode100116	23A	気仙沼	120	180	8.6	1	2654	4115.4	146 48 5	36 9 55
mode100117	23A	気仙沼	120	180	7.7	1	391	206.2	146 48 5	36 9 55
mode100118	23A	気仙沼	120	180	8.7	1	625	467.4	146 48 5	36 9 55
mode100119	23A	気仙沼	120	180	8.3	1	1276	1367.1	146 48 5	36 9 55
mode100120	23A	気仙沼	120	180	8.6	1	3106	5072.7	146 48 5	36 9 55
mode100121	23A	気仙沼	120	180	7.7	10	425	226.5	146 48 5	36 9 55
mode100122	23A	気仙沼	120	180	8.7	10	693	521.6	146 48 5	36 9 55
mode100123	23A	気仙沼	120	180	8.3	10	1287	1382.3	146 48 5	36 9 55
mode100124	23A	気仙沼	120	180	8.6	10	2658	4128	146 48 5	36 9 55
mode100125	23A	気仙沼	120	180	7.7	10	411	205.7	146 48 5	36 9 55
mode100126	23A	気仙沼	120	180	8.7	10	653	474	146 48 5	36 9 55
mode100127	23A	気仙沼	120	180	8.3	10	1288	1345.5	146 48 5	36 9 55
mode100128	23A	気仙沼	120	180	8.6	10	3137	5035.1	146 48 5	36 9 55
mode100129	23A	気仙沼	120	180	7.7	20	417	204.9	146 48 5	36 9 55
mode100130	23A	気仙沼	120	180	8.7	20	680	488.8	146 48 5	36 9 55
mode100131	23A	気仙沼	120	180	8.3	20	1285	1342.6	146 48 5	36 9 55
mode100132	23A	気仙沼	120	180	8.6	20	2616	4023.9	146 48 5	36 9 55
mode100133	23A	気仙沼	120	180	7.7	20	405	185.7	146 48 5	36 9 55
mode100134	23A	気仙沼	120	180	8.7	20	637	432.4	146 48 5	36 9 55
mode100135	23A	気仙沼	120	180	8.3	20	1292	1282.2	146 48 5	36 9 55
mode100136	23A	気仙沼	120	180	8.6	20	3081	4783.3	146 48 5	36 9 55
mode100201	23A	気仙沼	178	268	8	1	1154	1308.5	147 44 50	37 11 34
mode100202	23A	気仙沼	178	268	8	10	1242	1378.3	147 44 50	37 11 34
mode100203	23A	気仙沼	178	268	8	20	1259	1337.7	147 44 50	37 11 34
mode100204	23A	気仙沼	178	268	8.3	1	2607	4331.2	147 44 50	37 11 34
mode100205	23A	気仙沼	178	268	8.3	10	2711	4648.5	147 44 50	37 11 34
mode100206	23A	気仙沼	178	268	8.3	20	2790	4818.3	147 44 50	37 11 34
mode100207	23A	気仙沼	178	268	8.6	1	5130	14105.4	147 44 50	37 11 34
mode100208	23A	気仙沼	178	268	8.6	10	5168	14705.6	147 44 50	37 11 34
mode100209	23A	気仙沼	178	268	8.6	20	5224	15065.9	147 44 50	37 11 34
mode100210	23A	気仙沼	178	268	7.7	1	580	521.8	147 44 50	37 11 34
mode100211	23A	気仙沼	178	268	7.7	10	610	463.4	147 44 50	37 11 34
mode100212	23A	気仙沼	178	268	7.7	20	592	401.1	147 44 50	37 11 34
mode100213	23A	気仙沼	178	268	7.7	1	596	567.2	147 44 50	37 11 34
mode100214	23A	気仙沼	178	268	8.7	1	1092	1373	147 44 50	37 11 34
mode100215	23A	気仙沼	178	268	8.3	1	2293	3851.2	147 44 50	37 11 34
mode100216	23A	気仙沼	178	268	8.6	1	4228	10607.5	147 44 50	37 11 34
mode100217	23A	気仙沼	178	268	7.7	1	577	529.8	147 44 50	37 11 34
mode100218	23A	気仙沼	178	268	8.7	1	1112	1313.3	147 44 50	37 11 34
mode100219	23A	気仙沼	178	268	8.3	1	2472	4045.1	147 44 50	37 11 34

断層モデル名	領域ID	領域名	UTM(E)	UTM(N)	スグニチユード(M)	深さ(Km)	浸水範囲	浸水深度合計	東経(度分秒)	北緯(度分秒)
mode100220	23A	気仙沼	178	268	8.6	1	4618	12249.3	147 44 50	37 11 34
mode100221	23A	気仙沼	178	268	7.7	10	581	438.6	147 44 50	37 11 34
mode100222	23A	気仙沼	178	268	8.7	10	1061	1116.3	147 44 50	37 11 34
mode100223	23A	気仙沼	178	268	8.3	10	2232	3302.2	147 44 50	37 11 34
mode100224	23A	気仙沼	178	268	8.6	10	4168	9587.1	147 44 50	37 11 34
mode100225	23A	気仙沼	178	268	7.7	10	556	413.7	147 44 50	37 11 34
mode100226	23A	気仙沼	178	268	8.7	10	1117	1124.7	147 44 50	37 11 34
mode100227	23A	気仙沼	178	268	8.3	10	2409	3610.1	147 44 50	37 11 34
mode100228	23A	気仙沼	178	268	8.6	10	4635	11866.3	147 44 50	37 11 34
mode100229	23A	気仙沼	178	268	7.7	20	512	325.4	147 44 50	37 11 34
mode100230	23A	気仙沼	178	268	8.7	20	1000	892.9	147 44 50	37 11 34
mode100231	23A	気仙沼	178	268	8.3	20	2133	2876.6	147 44 50	37 11 34
mode100232	23A	気仙沼	178	268	8.6	20	4124	8852.9	147 44 50	37 11 34
mode100233	23A	気仙沼	178	268	7.7	20	525	338.7	147 44 50	37 11 34
mode100234	23A	気仙沼	178	268	8.7	20	1109	1023.6	147 44 50	37 11 34
mode100235	23A	気仙沼	178	268	8.3	20	2379	3480.4	147 44 50	37 11 34
mode100236	23A	気仙沼	178	268	8.6	20	4660	11822.9	147 44 50	37 11 34
mode100301	23A	気仙沼	225	355	8	1	1595	2237.6	148 33 14	38 12 28
mode100302	23A	気仙沼	225	355	8	10	1931	2982.4	148 33 14	38 12 28
mode100303	23A	気仙沼	225	355	8	20	1987	2997.9	148 33 14	38 12 28
mode100304	23A	気仙沼	225	355	8.3	1	3087	6011.7	148 33 14	38 12 28
mode100305	23A	気仙沼	225	355	8.3	10	3417	7504.3	148 33 14	38 12 28
mode100306	23A	気仙沼	225	355	8.3	20	3505	7824.6	148 33 14	38 12 28
mode100307	23A	気仙沼	225	355	8.6	1	4981	14785.4	148 33 14	38 12 28
mode100308	23A	気仙沼	225	355	8.6	10	5356	16596.6	148 33 14	38 12 28
mode100309	23A	気仙沼	225	355	8.6	20	5534	17409.8	148 33 14	38 12 28
mode100310	23A	気仙沼	225	355	7.7	1	891	966.5	148 33 14	38 12 28
mode100311	23A	気仙沼	225	355	7.7	10	1106	1293.2	148 33 14	38 12 28
mode100312	23A	気仙沼	225	355	7.7	20	1119	1206.9	148 33 14	38 12 28
mode100313	23A	気仙沼	225	355	7.7	1	0	0	148 33 14	38 12 28
mode100314	23A	気仙沼	225	355	8.7	1	0	0	148 33 14	38 12 28
mode100315	23A	気仙沼	225	355	8.3	1	2828	5762.6	148 33 14	38 12 28
mode100316	23A	気仙沼	225	355	8.6	1	0	0	148 33 14	38 12 28
mode100317	23A	気仙沼	225	355	7.7	1	786	787.6	148 33 14	38 12 28
mode100318	23A	気仙沼	225	355	8.7	1	1409	1931.3	148 33 14	38 12 28
mode100319	23A	気仙沼	225	355	8.3	1	2985	5711	148 33 14	38 12 28
mode100320	23A	気仙沼	225	355	8.6	1	4779	15384.7	148 33 14	38 12 28
mode100321	23A	気仙沼	225	355	7.7	10	796	795.3	148 33 14	38 12 28
mode100322	23A	気仙沼	225	355	8.7	10	1520	2025.3	148 33 14	38 12 28
mode100323	23A	気仙沼	225	355	8.3	10	3012	6514.3	148 33 14	38 12 28
mode100324	23A	気仙沼	225	355	8.6	10	4752	15535.8	148 33 14	38 12 28
mode100325	23A	気仙沼	225	355	7.7	10	917	951.6	148 33 14	38 12 28
mode100326	23A	気仙沼	225	355	8.7	10	1703	2341.7	148 33 14	38 12 28
mode100327	23A	気仙沼	225	355	8.3	10	3243	6623.7	148 33 14	38 12 28
mode100328	23A	気仙沼	225	355	8.6	10	5124	16583.2	148 33 14	38 12 28
mode100329	23A	気仙沼	225	355	7.7	20	747	640.6	148 33 14	38 12 28
mode100330	23A	気仙沼	225	355	8.7	20	1503	1839.4	148 33 14	38 12 28
mode100331	23A	気仙沼	225	355	8.3	20	3024	6096.2	148 33 14	38 12 28
mode100332	23A	気仙沼	225	355	8.6	20	4755	14382.4	148 33 14	38 12 28
mode100333	23A	気仙沼	225	355	7.7	20	910	864.8	148 33 14	38 12 28
mode100334	23A	気仙沼	225	355	8.7	20	1726	2282.5	148 33 14	38 12 28
mode100335	23A	気仙沼	225	355	8.3	20	3290	6710.4	148 33 14	38 12 28
mode100336	23A	気仙沼	225	355	8.6	20	5217	16431.1	148 33 14	38 12 28
mode100401	23A	気仙沼	245	460	8	1	3797	11155.2	148 59 11	39 27 29
mode100402	23A	気仙沼	245	460	8	10	4328	14033.1	148 59 11	39 27 29

断層モデル名	領域ID	領域名	UTM(E)	UTM(N)	スグニチユード(M)	深さ(Km)	浸水範囲	浸水深度合計	東経(度分秒)	北緯(度分秒)
mode100403	23A	気仙沼	245	460	8	20	4255	13253.7	148 59 11	39 27 29
mode100404	23A	気仙沼	245	460	8.3	1	5680	23482.3	148 59 11	39 27 29
mode100405	23A	気仙沼	245	460	8.3	10	6483	30860	148 59 11	39 27 29
mode100406	23A	気仙沼	245	460	8.3	20	6750	31987.7	148 59 11	39 27 29
mode100407	23A	気仙沼	245	460	8.6	1	7661	39366.9	148 59 11	39 27 29
mode100408	23A	気仙沼	245	460	8.6	10	8872	52721.8	148 59 11	39 27 29
mode100409	23A	気仙沼	245	460	8.6	20	9232	57465.4	148 59 11	39 27 29
mode100410	23A	気仙沼	245	460	7.7	1	2030	4179.1	148 59 11	39 27 29
mode100411	23A	気仙沼	245	460	7.7	10	2365	5074	148 59 11	39 27 29
mode100412	23A	気仙沼	245	460	7.7	20	2207	4139.5	148 59 11	39 27 29
mode100413	23A	気仙沼	245	460	7.7	1	0	0	148 59 11	39 27 29
mode100414	23A	気仙沼	245	460	8.7	1	0	0	148 59 11	39 27 29
mode100415	23A	気仙沼	245	460	8.3	1	4905	18267.5	148 59 11	39 27 29
mode100416	23A	気仙沼	245	460	8.6	1	6888	31118.3	148 59 11	39 27 29
mode100417	23A	気仙沼	245	460	7.7	10	2415	5514.3	148 59 11	39 27 29
mode100418	23A	気仙沼	245	460	8.7	10	4267	13898.7	148 59 11	39 27 29
mode100419	23A	気仙沼	245	460	8.3	10	6091	26620.5	148 59 11	39 27 29
mode100420	23A	気仙沼	245	460	8.6	10	8303	45101.6	148 59 11	39 27 29
mode100421	23A	気仙沼	245	460	7.7	20	2276	4494.1	148 59 11	39 27 29
mode100422	23A	気仙沼	245	460	8.7	20	4191	13051.2	148 59 11	39 27 29
mode100423	23A	気仙沼	245	460	8.3	20	6320	27849	148 59 11	39 27 29
mode100424	23A	気仙沼	245	460	8.6	20	8636	49029.3	148 59 11	39 27 29
mode100501	23A	気仙沼	252	572	8	1	1184	1233	148 14 25	41 48 10
mode100502	23A	気仙沼	252	572	8	10	1276	1439.2	148 14 25	41 48 10
mode100503	23A	気仙沼	252	572	8	20	1291	1384.4	148 14 25	41 48 10
mode100504	23A	気仙沼	252	572	8.3	1	2943	5869	148 14 25	41 48 10
mode100505	23A	気仙沼	252	572	8.3	10	3523	8027	148 14 25	41 48 10
mode100506	23A	気仙沼	252	572	8.3	20	3719	8152.4	148 14 25	41 48 10
mode100507	23A	気仙沼	252	572	8.6	1	6817	28050.1	148 14 25	41 48 10
mode100508	23A	気仙沼	252	572	8.6	10	7836	37679.9	148 14 25	41 48 10
mode100509	23A	気仙沼	252	572	8.6	20	8014	40299.5	148 14 25	41 48 10
mode100510	23A	気仙沼	252	572	7.7	1	564	422.9	148 14 25	41 48 10
mode100511	23A	気仙沼	252	572	7.7	10	589	405.7	148 14 25	41 48 10
mode100512	23A	気仙沼	252	572	7.7	20	577	353.2	148 14 25	41 48 10
mode100513	23A	気仙沼	252	572	7.7	1	595	456.4	148 14 25	41 48 10
mode100514	23A	気仙沼	252	572	8.7	1	1299	1541.8	148 14 25	41 48 10
mode100515	23A	気仙沼	252	572	8.3	1	3537	8670.7	148 14 25	41 48 10
mode100516	23A	気仙沼	252	572	8.6	1	0	0	148 14 25	41 48 10
mode100517	23A	気仙沼	252	572	7.7	10	656	513.2	148 14 25	41 48 10
mode100518	23A	気仙沼	252	572	8.7	10	1517	1996.3	148 14 25	41 48 10
mode100519	23A	気仙沼	252	572	8.3	10	4116	11629	148 14 25	41 48 10
mode100520	23A	気仙沼	252	572	8.6	10	8830	53174.3	148 14 25	41 48 10
mode100521	23A	気仙沼	252	572	7.7	20	644	452.4	148 14 25	41 48 10
mode100522	23A	気仙沼	252	572	8.7	20	1582	1986	148 14 25	41 48 10
mode100523	23A	気仙沼	252	572	8.3	20	4378	12344.5	148 14 25	41 48 10
mode100524	23A	気仙沼	252	572	8.6	20	9230	58320.2	148 14 25	41 48 10
mode100601	23A	気仙沼	365	690	8.6	1	612	454.4	150 15 11	42 5 25
mode100602	23A	気仙沼	365	690	7.7	1	377	176.2	150 15 11	42 5 25
mode100603	23A	気仙沼	365	690	8.3	1	1677	2085.3	150 15 11	42 5 25
mode100604	23A	気仙沼	365	690	8.6	1	4454	13512.3	150 15 11	42 5 25
mode100605	23A	気仙沼	365	690	8.6	10	740	531.3	150 15 11	42 5 25
mode100606	23A	気仙沼	365	690	7.7	10	405	193.3	150 15 11	42 5 25
mode100607	23A	気仙沼	365	690	8.3	10	1847	2351.2	150 15 11	42 5 25
mode100608	23A	気仙沼	365	690	8.6	10	0	0	150 15 11	42 5 25
mode100609	23A	気仙沼	365	690	8.6	20	801	543	150 15 11	42 5 25

断面モデル名	領域ID	領域名	UTM(E)	UTM(N)	スガニチユード(M)	深さ(Km)	浸水範囲	浸水深度合計	東経(度分秒)	北緯(度分秒)
mode100610	23A	気仙沼	365	690	7.7	20	407	184.7	150 15 11	42 5 25
mode100611	23A	気仙沼	365	690	8.3	20	1901	2420.3	150 15 11	42 5 25
mode100612	23A	気仙沼	365	690	8.6	20	4556	12306.9	150 15 11	42 5 25
mode100613	23A	気仙沼	345	715	7.7	1	366	152.5	150 58 10	42 25 0
mode100614	23A	気仙沼	345	715	8.7	1	596	399.2	150 58 10	42 25 0
mode100615	23A	気仙沼	345	715	8.3	1	1508	1816.7	150 58 10	42 25 0
mode100616	23A	気仙沼	345	715	8.6	1	3717	9346.7	150 58 10	42 25 0
mode100617	23A	気仙沼	345	715	7.7	1	394	176.9	150 58 10	42 25 0
mode100618	23A	気仙沼	345	715	8.7	1	727	514.6	150 58 10	42 25 0
mode100619	23A	気仙沼	345	715	8.3	1	1795	2275.9	150 58 10	42 25 0
mode100620	23A	気仙沼	345	715	8.6	1	4813	16204	150 58 10	42 25 0
mode100621	23A	気仙沼	345	715	7.7	15	383	155.7	150 58 10	42 25 0
mode100622	23A	気仙沼	345	715	8.7	15	720	456.5	150 58 10	42 25 0
mode100623	23A	気仙沼	345	715	8.3	15	1707	2081.6	150 58 10	42 25 0
mode100624	23A	気仙沼	345	715	8.6	15	3803	8794.1	150 58 10	42 25 0
mode100625	23A	気仙沼	345	715	7.7	15	423	195.9	150 58 10	42 25 0
mode100626	23A	気仙沼	345	715	8.7	15	910	672.6	150 58 10	42 25 0
mode100627	23A	気仙沼	345	715	8.3	15	2047	2819.9	150 58 10	42 25 0
mode100628	23A	気仙沼	345	715	8.6	15	4758	13483.5	150 58 10	42 25 0
mode100629	23A	気仙沼	345	715	7.7	30	0	0	150 58 10	42 25 0
mode100630	23A	気仙沼	345	715	8.7	30	723	436.9	150 58 10	42 25 0
mode100631	23A	気仙沼	345	715	8.3	30	1685	1940.9	150 58 10	42 25 0
mode100632	23A	気仙沼	345	715	8.6	30	3625	7430.3	150 58 10	42 25 0
mode100633	23A	気仙沼	345	715	7.7	30	401	169.7	150 58 10	42 25 0
mode100634	23A	気仙沼	345	715	8.7	30	872	624.1	150 58 10	42 25 0
mode100635	23A	気仙沼	345	715	8.3	30	2022	2700.5	150 58 10	42 25 0
mode100636	23A	気仙沼	345	715	8.6	30	4394	10774.8	150 58 10	42 25 0
mode100701	23A	気仙沼	250	625	8	1	956	852.8	148 16 47	41 26 39
mode100702	23A	気仙沼	250	625	8	10	1036	918.6	148 16 47	41 26 39
mode100703	23A	気仙沼	250	625	8	20	1073	929.8	148 16 47	41 26 39
mode100704	23A	気仙沼	250	625	8.3	1	2404	3327.9	148 16 47	41 26 39
mode100705	23A	気仙沼	250	625	8.3	10	2498	3538.7	148 16 47	41 26 39
mode100706	23A	気仙沼	250	625	8.3	20	2557	3732	148 16 47	41 26 39
mode100707	23A	気仙沼	250	625	8.6	1	5198	14100.1	148 16 47	41 26 39
mode100708	23A	気仙沼	250	625	8.6	10	5349	14932.8	148 16 47	41 26 39
mode100709	23A	気仙沼	250	625	8.6	20	5376	15181.9	148 16 47	41 26 39
mode100710	23A	気仙沼	250	625	7.7	1	519	363.4	148 16 47	41 26 39
mode100711	23A	気仙沼	250	625	7.7	10	519	337.7	148 16 47	41 26 39
mode100712	23A	気仙沼	250	625	7.7	20	491	296.9	148 16 47	41 26 39
mode100713	23A	気仙沼	250	625	7.7	1	7161	43510463.5	148 16 47	41 26 39
mode100714	23A	気仙沼	250	625	8.7	1	7161	43470251.2	148 16 47	41 26 39
mode100715	23A	気仙沼	250	625	8.3	1	2223	3311.5	148 16 47	41 26 39
mode100716	23A	気仙沼	250	625	8.6	1	7161	43621609.3	148 16 47	41 26 39
mode100717	23A	気仙沼	250	625	7.7	1	503	370.8	148 16 47	41 26 39
mode100718	23A	気仙沼	250	625	8.7	1	955	918.6	148 16 47	41 26 39
mode100719	23A	気仙沼	250	625	8.3	1	2327	3331.2	148 16 47	41 26 39
mode100720	23A	気仙沼	250	625	8.6	1	5077	13828.6	148 16 47	41 26 39
mode100721	23A	気仙沼	250	625	7.7	10	463	279	148 16 47	41 26 39
mode100722	23A	気仙沼	250	625	8.7	10	1022	940	148 16 47	41 26 39
mode100723	23A	気仙沼	250	625	8.3	10	2602	4100.2	148 16 47	41 26 39
mode100724	23A	気仙沼	250	625	8.6	10	6261	22940.3	148 16 47	41 26 39
mode100725	23A	気仙沼	250	625	7.7	10	478	301.4	148 16 47	41 26 39
mode100726	23A	気仙沼	250	625	8.7	10	1060	958.2	148 16 47	41 26 39
mode100727	23A	気仙沼	250	625	8.3	10	2498	3820.2	148 16 47	41 26 39
mode100728	23A	気仙沼	250	625	8.6	10	5578	16984.9	148 16 47	41 26 39


断層モデル名	領域ID	領域名	UTM(E)	UTM(N)	スグニチユード(M)	深さ(Km)	浸水範囲	浸水深度合計	東経(度分秒)	北緯(度分秒)
mode100729	23A	気仙沼	250	625	7.7	20	444	241.6	148 16 47	41 26 39
mode100730	23A	気仙沼	250	625	8.7	20	1049	911.8	148 16 47	41 26 39
mode100731	23A	気仙沼	250	625	8.3	20	2653	4297.7	148 16 47	41 26 39
mode100732	23A	気仙沼	250	625	8.6	20	6479	24446.4	148 16 47	41 26 39
mode100733	23A	気仙沼	250	625	7.7	20	459	261.8	148 16 47	41 26 39
mode100734	23A	気仙沼	250	625	8.7	20	1094	969.8	148 16 47	41 26 39
mode100735	23A	気仙沼	250	625	8.3	20	2545	3911.1	148 16 47	41 26 39
mode100736	23A	気仙沼	250	625	8.6	20	5696	17605.9	148 16 47	41 26 39
mode110101	23A	気仙沼	265	550	7.7	1	846	858.9	148 25 7	41 31 27
mode110102	23A	気仙沼	265	550	8.7	1	2082	3874.9	148 25 7	41 31 27
mode110103	23A	気仙沼	265	550	8.3	1	5334	27417.2	148 25 7	41 31 27
mode110104	23A	気仙沼	265	550	8.6	1	12088	123968.2	148 25 7	41 31 27
mode110105	23A	気仙沼	265	550	7.7	10	1585	3020	148 25 7	41 31 27
mode110106	23A	気仙沼	265	550	8.7	10	2053	3365.6	148 25 7	41 31 27
mode110108	23A	気仙沼	265	550	8.6	10	10907	93133.8	148 25 7	41 31 27



領域名	断層モデル名	UTM(E)	UTM(N)	マグニチュード	深さ (Km)	東経	北緯
気仙沼	model00101	120	180	8	1	146 48 5	36 9 55



気仙沼	model00102	120	180	8	10	146 48 5	36 9 55
-----	------------	-----	-----	---	----	----------	---------



領域名	断層モデル名	UTM(E)	UTM(N)	マグニチュード	深さ (Km)	東経	北緯
気仙沼	model00103	120	180	8	20	146 48 5	36 9 55



気仙沼	model00104	120	180	8.3	1	146 48 5	36 9 55
-----	------------	-----	-----	-----	---	----------	---------

