

Seamless Transport: Making Connections2-4 May, Leipzig

2012 annual summit

Case Study Compendium





INTERNATIONAL TRANSPORT FORUM

The International Transport Forum at the OECD is an intergovernmental organisation with 53 member countries. It acts as a strategic think tank with the objective of helping shape the transport policy agenda on a global level and ensuring that it contributes to economic growth, environmental protection, social inclusion and the preservation of human life and well-being. The International Transport Forum organises an annual summit of Ministers along with leading representatives from industry, civil society and academia.

The International Transport Forum was created under a Declaration issued by the Council of Ministers of the ECMT (European Conference of Ministers of Transport) at its Ministerial Session in May 2006 under the legal authority of the Protocol of the ECMT, signed in Brussels on 17 October 1953, and legal instruments of the OECD.

The Members of the Forum are: Albania, Armenia, Australia, Austria, Azerbaijan, Belarus, Belgium, Bosnia-Herzegovina, Bulgaria, Canada, China, Croatia, the Czech Republic, Denmark, Estonia, Finland, France, FYROM, Georgia, Germany, Greece, Hungary, Iceland, India, Ireland, Italy, Japan, Korea, Latvia, Liechtenstein, Lithuania, Luxembourg, Malta, Mexico, Moldova, Montenegro, Netherlands, New Zealand, Norway, Poland, Portugal, Romania, Russia, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey, Ukraine, the United Kingdom and the United States.

The International Transport Forum's Research Centre gathers statistics and conducts cooperative research programmes addressing all modes of transport. Its findings are widely disseminated and support policymaking in Member countries as well as contributing to the annual summit.

CASE STUDIES

A compendium of case studies related to seamless transport has been developed as an input to the Summit 2012.

Forum Member countries and inter-governmental and professional international organisations were asked to submit examples of good practice in seamless transport.

The case studies have not been substantively edited by the International Transport Forum and they reflect the author's opinions alone.

The case studies can be downloaded from: www.internationaltransportforum.org/2012.

TABLE OF CONTENTS

INTERNATIONAL TRANSPORT FORUM	2
CASE STUDIES	2
CASE STUDIES ON SEAMLESS TRANSPORT: FROM MEMBER COUNTRIES	7
CANADA	9
Asia-Pacific Gateway and Corridor Initiative (APGCI)	9
FINLAND	11
Panda eco-system for various traffic payments through individual services	11
FRANCE	13
Grand Paris Metro	15
GEORGIA	18
Implementation of Open Sky Policy and integration of Georgia into the European	ŀ
Common Aviation Area Opening of new grain terminal in Poti Sea Port	
GERMANY	22
Rail&Fly with Deutsche Bahn AG and Airberlin	22
JAPAN	24
Improving Accessibility in Transport	24
Improving Bus Punctuality	26
Improvement of Cycling Environment	
Earthquake countermeasures for infrastructure (railways and roads)	
Promoting Electric Vehicles (EVs)	
Construction of high-speed railways	
Securing Safety of Intermodal Container Transportation on Road	
ITS (Intelligent Transport System) Spot Services	
Intelligent Transport System (ITS)	
Low Carbon City Development Guidance	
Compact City Development Using Public Transport (case of Toyama City)	
Highway Bus and Rail Ride Improving Railway Stations as Transport Hubs	
Ensuring Transportation to/from a Remote Island	
Railway-station-based Community Rental Cycle System in urban area	
Road development and improvement of access roads to airports and harbours	
Encouraging Safety Management of Transport Operators	
Introduction and Interoperability of Smart Card System	
Smart Inter Change	

KOREA	57
Technology for Transport Connectivity and Transfer System	57
THE NETHERLANDS	59
OV-fiets (Public Transport Cycling) ULTIMATE Efficient Multimodal Hinterland Networks Cross chain consolidation: 4C4MORE & 4C4D NS Zonetaxi	61 63
NEW ZEALAND	66
Northern Busway project	68
SPAIN	70
Intermodal exchange stations for connecting urban transport modes: Madrid case study Electronic t2l initiative included in the monitoring operations services for motorways	3
of the sea (mos4mos) project	
SWEDEN	78
The Swedish Doubling Project	80
SWITZERLAND	84
Rail 2000 and follow up projects	84
TURKEY	86
KAYBİS, Kayseri cycle path project CitySDK (ICT PSP 1.5 Open Innovation for Internet-enabled services in "smart cities") Marmaray Project Istanbulkart Eskişehir Light Rail Transportation System Kayseri Rail Transit System Public Transit Travel Assistance System	87 89 91 93 94
USA	96
Chattanooga Riverfront Parkway Denver FasTracks Project Woodrow Wilson Bridge	98
CASE STUDIES ON SEAMLESS TRANSPORT: FROM INTERNATIONAL ORGANISATIONS1	00
AGE PLATFORM EUROPE	01
Establishment of an end-user platform on public transport issues at EU level 1 Mediate – Tools for accessible public transport	03

CENIT – CENTER FOR INNOVATION IN TRANSPORT	107
New Bus Network for Barcelona City	107
COMMUNITY OF EUROPEAN RAILWAY & INFRASTRUCTURE COMPANIES	109
E.RailFreight	109
DEUTSCHE BAHN MOBILITY LOGISTICS AG	111
Alternative Routes Service (ARS) Touch&Travel BeMobility bahn.de	113 115
EUROCITIES	119
Future Ticketing Project (FTP)	119
EUROPEAN CONFERENCE OF TRANSPORT RESEARCH INSTITUTES	
Renewability AMITRAN COFRET Regional bundling of material flows to optimise transports eCoMove Seamless public transport door-to-door navigation Application and Benefit of Electrical Transportation in Industrial Infrastructure PalletFlow	123 125 127 128 129 130
EUROCONTROL	133
Information for the Single European Sky Challenges of Growth in Aviation Performance in Air Traffic Management Total Airport Management Airport Collaborative Decision Making (CDM)	135 137 139
FEDERAL HIGHWAY RESEARCH INSTITUTE	
RETISS Real Time Security Management System for Road Infrastructures SeRoN Security of Road Transport Networks Security Risk Management Processes for Road Infrastructure	144 146
FÉDÉRATION INTERNATIONALE DE L'AUTOMOBILE	147
Advanced Multi-Platform Traffic Information Service	149
INTERNATIONAL CHAMBER OF SHIPPING (ICS)	152
IMO Safety and Pollution Framework International Convention for Safe Containers Rotterdam Rules	154 155
INTERNATIONAL CIVIL AVIATION ORGANISATION (ICAO)	155
ICAO States' Action Plans on CO2 Emissions Reduction Activities	156

INTERNATIONAL ROAD FEDERATION	157
A14 Urban motorway Paris	157
INTERNATIONAL ROAD TRANSPORT UNION (IRU)	159
Taxi – Anytime, Anywhere TRANSPark IRU TIR Electronic Pre-Declaration (TIR-EPD) and Real Time SafeTIR (RTS) Smart Move New Eurasian Land Transport Initiative (NELTI): Phases 1 and 2 IRU Border Waiting Time Observatory (BWTO)	160 162 164 165
TRANSPORT CORRIDOR BETWEEN EUROPE, CAUCASUS AND ASIA	169
TRAX TRACECA Route Attractiveness for Seamless Connection	169
VBB VERKEHRSVERBUND BERLIN-BRANDENBURG GMBH	171
EU-SPIRIT : European travel information network	171
ACKNOWLEDGMENTS	173

CASE STUDIES ON SEAMLESS TRANSPORT: FROM MEMBER COUNTRIES

Context

A compendium of case studies related to seamless transport has been developed as an input to the Summit 2012. Member countries were asked to submit examples of good practice in seamless transport. Since the theme comprises broad, strategic aspects of current transport policy, a wide variety of cases was expected to be collected.

The case studies were collected not only from the member countries but also from intergovernmental and professional international organisations.

Case Studies

Fifty case studies were received from countries and 44 case studies were submitted by international organisations.

Case studies submitted from the countries cover all modes of transport and contain various types of policy approaches including infrastructure investment, cross-sectoral arrangements, regulatory initiatives, technological innovations, and intermodal connections.

There is a good geographical balance of case studies as well as similar projects which allow comparisons among countries and regions.

The following outlines key features in terms of seamless transport found in the compendium.

Connecting regions by transport infrastructure

Many infrastructure projects are found in the compendium. Expanding the network with express-ways, bus-lanes, railways, tunnels and bridges is to facilitate seamless movement of passengers between and inside the regions. Highways and high-speed rail networks connect the more distant regions. Light Rail Train (LRT) facilitates passenger transportation within the regions. The case studies show that technological innovations, such as Intelligent Transport Systems (ITS), can significantly improve the performance of existing infrastructure.

Facilitating passenger transit at connections

Improvement of connections between modes at railway stations and bus terminals is pursued in many countries. Railways, buses, cycling, and walking come together at stations and terminals as passengers transfer from one mode to another. Structure of stations is designed for smooth passenger movement. Bicycle parking provided at stations for users' convenience. E-ticketing, used within and across various transportation modes, is shown as a technical innovation that can improve access to public transport and facilitate transfer of passengers.

Improving seamless cargo transport by intermodal arrangements

Connections between modes are also a target area for improved connectivity in freight transport. Maritime ports are highlighted in the case studies as one of the biggest bottlenecks for seamless cargo transportation. Cross-sectoral, intermodal arrangements are pointed to as a key to achieving smooth freight transfer at ports, since various stakeholders – port authorities and customs offices – are involved and need to be coordinated in the network.

CANADA

Country:	Canada		
Activity Title:	Asia-Pacific Gateway and Corridor Initiative (APGCI)		
Mode(s):		☐ Light Rail ☑ Heavy Rail ☑ Air ☑ Inland Waterways e ☑ Maritime	
Objective (s):	The Government of Canada's Asia-Pacific Gateway and Corridor Initiative (APGCI) aims to establish the best transportation network facilitating global supply chains between North America and Asia. Canada's west coast ports are closer to Northern Asia than any other. The APGCI seeks to build on this geographic advantage and to become the route of choice for importers and exporters moving goods between Asia and the North American heartland.		
Timeframe:	Start : 2006	Finish:	
Outline of case:	As one of the most trade-reliant countries in the world, Canada's prosper depends on international commerce and its ability to meet the challenge ever-changing global dynamics. These dynamics are driven by reseamless and secure movements of goods and people. It was against this backdrop that the Government of Canada launched APGCI in 2006. At the time, Canada's western transportation system of many pressures: growing container traffic and increased trade with Asia contributing to congestion in British Columbia's Lower Mainland and at put the reliability and efficiency of the gateway and corridor was a increasingly tested; and there were questions as to how much more cap our transportation infrastructure could support without hindering competitiveness. Federal action was required to address these pressures and the APGCI the vehicle. Supported by a dedicated infrastructure program and guide an integrated, multi-modal, public-private strategy, the APGCI combistrategic infrastructure investments with policy, regulatory and operations measures to improve the efficiency and reliability of the supply chain.		

	across the private sector	r, the APGCI's partne	levels of government and from ership model ensures coherent vestment, planning and policy
	Since the launch of the APGCI, 47 infrastructure projects have been announced valued at over \$3.5 billion, in partnership with Canada's four Western Provinces, municipalities and the private sector and including federal government investments of more than \$1.4 billion. Projects were selected using a system-based approach for Canadian supply chains that supported international trade. For example, expansion of the Roberts Bank Rail Corridor – an important 70-kilometre stretch connecting Canada's largest container facility and major coal terminal at Roberts Bank with the North American rail network – will		
Outcome/Effects:	increase the capacity and efficiency of the corridor for trade-related traffic. Significant progress has also been made to support a competitive busines environment in Canada through policy and regulatory changes an investments in innovation and research. For example, British Columbia's thre port authorities in the Lower Mainland were amalgamated into a strategi single entity (Port Metro Vancouver) to better position themselves to become the preferred port of call for shippers from Asia. Other examples include the negotiation of expanded air services agreements through Canada's Blue Sk Policy, amendments to the Canada Marine Act to support the competitivenes of Canada's ports, and the development of evidence-based measures of poperformance and of overall supply chain fluidity and reliability.		
Web link:	http://www.pacificgateway.gc.ca		
Key Words:	 ☑ Border Crossing ☑ Congestion ☐ Energy/Fuel ☑ Environment ☑ Freight ☑ Funding ☑ Information Sharing 	 ☑ Infrastructure ☐ Intercity ☑ Intermodal ☐ Interoperability ☐ Passenger ☑ Planning ☑ Regulation/Law 	 □ Rural □ Standards/Uniformisation ☑ Supply Chain □ Telecommunications □ Ticketing/Payment ☑ Urban □ Other
Contact:	Name: Paul Sandhar-Cruz, Director, Pacific Gateway Coordination, Policy Group Organisation: Transport Canada Email: Paul.Sandhar-Cruz@tc.gc.ca		

FINLAND

Country:	Finland		
Activity Title:	Panda eco-system for various services	traffic payments through individual	
Mode(s):	 ☐ Walking ☐ Cycling ☒ Private automobile ☐ Bus ☒ Light or Heavy Goods Vehicle 	☐ Light Rail ☐ Heavy Rail ☐ Air ☐ Inland Waterways ☐ Maritime	
Objective(s):	To create a market-driven eco-system to use common service platforms as a basis for traffic payments (taxes, insurance payments, leasing, parking etc). Analysis was made of how the data privacy concerns and data quality aspects and factors of a vehicle telematics-based payment system and driving data multi-service system should be evaluated.		
	This multi-service platform is already used by thousands of private personand companies in Finland and Germany.		
Timeframe:	Start: 2007	Finish: ongoing	
Outline of case:	business eco-system for traffic us map solution provider Nokia Loca manufacturer Aplicom and service Ebsolut have been working close Transport and Communications a other key agencies) to create a n	s joined forces to create a user-driven sers. Insurance company Pohjola, mobile ation and Commerce, vehicle device e providers Helpten, Taipale telematics and ely with Finnish authorities (Ministry of and Ministry of Finance, as well as several nulti-service platform that works for services is to deliver the possibility for intelligent of devices or heavy systems.	
Outcome/Effects:	A new eco-system of services has been brought to market, and more participants in insurance and service provision sectors are attending. The positive results of market acceptance and privacy handling have been carried out and the next phase of market entry is in motion. The connection between vehicle and mobile phone in particular has been pinpointed as the next step in service evolution. Services such as automated calendar links to navigation, automated parking and driving style competitions will be launched in the second quarter of 2012 following user requests.		
Web link:	http://www.helpten.fi/en/		

	☐ Border Crossing	☐ Infrastructure	Rural	
	□ Congestion	☐ Intercity		
	⊠ Energy/Fuel	Intermodal	Supply Chain	
Key Words:		Interoperability		
	☐ Freight	☐ Passenger	☐ Ticketing/Payment	
			Urban	
		⊠ Regulation/Law	Other	
	Name: Sampo Hietanen			
Contact:	Organisation: Helpten Ltd			
	Email: sampo.hietanen@helpten.fi			
	I			

FRANCE

Country:	France		
Activity Title:	Grand Paris Metro		
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☐ Bus☐ Light or Heavy Goods Vehicle	☑ Light Rail☑ Heavy Rail☐ Air☐ Inland Waterways☑ Maritime	
Objective (s):	The aim of this new public transportation, called Grand Paris Metro, is to create a link between Paris, its airports and the future economic clusters all around Paris. Plus, it will create a direct link between all the closest suburbs of Paris.		
Timeframe:	Start: 2010	Finish: 2025	
Outline of case:	This new automatic line of metro around Paris aims at creating a direct link between suburbs without going through Paris. In this way, commuters will gain time, and the downtown metro will be less busy. It will also be a competitive alternative to car commuting, thereby reducing congestion and pollution. In addition, it will be easier to get to Le Bourget, Orly and Roissy airports. The public debate took place in January 2011. For some sections of this network, the first public inquiries will occur at the end of 2012, and will continue for the other sections during 2013. First works will start in 2014, in order to achieve and to commission the first section from 2018 on. The full commissioning should happen in 2025.		
Outcome/Effects:	175 km of new railways and 57 new stations to reduce travelling time around Paris		
Web link:	http://www.societedugrandparis.fr/ http://www.metrograndparis.com/Simulez-votre-itineraire-futur.html		

	☐ Border Crossing☑ Congestion☑ Energy/Fuel	☑ Infrastructure☑ Intercity☑ Intermodal	☐ Rural☐ Standards / Uniformisation☐ Supply Chain
Key Words:		Interoperability	☐ Telecommunications
	☐ Freight	⊠ Passenger	☐ Ticketing/Payment
	☐ Funding		⊠ Urban
	☐ Information Sharing	☐ Regulation/Law	Other
	Name: Odile Chamussy		
Contact:	Organisation: Société du Grand Paris Email: odile.chamussy@societedugrandparis.fr		

Country:	France		
Activity Title:	High-speed railways between Tours and Bordeaux		
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☐ Bus☐ Light or Heavy Goods Vehice	☐ Light Rail ☑ Heavy Rail ☐ Air ☐ Inland Waterways cle ☐ Maritime	
Objective(s):	Connecting in the short-run South France and, in the long-run, South E to the European high-speed railways network; Improving the energetic efficiency of the European and French transporter.		
Timeframe:	Start: 2012	Finish : 2017	
Outline of case:	The high-speed railway Tours-Bordeaux is the first and central section of larger project called SEA (South Europe Atlantic), which aims at connecti Southwest European countries to the European high-speed railways networn. The three other parts of this project are the sections between Poitiers a Limoges, Bordeaux and Toulouse, and Bordeaux and the Spanish bord The latter project will be connected to the Spanish high-speed railway network. The Tours-Bordeaux high-speed railway will be built by a private firm, call Lisea, which signed a works contract for about 8 billion current euros, we RFF – the French public railways operator – in 2011. This works contract the most substantial one in Europe in the railway sector. Lisea will build to infrastructure and exploit it for 50 years. Its financial resources will generated through the tolls paid by the trains circulating on the high-sperialways. The French state and several local authorities will fund this project be created during the construction period. Several official authorizations and needed to take into account environmental protection and macompensatory measures are scheduled to be implemented to soothe tenvironmental effect of the project.		
Outcome/Effects:	 302 km of high-speed railways built by 2017; Transport time reduced by 50 minutes between Paris and Bordeaux; Increased capacity for passenger transport and freight by railways. 		
Web link:	http://www.lgvsudeuropeatlanti	ique.org/	

	☐ Border Crossing	☑ Infrastructure	Rural
	☐ Congestion		☐ Standards/Uniformisation
	⊠ Energy/Fuel		☐ Supply Chain
Key Words:		Interoperability	☐ Telecommunications
		⊠ Passenger	☐ Ticketing/Payment
		☐ Planning	Urban
	☐ Information Sharing	☐ Regulation/Law	Other
	Name: Thomas Cadoul,	Tel: +33 01 40 81 87	23
Contact:	Organisation: French Ministry for Ecology, Sustainable Development, Transport and Housing		
	Email: thomas.cadoul@developpement-durable.gouv.fr		

Country:	France		
Activity Title:	Improving the daily mobility of senior citizens in downtown Nice		
Mode(s):	WalkingCyclingPrivate automobileBusLight or Heavy Goods Vehi		Light Rail Heavy Rail Air nland Waterways Maritime
Objective(s):	Upgrade a downtown area of daily mobility of senior citizens		of Nice in order to improve the
Timeframe:	Start: 2010	Finish (or ongo	oing): ongoing
Outline of case:	In order to enable senior citizens to socialise and stay independent, the city of Nice has renewed a central area in concert with its senior citizens. The project helps them to keep more in touch with their neighbourhood, and improve their health, through increased facilities for walking in a secure environment. A student housing facility was also built in order to increase the intergenerational character of the area. The area is both quieter and re-energized (more shops, students and more mobility by senior citizens while private car use is decreased). This policy is part of a broader voluntaristic public transport policy developed by the City, with new technologies use, a bike hire scheme, and an electric car hire scheme in order to reduce the proportion of private car use in daily commuting.		
Outcome/Effects:	_		
Web link:	http://www.nice.fr/Transport http://en.nicetourisme.com/		
Key Words:	□ Congestion □ II □ Energy/Fuel □ II ⋈ Environment □ II □ Freight □ F □ Funding ⋈ F	nfrastructure ntercity ntermodal nteroperability Passenger Planning Regulation/Law	 □ Rural □ Standards/Uniformisation □ Supply Chain □ Telecommunications □ Ticketing/Payment □ Urban □ Other
Contact:	Name: Daniel Benchimol Organisation: City Council of I Tel: +334 97 13 20 00	Nice	

GEORGIA

Country:	Georgia	
Activity Title:	Implementation of Open Sky Policy and integration of Georgia into the European Common Aviation Area	
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☐ Bus	☐ Light Rail ☐ Heavy Rail ☑ Air ☐ Inland Waterways
	Light or Heavy Goods Vehicle	e Maritime
Objective(s):	Implementation of Open Sky Policy and Integrate Georgia into the European Common Aviation Area; Improvement of national legislation in accordance with EU standards; Improve conditions for international flights; Set conditions to attract new airlines.	
Timeframe:	Start: 2005	Finish: Ongoing
Outline of case:	The main challenge for Georgian civil aviation authorities throughout the past years was assurance of safe, secure and sustainable development of Georgian civil aviation. In 2005, the Government of Georgia announced an "open sky" policy in the field of civil aviation and reconsideration of existing bilateral air services agreements – and drafting of new ones – began in order to abolish restrictions on a number of air carriers allowed to perform flights, capacity, frequency, destination points, establishment of tariffs and to make Georgia's international flight regimes maximally liberal. New air services agreements were signed with: Turkey, Latvia, Austria, USA, Armenia, Switzerland, Azerbaijan, Ukraine, Czech Republic, UK, Poland, ECAA (European Common Aviation Area) Agreement, Qatar, Bulgaria, China and the Hashemite Kingdom of Jordan, based on the "open sky" principle. Simultaneously, many airline companies entered the Georgian aviation market. A "Common Aviation Area Agreement between the European Union and its Member States and Georgia" was signed on 2 December 2010. The agreement aims to integrate Georgia into a wider European air market, as well as harmonisation of its legislation with European standards.	

Georgia achieved significant success for improvement national civil aviation legislation. Simultaneously Georgia actively cooperated with international civil aviation organisations.

New airports were opened in Georgia. Tbilisi international airport and Batumi international airport were opened in 2007. The new Mestia Airport (Queen Tamar Airport) was officially opened in order to support mountain regions of Georgia and facilitate tourism development.

Due to relevant legislative changes, the number of National Air Companies decreased from 24 to 10 and the number of registered aircrafts decreased from 79 to 44.

Civil Aviation Agency was established for technical regulation and implementation of state policy in civil aviation sector.

Implementation of an open sky policy, market access facilitation and increased levels of safety and security created an attractive environment and facilitated entrance of new airlines, like China Southern Airlines, Qatar Airways, Fly Dubai, Air Astana, ATA Airlines, Bora-jet and Ural airlines. Significant growth was achieved by Georgian international airports during 2011, and the number of passengers served by Georgian Airports increased by 30% comparing with the same period in 2010.

Success was achieved in relation to international civil aviation organisations:

- Twinning project funded by the EC was launched. Project is designed to support Georgia in accomplishing further advances in the field of civil aviation, including the harmonisation of all Georgian aviation regulations in Civil Aviation safety and licensing of air carriers with those of the EU, and to ensure that these are implemented by the aviation authorities and industry in Georgia.
- Activities related to the Legislation, Organization, Personal Licensing,
 Operations of aircraft, Airworthiness and Aircraft Accident and incident
 investigation were reviewed and discussed during the work sessions with
 European Aviation Safety Agency (EASA).
- Georgian Civil Aviation Authority is actively involved in EASA Pan European Partnership activities, the second meeting of which took place in Tbilisi, as well as a New Flight Plan Implementation workshop in Batumi organized by ICAO EUR/NAT office and EUROCONTROL, where representatives of 23 countries were involved.
- Transport Corridor Europe Caucasus Asia (TRACECA) Technical Assistance is underway in order to improve the National Civil Aviation Institutional Framework.

Success was made for the improvement of national civil aviation legislation, mainly:

- The development of a new air law was initiated.
- Many operating regulations and orders were developed and issued for the domains of Personnel Licensing (PEL), Operations (OPS) and Airworthiness of aircraft (AIR);

Outcome/Effects:

	 The necessity to recruit well educated specialists and train them to the latest standards was recognized; 		
	A training effort was initiated;		
	 A large progress was made in the development of the guidance material; 		
	 Licensing, certifications, authorizations and approvals were improved with the application of detail procedures; 		
	 The surveillance programme in the domains PEL, OPS and AIR has been structured. 		
Web link:	_		
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisation □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Planning □ Urban □ Information Sharing □ Regulation/Law □ Other		
Contact:	Name: Zviad Chkhartishvili Organisation: Ministry of Economy and Sustainable Development of Georgia Email: z_chkhartishvili@economy.ge		

Country:	Georgia	
Activity Title:	Opening of new grain terminal in Poti Sea Port	
Mode(s):	Walking Light Rail Cycling Heavy Rail Private automobile Air Bus Inland Waterways Light or Heavy Goods Vehicle Maritime	
Objective(s):	Transportation of grain from Middle Asia to African States through Poti Sea Port of Georgia	
Timeframe:	Start: December, 2011 Finish: ongoing	
Outline of case:	On December 14, 2011 a new grain terminal was opened in Poti Sea Port of Georgia. The terminal was built as a result of cooperation of the Ministry of Agriculture of Georgia and the Ministry of Economy and Sustainable Development of Georgia with APM Terminals and LTD "Agrikom", a subsidiary of International Grain Trading Company "BUNGE". Within the project, major technical reforms were carried out and new processing lines were installed at the former flour mill. 10 M USD have already been invested in construction works. In the first phase the terminal will be able to accept 22 000 tonnes of grain, while in the future its capacity will increase to 250 000 tonnes. In the first quarter of 2012, the port terminal will have a vacuum turbine, with which it will be possible to unload and load 30 000-35 000 tons of grain. This will enable Georgia to receive grain from the Central Asian and neighbouring countries, store it, and then transport to other countries (Egypt, Tunisia, Libya, Syria and etc). Currently, representatives of "Agrikom" and APM Terminals are considering elaboration of new infrastructural projects that will further increase the volume of re-exported grain by maritime transport.	
Outcome/Effects:	Re-export of grain by Georgia, rising effectiveness of TRACECA corridor	
Web link:	http://new.moa.gov.ge/index.php?pg=nw&id=293	
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisation □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Planning □ Urban □ Information Sharing □ Regulation/Law □ Other	
Contact:	Organisation: Ministry of Economy and Sustainable Development of Georgia	

GERMANY

Country:	Germany		
Activity Title:	Rail&Fly with Deutsche Bahn AG and Airberlin		
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☒ Bus☐ Light or Heavy Goods Vehice	<u>—</u>	Rail Vaterways
Objective(s):	Reduce the CO ₂ Carbon For travelling safer	otprint, Enhance I	Passenger Convenience, Make
Timeframe:	Start —	Finish: X	
Outline of case:	Travel within Germany from/to your desired airport from just € 25. The Rail&Fly ticket is valid for travel within Germany using any local or long-distance passenger train operated by Deutsche Bahn AG if the departure station and the departure airport are in different public transport regions. The Rail&Fly ticket is valid on the date of the flight, as well as one day before departure and one1 day after arrival. Stopovers on the journey to and from the airport are permitted. Children below 12 years of age accompanied by their parents or grandparents travel free of charge. Rail&Fly tickets can be booked online at airberlin.com when you are booking your flight. The offer is only valid in conjunction with an international flight from/to Germany.		
Outcome/ Effects:	_		
Web link:	http://www.airberlin.com/site/zu vi=1	g_zum_flug_rail_ar	nd_fly.php?LANG=eng&checkNa
Key Words:	☐ Congestion ☐ In Energy/Fuel ☐ Environment ☐ In Freight ☐ Funding ☐ F	nfrastructure ntercity ntermodal nteroperability Passenger Planning Regulation/Law	 ◯ Rural ◯ Standards/Uniformisation ◯ Supply Chain ◯ Telecommunications ◯ Ticketing/Payment ◯ Urban ◯ Other

	Name: Hermann Lindner
Contact:	Organisation: airberlin
	Email: hlindner@airberlin.com

JAPAN

Country:	Japan	
Activity Title:	Improving Accessibility in Transport	
Mode(s):	☑ Walking☐ Cycling☑ Private automobile☑ Bus☐ Light or Heavy Goods Vehicle	☑ Light Rail☑ Heavy Rail☐ Air☐ Inland Waterways☑ Maritime
Objective(s):	Accessibility improvement contributes to seamless transport for elderly and disabled people	
Timeframe:	Start: 2006 Finish: ongoing	
Outline of case:	Under the New Barrier-free Law 2006, newly-built or renovated public transport facilities (vehicles and stations) must conform to the Accessibility Standards so that elderly or disabled users can smoothly travel. The standards demand, for example, rail stations to provide step-free access from street level to the platform, adequate lightings and accessible lavatories; buses that accommodate wheel chairs, be low-floor vehicles and be equipped with visible and audible information systems. Transport operators are also requested to make best efforts to upgrading existing stations and cars to be compliant with the standards. The Law also demands certain categories of roads, buildings, parking facilities, and parks be accessible for elderly and disabled people. Local authorities may designate priority development districts, which contain facilities frequently used by elderly or disabled people such as rail stations, government offices or retail shops. For these districts, they establish Local Accessibility Plans to encourage district-wide development of accessible stations, buildings as well as step-free routes connecting these facilities. Transport operators, building owners and road administrators are expected to implement their accessibility improving measures according to the plan. Subsidies and tax exemption are prepared to support their accessibility improvement investment.	

Outcome/Effects:	Accessibility improvements are: = stations (rail, bus, ferry and air) with more than 5 000 passengers/day; 85.5% with step-free access to vehicles in 2011 (28.9% in 2001) 83.2% with accessible lavatories in 2011 (0.1% in 2001) = Increase in the number of low-floor vehicle buses 27.9% in 2011, compared to 2.2% in 2001 = Increase in the Number of Local Accessibility Plans 379 in 2011 (249 in 2006)
Web link:	_
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisation □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Planning □ Urban □ Information Sharing □ Regulation/Law □ Other: Accessibility Universal design
Contact:	Name: International Policy Division, Policy Bureau Organisation: Ministry of Land, Infrastructure and Transport (MLIT), Japan Email: kokusaiseisakuka@mlit.go.jp

Country:	Japan	
Activity Title:	Improving Bus Punctuality	
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☑ Bus☐ Light or Heavy Goods Vehi	☐ Light Rail ☐ Heavy Rail ☐ Air ☐ Inland Waterways icle ☐ Maritime
Objective (s):	This policy helps bus passeng road congestion.	gers to reach their destination smoothly avoiding
Timeframe:	Start: —	Finish: ongoing
Outline of case:	 Japan: Road infrastructure: Road that a bus can avoid going saves and improves the reare improved. New expressions along bus routes, implementary and monitoring cameras to identify cars illementary. Public Transport Priority Schanges the red light to ground that a public sample of the province /li>	development changes shuttle bus routes so through congested areas, and the development eliability of travel time. In addition, intersections sways or by-passes contribute to reduced traffic proving operating environment for buses. In go of bus lanes. Buses may be equipped with egally driving in the bus-lanes. Bystems (PTPS): is a traffic signal system which reen when a bus is approaching an intersection. Intifies private cars using bus lanes.
Outcome/Effects:	Higashi Hiroshima-Kure Expre decreases travel time between 90 minutes to 80 minutes. The 31 March 2010.	the travel time. For example, opening a part of essway (from Kamiminaga IC to Takaya JCT/IC) in JR Kure station and Hiroshima airport from e length of road with PTPS is 744.1km as of City, the rate of bus punctuality increased from
Web link:	_	
Key Words:	☐ Congestion ☐ I ☐ Energy/Fuel ☐ Environment ☐ I ☐ Freight ☐ Funding ☐ F	Infrastructure

	Name: International Policy Division, Policy Bureau
Contact:	Organisation: Ministry of Land, Infrastructure and Transport (MLIT), Japan
	Email: kokusaiseisakuka@mlit.go.jp

Country:	Japan	
Activity Title:	Improvement of Cycling Environment	
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☐ Bus☐ Light or Heavy Goods Vehicle	☐ Light Rail ☐ Heavy Rail ☐ Air ☐ Inland Waterways ☐ Maritime
Objective(s):	This policy is to provide better bicycle environment.	access by improving the cycling
Timeframe:	Start: 2007 (Bicycle-Friendly Model Areas)	Finish: ongoing
Outline of case:	 Measures to improve the cycling environment include: development of cycling route network and bicycle parking facilities, allowing passengers to carry bicycles on public transportation, education of people on bicycle riding rules and manners; and community programmes to encourage people to ride bikes. The Japanese government has designated 98 areas as "Bicycle-Friendly Model Areas" where efforts are concentrated to improve cycling environment. Subsidies are granted for those areas. 	
Outcome/Effects:	In the designated areas, a decrease in the number of bicycles accidents on the routes where spaces for bicycles has been provided.	
Web link:	http://www.mlit.go.jp/road/road_e/pdf/chapter02.pdf	
Key Words:	□ Border Crossing □ Infrastructure □ Congestion □ Intercity □ Energy/Fuel □ Intermodal □ Environment □ Interoperabili □ Freight □ Passenger □ Funding □ Planning □ Information Sharing □ Regulation/La	Standards/Uniformisation Supply Chain Telecommunications Ticketing/Payment Urban
Contact:	Name: International Policy Division, Policy Organisation: Ministry of Land, Infrastructu Email: kokusaiseisakuka@mlit.go.jp	

Country:	Japan	
Activity Title:	Earthquake countermeasures for infrastructure (railways and roads)	
Mode(s):	□ Walking □ Light Rail □ Cycling □ Heavy Rail □ Private automobile □ Air □ Bus □ Inland Waterways □ Light or Heavy Goods Vehicle □ Maritime	
Objective(s):	Improving safety of infrastructure for intercity transport.	
Timeframe:	Start: 1995 Finish: ongoing	
Outline of case: Outcome/Effects:	 Railway and road infrastructure has anti-seismic measures installed, which are necessary to protect passengers in case of earthquakes: Seismic strengthening of bridges for roads and high-speed railways has been carried out after the Great Hanshin Awaji Earthquake in 1995, which caused the collapse of elevated railways and roads. Early Earthquake Detection System has been introduced to Shinkansen, a high-speed railway in Japan which, on detecting the first wave of an earthquake, immediately makes a train slow down and stop, before the major vibrations hit the train. L-shaped anti-derailment guides are attached to the axle boxes, which prevent a train from largely deviating from rails if it derails and reduces potential of a collision with another train. At the time of Great East Japan Earthquake in March 2011: Severe damages of bridges for road and high-speed railway were avoided, which made it possible for the quick recovery of transport after the disaster. 	
	 All high-speed trains in operation stopped safely and caused no casualties among passengers and crews. 	
Web link:	_	
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisation □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Urban □ Information Sharing □ Regulation/Law	
Contact:	Name: International Policy Division, Policy Bureau Organisation: Ministry of Land, Infrastructure and Transport (MLIT), Japan Email: kokusaiseisakuka@mlit.go.jp	

Country:	Japan		
Activity Title:	Promoting Electric Vehicles (EVs)		
Mode(s):	□ Walking □ Light Rail □ Cycling □ Heavy Rail ☑ Private automobile □ Air ☑ Bus □ Inland Waterways ☑ Light or Heavy Goods Vehicle □ Maritime		
Objective (s):	Reducing CO2 emission from transport sector by promoting EVs as CO2 free vehicles		
Timeframe:	Start: 2009 Finish: ongoing		
Outline of case:	In order to promote EVs, the government is taking the following measures. A) Tax exemptions for EVs as of January 2012: • Car Acquisition tax is exempted. • Annual car holding tax (national tax) is exempted. • Annual car holding tax (local government tax) is reduced by 50%. B) Subsidies for purchasing EVs: • Subsidies are offered by national government for purchasing new EVs including buses and trucks (50% of the price). • Many local governments offer subsidies in addition to the national subsidy. C) Tax exemptions for electricity charging ports: • Property tax for electricity charging ports is reduced. Road transport industries are making the following efforts. A) Introduction of EV taxis • After the first introduction of EV taxis in Kashiwazaki city in Niigata in 2009, EV taxis have spread to cities at all over Japan. • Nippon Kotsu, a major taxi operator in Tokyo, conducted an EV taxi pilot project in 2010, where EV taxis with replaceable batteries operating in Tokyo visited a battery exchange station to exchange a used battery with a fully charged one. B) Taxi stations that are exclusively for EV or HV taxis.		
	, , , , , , , , , , , , , , , , , , ,		

Outcome/Effects:	The number of EVs is increasing: = From around 1 000 in 2003 to over 9 000 in 2009 (Statistics by Next Generation Vehicle Promotion Center) The number of public electricity charging ports is also increasing: = By May 2011, 29 charging ports are established at service areas and rest areas on highways.		
Web link:	_		
Key Words:	 □ Border Crossing □ Congestion ⋈ Energy/Fuel ⋈ Environment □ Freight □ Funding □ Information Sharing 	☐ Infrastructure ☐ Intercity ☐ Intermodal ☐ Interoperability ☐ Passenger ☐ Planning ☐ Regulation/Law	☐ Rural ☐ Standards/Uniformisation ☐ Supply Chain ☐ Telecommunications ☐ Ticketing/Payment ☐ Urban ☐ Other
Contact:	Name: International Policy Division, Policy Bureau Organisation: Ministry of Land, Infrastructure and Transport (MLIT), Japan Email: kokusaiseisakuka@mlit.go.jp		

Country:	Japan		
Activity Title:	Construction of high-speed railways		
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☐ Bus☐ Light or Heavy Goods Vehicl	☐ Light Rail ☑ Heavy Rail ☐ Air ☐ Inland Waterways e ☐ Maritime	
Objective(s):	Connecting cities by high-speed railways in a sustainable manner and promoting regional economies' development.		
Timeframe:	Start: 1959	Finish: ongoing	
Outline of case:	High-speed railways in Japan, are now constructed based on the Nationwide Shinkansen Railway Development Law. The Laws prescribed among others network planning and construction cost sharing principles. 1) Network: A network of 2 400 km is in operation, with 420 km still under construction and about 540 km planned for construction. In addition to the planned lines, Chuo Shinkansen, the first MAGLEV system with the maximum speed of 550 km/h, is planned to start operation in 2027, connecting Tokyo and Nagoya (300 km). 2) Cost sharing: The costs for construction of new high-speed railway (except Chuo Shinkansen which is mainly paid by JR Central) are shared by national government and local governments along the line. National government pays 2/3 of construction costs, local governments bear the rest of it. The Japan Railway Construction, Transport and Technology Agency (JRTT) constructs high-speed railways by receiving funds from national and local governments. After completion, JRTT owns the tracks and lease it to the operators, Japan Railways (JR). JR pays JRTT a yearly rent for the tracks. In order to prevent building financially unviable railways, government approves construction when the project satisfies criteria of resources and		
Outcome/Effects:	About 2 400 km of high-speed rare under construction.	ailways are now operated and about 420 km	

Web link:	http://www.jrtr.net/jrtr48/pdf/f06_Tak.pdf http://www.jrtr.net/jrtr57/index.html http://www.jrtr.net/jrtr40/pdf/f04_tak.pdf http://www.jrtr.net/jrtr40/pdf/f14_kit.pdf http://www.jrtr.net/jrtr40/pdf/f34_jre.pdf http://www.jrtr.net/jrtr40/pdf/photo.pdf http://english.jr-central.co.jp/company/ir/annualreport/_pdf/annualreport2011-05.pdf		
Key Words:	 □ Border Crossing □ Congestion □ Energy/Fuel □ Environment □ Freight □ Funding □ Information Sharing 	 ☑ Infrastructure ☑ Intercity ☐ Intermodal ☐ Interoperability ☑ Passenger ☐ Planning ☐ Regulation/Law 	 ☐ Rural ☐ Standards/Uniformisation ☐ Supply Chain ☐ Telecommunications ☐ Ticketing/Payment ☐ Urban ☐ Other
Contact:	Name: International Policy Division, Policy Bureau Organisation: Ministry of Land, Infrastructure and Transport (MLIT), Japan Email: kokusaiseisakuka@mlit.go.jp		

Country:	Japan		
Activity Title:	Securing Safety of Intermodal Container Transportation on Road		
Mode(s):	 □ Walking □ Cycling □ Private automobile □ Bus □ Light or Heavy Goods Vehicle 		ight Rail Ieavy Rail Air nland Waterways Maritime
Objective(s):	Improving cargo information-sharing in the supply chain helps proper truck driving, which secures safety of intermodal container transportation on roads.		
Timeframe:	Start: 2012	Finish: ongoing	g
	Trailers carrying intermodal containers on public roads sometimes cause rol over accidents injuring the drivers and other road users. In order to prever these accidents, particularly ones caused by improper driving because of lac of information of cargo on the side of drivers, new safety regulations ar proposed.		
Outline of case:	At present, drivers are not necessarily provided information on the content of the container, its weight and how it is lashed, and that makes it difficult for drivers to drive properly according to the kind of cargo.		
	Under the proposed regulations, shippers (consignees in case of import) are obliged to provide information about the cargo including item, weight and packing, to truck drivers via transport companies.		
	When overweight or improper lashing is suspected, the container shopened and the problems should be corrected at port.		
Outcome/Effects:	N/A		
Web link:	_		
Key Words:	□ Congestion □ In □ Energy/Fuel □ In □ Environment □ In □ Freight □ P □ Funding □ P	nfrastructure Intercity Intermodal Interoperability Interoperability Iteroperability Iteropera	 ☐ Rural ☐ Standards/Uniformisation ☐ Supply Chain ☐ Telecommunications ☐ Ticketing/Payment ☐ Urban
Contact:	Name: International Policy Div Organisation: MLIT Japan Email: kokusaiseisakuka@mlit	•	eau

Country:	Japan		
Activity Title:	ITS (Intelligent Transport System) Spot Services		
Mode(s):	Walking Light Rail Cycling Heavy Rail Private automobile Air Bus Inland Waterways Light or Heavy Goods Vehicle Maritime		
Objective (s):	To reduce traffic accidents and time losses resulting from traffic congestion.		
Timeframe:	Start: 2011 Finish: ongoing		
Outline of case:	ITS Spot Services consist of three basic services that are made available as an all-in-one system by high-speed, high-volume road-to-vehicle communications. The first is Wide-Range Road Traffic Information. By transmitting road traffic information in real-time, car navigation systems can search wide-area expressways that cross prefectural borders, urban expressways and other roads, and select the fastest route based on the latest information. The second is safe Driving Support. ITS Spots provide wide-area road traffic information on a regular basis including traffic safety issues for specific roads. In emergencies, they provide information that supports safe driving. The third is ETC (Electronic Toll Collection System). ITS Spot Services utilises the same technologies as ETC, therefore existing ETC services can be enjoyed with a compatible car navigation system. Other services include information on tourist sites and updated maps which are provided over the internet with some car navigation systems.		
Outcome/Effects:	Traffic accidents in Japan have increased, resulting in a death toll of about 5 000 persons per year. Additionally, traffic congestion in urban areas has caused economic losses amounting to 12 trillion yen, and time losses amounting to 5.6 billion person-hours. Major problems have surfaced with respect to transport safety and efficiency. Also, issues such as environmental deterioration along roads, disharmony with the global environment, and increased energy consumption are growing in severity and importance. Especially: • For expressways in urban areas, it is essential to guide the routes considering traffic information because of complex network of the roads. • In the metropolitan expressway, 50 000 accidents of falling object per year have occurred.		
Web link:	http://www.mlit.go.jp/road/road_e/pdf/chapter02.pdf http://www.mlit.go.jp/road/ITS/		

Key Words:	□ Border Crossing	☐ Infrastructure	☐ Rural	
	□ Congestion	☐ Intercity	☐ Standards/Uniformisation	
			☐ Supply Chain	
	☐ Freight	☐ Passenger	☐ Ticketing/Payment	
	☐ Funding	☐ Planning	☐ Urban	
		□ Regulation/Law	☐ Other	
	Name: International Policy Division, Policy Bureau			
Contact:	Organisation: Ministry of Land, Infrastructure and Transport (MLIT), Japan			
	Email: kokusaiseisakuka@mlit.go.jp			

Country:	Japan	
Activity Title:	Intelligent Transport System (ITS)	
Mode(s):	□ Walking □ Light Rail □ Cycling □ Heavy Rail ☑ Private automobile □ Air ☑ Bus □ Inland Waterways ☑ Light or Heavy Goods Vehicle □ Maritime	
Objective (s):	To reduce time losses resulting from traffic congestion.	
Timeframe:	Start: 2001 Finish: ongoing	
Outline of case:	The Intelligent Transport Systems is a new transport system which is comprised of advanced information and telecommunications network for users, roads and vehicles. ITS are steadily expanding with the popularisation of ETC (Electronic Toll Collection System) and VICS (Vehicle Information and Communication System), and have effectively smoothened traffic by providing real-time information, eliminating congestion at toll gates, and mitigating environmental impacts by differential toll discounts. (1) ETC ETC is a system which allows drivers to automatically pay tolls without stopping their vehicle at a toll booth. The system uses wireless communication between ETC on-board equipment installed in the vehicle and roadside device placed at the collection point. Since starting in 1997, this system is now available on expressways around Japan. ETC communication technology is also used by private operators for non-stop passage through parking gates and ferry boarding, among others. (2) VICS VICS transmit road traffic data, such as congestion and traffic restrictions on a real-time basis, to onboard vehicle navigation units and displays data in the form of text, simple graphics and maps. The service started in Japan in April 1996. VICS delivers information using three media: FM multiplex broadcasting, a radio wave beacon and an infrared beacon.	
Outcome/Effects:	At the end of December 2011, there were about 34.24 million ETC-equipped vehicles in Japan. ETC users now account for 86.2% of all vehicles on expressways in Japan. The system has effectively eliminated congestion at toll gates. At the end of March 2011, over 30.13 million vehicles were equipped with VICS compatible onboard units.	
Web link:	http://www.mlit.go.jp/road/road_e/pdf/chapter02.pdf http://www.mlit.go.jp/road/ITS/	

Key Words:	 ☑ Border Crossing ☑ Congestion ☑ Energy/Fuel ☑ Environment ☐ Freight ☐ Funding ☑ Information Sharing 	☐ Infrastructure ☐ Intercity ☐ Intermodal ☐ Interoperability ☐ Passenger ☐ Planning ☐ Regulation/Law	 □ Rural □ Standards/Uniformisation □ Supply Chain □ Telecommunications □ Ticketing/Payment □ Urban □ Other
Contact:	Name: International Police Organisation: Ministry of Email: kokusaiseisakuka	of Land, Infrastructure	eau and Transport (MLIT), Japan

Country:	Japan
Activity Title:	Low Carbon City Development Guidance
Mode(s):	☑ Walking ☑ Light Rail ☑ Cycling ☑ Heavy Rail ☑ Private automobile ☐ Air ☑ Bus ☐ Inland Waterways ☑ Light or Heavy Goods Vehicle ☐ Maritime
Objective (s):	To create a compact city with reduce traffic accidents and time losses resulting from traffic congestion, where people can travel smoothly and conveniently to/from work/school, shopping and other daily activities.
Timeframe:	Start: 2010 Finish: ongoing
Outline of case:	In 2010, Low Carbon City Development Guidance was made to support the initiatives of local authorities, by indicating what should be considered when promoting low-carbon city development, its basic concepts, as well as the necessary measures and methods of assessing their effects. The Guidance consists of three parts: "Part I: Concept of a Low-Carbon City" sets out the rationale for creating low-carbon cities. "Part II: Low-Carbon City Development Measures" describes the methods in developing a low-carbon city in three sectors, namely transportation and urban structure, energy (private homes and private businesses), and greenery. "Part III: Analysis of the Effects of Low-Carbon City Development Measures" explains the methodologies for assessing the effects of the measures. In the transportation and urban structure sector, a compact urban area where people can live closer to their workplaces is expected to reduce travel distances and alleviate transportation demand. Reduced travel distances, in turn, will promote a shift from passenger cars to bicycles or walking. Moreover, increasing the density of traffic demand can raise the profitability levels of public transportation, thereby improving its service levels, which can further promote a shift from automobiles to public transportation.
Outcome/Effects:	_
Web link:	http://www.mlit.go.jp/common/000136941.pdf
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisation □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Urban □ Information □ Regulation/Law ○ Other Low Carbon City, Compact City, CO2

	Name: International Policy Division, Policy Bureau
Contact:	Organisation: Ministry of Land, Infrastructure and Transport (MLIT), Japan
	Email: kokusaiseisakuka@mlit.go.jp

Country:	Japan		
Activity Title:	Compact City Development Using Public Transport (case of Toyama City)		
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☐ Bus☐ Light or Heavy Goods Vehicle	☑ Light Rail☐ Heavy Rail☐ Air☐ Inland Waterwayse☐ Maritime	
Objective (s):	To improve access to public tran	nsport.	
Timeframe:	Start: April 2002	Finish: ongoing	
	Toyama City (population: 418 000) is trying to convert its town structure from the current car-dependent spread city to a compact city along the public transport routes.		
Outline of case:	The city is trying to improve service levels of its vital six rail/tram routes and 13 major bus routes: converting rail to tram, constructing a circle tram line in the downtown, increasing frequency of rail and bus services and improving transfer between rail and buses.		
	The city has also designated "public transport residential area" along the routes and gives financial support to those who build houses in the areas. The share of the residents in these area, currently 30% of the total population, is aimed to be 40 % within 20 twenty years.		
	As the first major project of the public transport improvement, a 8 km long railway which connects Toyama Station in the downtown and the north district was converted to a more user-friendly street-level tram line. The tram (Toyama Light Rail) operates at the intervals of 10 to 15 minutes until 23:00. All cars are low-floor and barrier-free. The tram line is expected to operate without subsidies although public money is spent on its infrastructure.		
Outcome/Effects:	1. The number of passengers of the Toyama Light Rail per day increased from 2 200 in 2005 (before conversion) to 4 800 in 2007.		
	2. 13% of all bus users and 11% of all private car users became tram users, which means environmental load decreases.		
	3. By age, the number of passengers aged 60 and older has increased by 350%, which means the tram created opportunities for elderly people to go out.		
Web link:	_		

Key Words:	 □ Border Crossing ⋈ Congestion ⋈ Energy/Fuel ⋈ Environment □ Freight □ Funding □ Information Sharing 	 ☐ Infrastructure ☐ Intercity ☐ Intermodal ☐ Interoperability ☐ Passenger ☐ Planning ☐ Regulation/Law 	Rural Standards/Uniformisation Supply Chain Telecommunications Ticketing/Payment Urban Other: LRT; Barrier-free Compact City
Contact:	Name: International Policy Division, Policy Bureau Organisation: Ministry of Land, Infrastructure and Transport (MLIT), Japan Email: kokusaiseisakuka@mlit.go.jp		

Country:	Japan		
Activity Title:	Highway Bus and Rail Ride		
Mode(s):	 ☐ Walking ☐ Cycling ☐ Private automobile ☒ Bus ☐ Light or Heavy Goods Vehicle 	☐ Light Rail☑ Heavy Rail☐ Air☐ Inland Waterways☐ Maritime	
Objective(s):	This policy helps intercity bus pass smoothly, avoiding road congestion.	sengers to reach their destination	
Timeframe:	Start: 2010	Finish: ongoing	
	A problem with inter-city highway bus traffic congestion in Tokyo urban area designed to solve this problem. When a caught in a traffic jam, its passengers in the outskirts of Tokyo. The metro far	A "Highway Bus and Rail Ride" was an intercity bus to downtown Tokyo is may transfer to the metro at a station	
Outline of case:	When a bus is approaching Tokyo, information on traffic conditions ahead is provided to the onboard passengers to help them decide whether to transfer to the metro. Passengers who wish to transfer are issued discounted metro tickets and get off the bus at the Yoga stop, from where Metro Yoga station is within five minutes walking distance.		
	This service was started in 2011 after a		
Outcome/Effects:	About 16 000 highway bus passengers programme (in the span of almost ten m		
Web link:	_		
Key Words:	□ Border Crossing □ Infrastruct □ Congestion □ Intercity □ Energy/Fuel □ Intermoda □ Environment □ Interopera □ Freight □ Passenge □ Funding □ Planning □ Information Sharing □ Regulatio	Standards/Uniformisation Supply Chain Ability Telecommunications Ticketing/Payment Urban	
Contact:	Name: International Policy Division, Policy Organisation: Ministry of Land, Infrastru Email: kokusaiseisakuka@mlit.go.jp	•	

Country:	Japan		
Activity Title:	Improving Railway Stations as Transport Hubs		
Mode(s):	☑ Walking☑ Cycling☑ Private automobile☑ Bus☐ Light or Heavy Goods Vehicle	☐ Light Rail☐ Heavy Rail☐ Air☐ Inland Waterways☐ Maritime	
Objective (s):	This policy aims at providing passengers with seamless transfer between different modes of transport by improving station square, access road, pedestrian deck, station corridor and other facilities in the areas around the transport hubs.		
Timeframe:	Start: 2009/2010 (Guidelines/Integrated Subsidy) Finish: ongoing		
Outline of case:	gg		
Outcome/Effects:	At Kokura station, the number of passengers of public transportation increased on the following year when the monorail was extended to the building of the railway station as well as the pedestrian deck.		
Web link:	http://www.mlit.go.jp/road/road_e/pdf/chapter01.pdf Chapter 1 Road development in Japan		

Key Words:	 □ Border Crossing ☑ Congestion ☑ Energy/Fuel ☑ Environment □ Freight □ Funding □ Information Sharing 	 ☑ Infrastructure ☐ Intercity ☑ Intermodal ☐ Interoperability ☑ Passenger ☐ Planning ☐ Regulation/Law 	 ☐ Rural ☐ Standards/Uniformisation ☐ Supply Chain ☐ Telecommunications ☐ Ticketing/Payment ☐ Urban ☐ Other
Contact:	Name: International Policy Division, Policy Bureau Organisation: Ministry of Land, Infrastructure and Transport (MLIT), Japan Email: kokusaiseisakuka@mlit.go.jp		

Country:	Japan		
Activity Title:	Ensuring Transportation to/from a Remote Island		
Mode(s):	 ☐ Walking ☐ Cycling ☐ Private automobile ☐ Bus ☐ Light or Heavy Goods Vehicle 	☐ Light Rail☐ Heavy Rail☒ Air☐ Inland Waterways☒ Maritime	
Objective (s):	Ensure access to remote islands.		
Timeframe:	Start: 2011	Finish: ongoing	
	Transportation to/from remote islands has been financially supported by the government as a crucial service to island residents. The present subsidy system, reorganized as a part of Project to secure, maintain, and improve local public transportation, in 2011, gives comprehensive and continuous support: a) subsidies for remote island transportation are supplied to compensate		
	one half of the operating loss of each sea and aerial routes;		
Outline of case:	b) subsidies are granted for the replacement or construction of ships used for the service,		
	 c) stakeholders, including operators, local governments and users are required to establish a council and the council should decide a Regional Transport Network Program, in which the remote islands service needs to be described. 		
	The government has other programmes, subsidies for purchasing aircrafts and installing a Satellite Based Augmentation System for remote island air routes.		
	Until 2011, various subsidy systems for local public transportation were managed in parallel. These were mostly limited in the time frame and the field. Since local public transport is necessary for residents but hardly sustainable, those schemes need to be reformed to meet the needs of local society.		
Outcome/Effects:	_		
Web link:	_		

Key Words:	☐ Border Crossing ☐ Congestion ☐ Energy/Fuel ☐ Environment ☐ Freight ☐ Funding	☐ Infrastructure ☐ Intercity ☐ Intermodal ☐ Interoperability ☐ Passenger ☐ Planning	 ☐ Rural ☐ Standards/Uniformisation ☐ Supply Chain ☐ Telecommunications ☐ Ticketing/Payment ☐ Urban
	☐ Information Sharing	☐ Regulation/Law	Other
Contact:	Name: International Policy Division, Policy Bureau Organisation: Ministry of Land, Infrastructure and Transport (MLIT), Japan Email: kokusaiseisakuka@mlit.go.jp		

Country:	Japan		
Activity Title:	Railway-station-based Community Rental Cycle System in urban area		
Mode(s):	Walking Light Rail Cycling Heavy Rail Private automobile Air Bus Inland Waterways Light or Heavy Goods Vehicle Maritime		
Objective (s):	Improving last one mile transport from stations to encourage people to use railways, which is eco-friendly transport.		
Timeframe:	Start: 2000 (Hankyu Rental Cycle) Finish: ongoing		
Outline of case:	With the purpose of encouraging people to shift from cars to more eco- friendly railways and cycles, cycle rental systems based at railway stations have been introduced. Traditionally, many railways commuters have been using cycles between their home and railway stations. Often bicycle parking lots are constructed at railway stations.		
	1. Edogawa City, in Tokyo, started the pilot programme of rental bicycles, where registered members can use cycles at 5 ports nearby railway stations at the cost of 1 500 yen per month or 100 yen per day. Almost 10 000 people registered for the programme (525 pay by the month, 9 394 pay per day) and used 25 669 times per month. Cycle turnover at the program is 1.40 times per day and cycle riders have increased without construction of new parking facilities.		
	2. A questionnaire survey carried out by Policy Research Institute MLIT shows that community cycle rental systems based at railway stations encourage railway use by improving transport to and from the stations. And because of frequent turnover of cycle rental, rental bicycle ports need less space than parking lots for bicycle. It will be an advantage for local authorities or railway companies bothered by many bicycles parked on the roads around stations.		
Outcome/Effects:	Community cycle systems increase the number of cycle users and may promote railway use. They will help improve both environmental conditions and mobility in urban areas.		
Web link:	_		
Key Words:	□ Border Crossing □ Infrastructure □ Infrastructure □ Congestion □ Intercity □ Intercity □ Energy/Fuel □ Intermodal □ Intermodal □ Environment □ Interoperability □ Interoperability □ Freight □ Passenger □ Passenger □ Funding □ Planning □ Planning □ Information Sharing □ Regulation/Law □ Regulation/Law		

Contact:	Name: International Policy Division, Policy Bureau Organisation: Ministry of Land, Infrastructure and Transport (MLIT), Japan Email: kokusaiseisakuka@mlit.go.jp
----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------

Country:	Japan	
Activity Title:	Road development and impro	ovement of access roads to airports and
Mode(s):	☐ Walking☐ Cycling☑ Private automobile☑ Bus☑ Light or Heavy Goods Vehice	Light Rail Heavy Rail Air Inland Waterways Maritime
Objective(s):	To improve access to destination	n.
Timeframe:	Start: —	Finish: ongoing
Outline of case:	Under the fourth comprehensive national development plan, 14 000 km of Arterial high-standard highways and trunk roads are being constructed to improve access to tourist spots, airports, harbours and so forth, and to build comprehensive resilient road network. In all major Japanese cities, ring roads are being constructed on a priority basis to provide urban infrastructure, alleviate traffic congestion, reduce CO2 emissions, and create a favourable living environment. In the congestion-plagued Tokyo Metropolitan area in particular, three ring roads (Metropolitan Inter-city Expressway, Gaikan Expressway and Central Circular Route) are under construction as part of a three-ring, nine-radii network. Moreover, to ease chronic congestion in urban centres caused by through traffic, the traffic capacity of roads is being expanded through the construction of bypasses and the widening of existing roads. Today, 70% of 71 major airports and harbours in Japan are accessible from expressway interchanges within 10 minutes. To improve access, work is under way to construct access roads to major airports and harbours.	
Outcome/Effects:	As of April 2011, completed sections of the arterial high-standard highways and trunk roads total 9 855 km (70% of the plan) and 95 % of all people in urban and rural areas can access the expressways and trunk roads within about one hour. Opening a part of the Central Circular Route (from Route 3 Shibuya Line to Route 4 Shinjuku Line) in 2010 has decreased congestion length by 30% and opening a part of the Metropolitan Inter-city Expressway (from Hachioji JCT to Akiruno IC) in 2010 decreases congestion length by 40%. 70% of 71 major airports and harbours in Japan are accessible from expressway interchanges within 10 minutes.	
Web link:	http://www.mlit.go.jp/road/road_	e/pdf/chapter01.pdf

	□ Border Crossing		☐ Rural
	□ Congestion		☐ Standards/Uniformisation
			☐ Supply Chain
Key Words:			☐ Telecommunications
	☐ Freight	☐ Passenger	☐ Ticketing/Payment
	☐ Funding	☐ Planning	☐ Urban
	☐ Information Sharing	☐ Regulation/Law	Other: Expressways
	Name: International Po	olicy Division, Policy Bu	ıreau
Contact:	Organisation: Ministry of Land, Infrastructure and Transport (MLIT), Japan		
	Email: kokusaiseisakuka@mlit.go.jp		

Country:	Japan	
Activity Title:	Encouraging Safety Management of Transport Operators	
Mode(s):	 ☐ Walking ☐ Cycling ☐ Private automobile ☒ Bus ☒ Light or Heavy Goods Vehicle 	☑ Light Rail☑ Heavy Rail☑ Air☑ Inland Waterways☑ Maritime
Objective(s):	Connecting departure point to destination with safer transport service for passengers and cargoes	
Timeframe:	Start : 2006	Finish: ongoing
Outline of case:	In order to prevent transport accidents caused by human error, to Transport Safety Management System was started in 2006. Under the system, transport companies — including road, rail, air and sea — a required by law to: (a) nominate one executive officer as Safety Manager, (b) establish Safety Management Rules. Safety Management Rules should include a safety policy statement and the company's policies on; implementation and improvement of safe measures, internal and external communication, education and training, an internal audit. It is expected that under this scheme: (1) every part of the company becomes aware of safety as the temporal management priority; (2) The Safety Management Plan will be vigorously implemented under the leadership of the top management; (3) a PDCA cycle will work autonomously: Plan (planning safety system Do (implementing the system), Check (reviewing the implementation and Action (further improving the system); and (4) as a result, the company's safety level will improve continuously. MLIT (Transport Ministry) evaluation teams regularly visit the transport companies and conduct evaluation of the system, including interviews we officers at various levels; from top management to operation managers. To nature of the visit is not an inspection or supervision. The visiting teashould try to offer advice to improve the company's safety levels, by the com	

Results of Survey by MLIT in 2010 (of 136 major transport companies): (A) 60.7% says the system is very effective, 37.7% slightly effective (B) The following improvements and merits were observed in the companies: 1 Communication between management and the operating teams has improved.
(B) The following improvements and merits were observed in the companies: 1 Communication between management and the operating teams has improved.
companies: 1 Communication between management and the operating teams has improved.
Outcome/Effects: improved.
2 All levels of employees have become aware of safety.
3 The company has become more responsive to problems and accidents.
4 The internal audit is working effectively.
5 The PECD cycle is working effectively.
Web link: —
☐ Border Crossing ☐ Infrastructure ☐ Rural
☐ Congestion ☐ Intercity ☐ Standards/Uniformisation
☐ Energy/Fuel ☐ Intermodal ☐ Supply Chain
Key Words:
Freight Passenger Ticketing/Payment
Funding Planning Urban
☐ Information Sharing ☐ Regulation/Law ☐ Other: <u>Safety</u>
Name: International Policy Division, Policy Bureau
Contact: Organisation: Ministry of Land, Infrastructure and Transport (MLIT), Japan
Email: kokusaiseisakuka@mlit.go.jp

Country:	Japan		
Activity Title:	Introduction and Interoperabi	lity of Smart Card System	
Mode(s):	 ☐ Walking ☐ Cycling ☐ Private automobile ☑ Bus ☐ Light or Heavy Goods Vehicle 	☑ Light Rail☑ Heavy Rail☐ Air☐ Inland Waterwayse☐ Maritime	
Objective (s):	Providing public transport passengers with seamless transport by introducing smart card ticketing systems which overcome the between different modes and different operators.		
Timeframe:	Start: 1998	Finish: ongoing	
	The first major Smart Card ticketing system "Suica", of the East Japan Railways (JR East), was started in the Tokyo area in 2001. Since then, smart-card ticketing systems have spread throughout the country. Today, 70 million smart cards are in use.		
	Users enjoy benefits: you don't have to buy a ticket before riding public transport and you can use all public transport of different member operators with a single card.		
	Operators also enjoy merits: they can scale down ticket booths at stations, using the space for retailing and other services.		
Outline of case:	The Greater Tokyo area has two Smart-Card systems: "Suica", with 35 million cards in circulation, is managed by JR East; and "PASMO", with 17 million, managed by a card company created by 11 rail and 19 bus operators. The two cards are completely interchangeable: you can ride public transport in the area operated by 100 different operators with either card.		
	Major metropolitan areas other than Tokyo have their own smart-card systems. The 10 major card systems have agreed to make all cards interchangeable in 2013. When this is achieved, a passenger will ride almost all public transport systems in Japan with a single smart card.		
	79 out of 193 railway companies provide smart card service in the nation as of March 2011.		
Outcome/Effects:	The smart card system has brought not only improved convenience to passengers, but also a decrease in the cost of station services and enhanced prevention from improper use.		
Web link:	http://www.jrtr.net/backissue/index_backissue.html (No. 50, September 2008, IC CARDS)		

	☐ Border Crossing☒ Congestion	☐ Infrastructure ☐ Intercity	☐ Rural☒ Standards/Uniformisation
	☐ Energy/Fuel		Supply Chain
Key Words:	☐ Environment	☐ Interoperability	☐ Telecommunications
	☐ Freight	⊠ Passenger	☐ Ticketing/Payment
	☐ Funding	☐ Planning	☐ Urban
		☐ Regulation/Law	☐ Other
Name: International Policy Division, Policy Bureau		ıreau	
Contact:	Organisation: MLIT Japan		
	Email: kokusaiseisakuka@mlit.go.jp		

Country:	Japan	
Activity Title:	Smart Inter Change	
Mode(s):	 □ Walking □ Cycling ⋈ Private automobile ⋈ Bus ⋈ Light or Heavy Goods Vehicle 	☐ Light Rail ☐ Heavy Rail ☐ Air ☐ Inland Waterways e ☐ Maritime
Objective (s):	To improve access to expresswa	ays
Timeframe:	Start: 2006	Finish: ongoing
Outline of case:	Smart Interchange, a staff-less and cash-less toll collection with dedicated ETC, reduces the costs of operating tollgates and solves the security problem of the gates. Smart Interchange requires only small structures and surface, reducing construction costs. In addition, the interchange function can be added to service/parking areas by connecting such areas with ordinary roads, and installing ETC gates at the entrances and exits.	
Outcome/Effects:	59 Smart Interchanges are available on highways managed by the East Nippon Expressway Company, Central Nippon Expressway Company or West Nippon Expressway Company.	
Web link:	_	
Key Words:	☑ Congestion ☐ Inte ☑ Energy/Fuel ☑ Inte ☑ Environment ☑ Inte ☐ Freight ☐ Pas ☐ Funding ☐ Plar	Rural rcity Standards/Uniformisation rmodal Supply Chain roperability Telecommunications senger Ticketing/Payment nning Urban pulation/Law Other
Contact:	Name: International Policy Divi Organisation: MLIT Japan Email: kokusaiseisakuka@mlit.	

KOREA

Country:	Republic of Korea	
Activity Title:	Technology for Transport Connectivity and Transfer System	
Mode(s):	☑ Walking☑ Cycling☑ Private automobile☑ Bus☐ Light or Heavy Goods Vehicle	☑ Light Rail☑ Heavy Rail☑ Air☐ Inland Waterways☑ Maritime
Objective (s):	To improve transfer centres for convenient, comfortable, and safe transit services, reduce unnecessary traffic, and lead a culture by providing a transit-oriented transportation system.	
Timeframe:	Start: September 2006	Finish: June 2011
Outline of case:	This research pursues the following objectives: reduce transfer time; enhance travel rights for the mobility impaired; optimise transfer facilities; and promote standardisation and integration of transfer-related technologies. To achieve these goals, the research team developed technologies related to intermodal connections and transfer systems, and conducted related field surveys. Through these activities, the research team ultimately aims to realise convenient and safe intermodal connections and transfer systems.	
Outcome/Effects:	 The research team developed the following technologies: P1. Transfer Center Feasibility Evaluation Manual P2. Connectivity Analysis System of Public Transport Networks D1. Transfer Center Design and Placement Criteria D2. Transfer Center Electronic Design Manual D3. Transfer Center Design Analysis Program(Design- PED) O1. Integrated Operaing System for Intermodal Connectivity (Garatagi Centre) O2. Mobile Information Program for Intermodal Connectivity (Garatagi Mobile) O3. Transfer Centre Operation Analysis Program (3D-PED) 	
Web link:	_	

Key Words:	☐ Border Crossing ☐ Congestion ☐ Energy/Fuel	☑ Infrastructure☑ Intercity☑ Intermodal	☐ Rural☑ Standards/Uniformisation☐ Supply Chain
	☐ Environment	☐ Interoperability	☐ Telecommunications
	☐ Freight	⊠ Passenger	☐ Ticketing/Payment
	☐ Funding		☐ Urban
	☐ Information Sharing	□ Regulation/Law	Other
	Name: OH, Jae-hak		
Contact:	Organisation: The Korea Transport Institute Email: jhoh@koti.re.kr		

THE NETHERLANDS

Country:	The Netherlands	
Activity Title:	OV-fiets (Public Transport Cyc	cling)
Mode(s):		☐ Light Rail ☑ Heavy Rail ☐ Air ☐ Inland Waterways e ☐ Maritime
Objective (s):	To provide train passengers with an alternative for after-rail transport: at easily available bicycle.	
Timeframe:	Start: 2003	Finish: Ongoing
Outline of case:	24 hours) rental bike available Netherlands and used quite off is also available outside train s and at Park & Ride sites. Both number of trips made by OV-fie	ycling) is an inexpensive (€ 3 per trip / at a large number of train stations in the en to travel to the final destination. OV-fiets tations, for instance at metro and bus stops, the number of customers of OV-fiets and the ts are rapidly growing since the start in 2003 million trips). Since 2008, OV-fiets is part of
Outcome/Effects:	 A 2010 customer survey among 11,500 OV-fiets customers reports that: 8 % of all users indicate they used to travel by car to the location they reach most often by OV-fiets; 3 % used to be collected by car; 15 % indicates replacing at all OV-fiets instances 1 or several car trips by a combination of train and OV-fiets. The major reasons to prefer an OV-fiets are stated to be the ease of use, freedom, speed, low costs and environmental reasons. 	
Web link:	www.ov-fiets.nl (in Dutch) www. fietsberaad.nl	
Key Words:	□ Congestion □ Inf □ Energy/Fuel □ Inf □ Environment □ Inf □ Freight □ Pa □ Funding □ Pla	rastructure

Contact:

Name/Organisation: The Dutch Cycling Embassy Foundation

Trans 3

3512 JJ Utrecht The Netherlands

Tel. +31 (0)30 230 4521 Fax. +31 (0)30 231 2384 Email: info@dutchcycling.nl

Country:	The Netherlands	
Activity Title:	ULTIMATE Efficient Multimodal Hinterland Networks	
Mode(s):	 ☐ Walking ☐ Cycling ☐ Private automobile ☐ Bus ☐ Light or Heavy Goods Vehicl 	☐ Light Rail ☑ Heavy Rail ☐ Air ☑ Inland Waterways e ☐ Maritime
Objective (s):	The DINALOG ULTIMATE project develops an approach to pro-actively push containers into the hinterland of a seaport. For this purpose, an appropriate network of sea- and hinterland terminals needs to be developed (with the right level of security, IT systems and quality of operations). At the same time, the processing in the seaport to release containers to be moved into the hinterland has to be streamlined in order to avoid delay. In this respect, ULTIMATE contributes to the development of seamless hinterland transport networks. ULTIMATE is a project funded by the Dutch Institute of Advanced Logistics (DINALOG)	
Timeframe:	Start: June 2011	Finish: May 2014
Outline of case:	Extended gates of sea terminals are developed in the hinterland of th Netherlands, Germany and Belgium. A network of sea terminals an hinterland terminals/extended gates facilitates efficient hinterland transport efficiency gains in the seaport as well as in the transportation betwee seaport and hinterland locations. A major issue is the balance in the network between operational standards in all nodes in the network, as well as a agreement with the major stakeholders (shipping lines, shippers an customs) that certain administrative, inspection and release activities can be deferred from the seaport to hinterland locations. Another major issue is the legal framework for developing this kind complex multimodal hinterland transport service. For one, the role change of a terminal in offering transport services and forwarding activities is complex In addition, the legal framework enabling multimodal transport services is not well developed. The terminal operator ECT is developing this concept in a commercial setting under the brand European Gateway Services. The network of hinterland terminals is constantly expanding. Development of integral IT systems to control the booking of transport and the flow of containers and administrative processes is underway, and the basis booking platforms and IT systems are expected to be finalised in 2012/2013.	

	Efficiency gains at sea terminals (use of space and equipment productivity, cost savings in hinterland transport due to increased use of inland shipping and rail, and eventually the sustainability of the accessibility of the seaport).		
Outcome/Effects:	The DINALOG ULTIMATE project plays an important central role in a cluster of projects around the seamless transport of containers through seaports into the European Hinterland. These projects address related IT infrastructure development (EU FP7 projects CASSANDRA, I-CArgo and COMCIS), pilot in advanced multimodal transport solutions and innovative concepts such a pre-notification of trucks and re-use of empty containers. (see also attached image).		
Web link:	http://www.europeangatewayservices.com		
Key Words:	⊠ Border Crossing ☐ Infrastructure ☐ Rural ☐ Congestion ☐ Intercity ☐ Standards/Uniformisation ☐ Energy/Fuel ☒ Intermodal ☒ Supply Chain ☐ Environment ☒ Interoperability ☐ Telecommunications ☒ Freight ☐ Passenger ☐ Ticketing/Payment ☐ Funding ☐ Planning ☐ Urban ☒ Information Sharing ☒ Regulation/Law ☐ Other		
Contact:	Name: Albert Veenstra Organisation: TNO Email: albert.veenstra@tno.nl		

Country:	The Netherlands		
Activity Title:	Cross chain consolidation: 4C4MORE & 4C4D		
Mode(s):	□ Walking □ Light Rail □ Cycling □ Heavy Rail □ Private automobile □ Air □ Bus □ Inland Waterways ☑ Light or Heavy Goods Vehicle □ Maritime		
Objective(s):	The Dinalog projects 4C4More and 4C4D (city distribution) both focus on opportunities for so-called Cross Chain Control Centres, in short 4C. The key idea behind it is to create economies of scale and scope through interand intra-supply-chain collaboration. Economies of scale refer to more efficient use of scarce physical resources and materials, whereas economies of scope refer to more effective use of scarce human resources. Creating such economies of scale and scope boosts profitability of companies involved in 4C activities, enlarges the potential for multimodal transport solutions, while more efficient use of scarce resources and materials contributes to a sustainable planet.		
	Also in urban areas, there is a huge potential for bundling of distribution flows that are now fragmented. Although there are first signs of co-operation between logistic service providers and retailers, recent reviews show that there are hardly any examples of commercially successful, environmentally sustainable collaborative solutions (in e.g. urban areas) within Europe.		
Timeframe:	Start: October 2012 Finish: January 2015		
Outline of case:	The idea of inter- and intra-supply-chain collaboration is not new, but effective and sustainable forms of such collaboration are scarce. This is mainly for two reasons: sharing benefits of collaboration in a fair way is far from trivial, and operational collaboration requires sharing very sensitive data about sales and orders. 4C4More initially focuses on intra- and inter supply collaboration of total supply chains and 4C4D focuses on collaboration in city distribution and coordination between logistics service providers and between LSPs and retailers, i.e. the bundling of physical good flows into (urban) areas, resulting in fewer negative impacts (decongestion, less nuisance in cities).		
	The Dinalog 4C4More and 4C4D projects are focussing on collaboration in the FMCG value chain. This implies collaboration between retailers and shippers about forecasts and shipment frequencies and timing. This implies collaboration between shippers and logistics service providers about time windows at DC's and stores. This implies collaboration between logistics service providers to maximize vehicle utilization and thereby minimize cost and emissions. Clearly, all of this has been noted many times before. But as with many ideas, translation from the concept of 4C and intra- and inter supply chain collaboration to actual day-to-day practice is a challenge. Therefore the projects look into aspects such as the development of 4C architectures (i.e. functional and organizational designs including		

	appropriate business models) for innovative, collaborative distribution structures (for urban areas), the development of business models, ICT and operational decision support tools, methods for fair gain sharing etc.		
	The projects should yield more efficient transport and warehousing processes by a better orchestration of the different physical flows, thereby lower (transportation) costs, lower usage of scarce resources. The projects also lead to more effective use of human and physical resources, a substantial capital cost reduction. A short-term revenue improvement for the companies involved, both shippers and service providers.		
Outcome/Effects:	A significant reduction in (city) emissions in transport by less energy usage and less emissions due to less trucks and less movements. Improved air quality (e.g. carbon footprint) in cities.		
	The projects are closely related to international projects and initiatives such as the EU FP7 project CO3 and the Joint Program Initiative 'Urban Europe' as well as various demonstration projects in e.g. the automotive industry, healthcare, and fashion.		
Web link:	http://www.dinalog.nl		
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisation □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Planning □ Urban □ Information Sharing □ Regulation/Law □ Other		
Contact:	Name: Ton de Kok Organisation: Eindhoven University of Technology Email: A.G.d.Kok@tue.nl		

Country:	The Netherlands		
Activity Title:	NS Zonetaxi		
Mode(s):	□ Walking □ Light Rail □ Cycling □ Heavy Rail ☑ Private automobile □ Air □ Bus □ Inland Waterways □ Light or Heavy Goods Vehicle □ Maritime		
Objective (s):	More reliable combination train — taxi		
Timeframe:	Start: 2009 Finish: ongoing		
Outline of case:	To improve door-to-door transport, Dutch railways NS and the Dutch taxi employer association KNV Taxi started in 2009 a pilot in 5 cities to offer a (more) reliable taxi service after a train ride. NS Zonetaxi is a taxi concept for train passengers that stands out due to the guaranteed quality and the transparent zoned tariffs. There are maximum tariffs of six, nine and twelve euros, building up per two-kilometre zone. That is 20% cheaper than normal taxi rates on average, so it is highly competitive. NS Zonetaxi is positioned as part of the door-to-door train journey for all train passengers, with particular emphasis on the social/leisure market. In the longer term, NS Zonetaxi will also be suitable for business customers as an addition to the existing taxi products for business customers. The train passenger has to book the taxi in advance; paying will be afterwards by direct debit. Recognisability of NS Zonetaxis on the station forecourt will be achieved by using a separate "taxi post", a separate rank for waiting in, and identification symbols on the taxis.		
Outcome/Effects:	NS and KNV are planning to increase the number of NS zone taxi stations to some 20 by the end of 2012. Passengers will be obliged to order the NS Zonetaxi by phone in advance, in combination with paying on account.		
Web link:	www.ns.nl/zonetaxi (in Dutch)		
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisation □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Planning □ Urban □ Information Sharing □ Regulation/Law □ Other		
Contact:	Name: Adriaan van Hoogstraten Organisation: NS Reizigers Email: Adriaan.vanHoogstraten@NS.NL]		

NEW ZEALAND

Country:	New Zealand		
Activity Title:	Northern Busway project		
Mode(s):	 Walking Cycling Private automobile Bus Light or Heavy Goods Vehicle	☐ Light Rail ☐ Heavy Rail ☐ Air ☐ Inland Waterways ☐ Maritime	
Objective (s):	The objective of the Northern Busway project was to provide North Shore commuters with fast, efficient bus travel to Auckland CBD. This fits under the "connecting people" theme.		
Timeframe:	Start : 2003	Finish: November 2008	
Outline of case:	The Northern Busway is the first dedicated busway infrastructure in New Zealand. The bus lane sits alongside state highway one in a broad north-south line between Albany and the Auckland Harbour Bridge. It includes a two-way 6.24 km road for buses, 2.5 km of single bus lanes and five stations. The busway project also included improved facilities for cyclists and pedestrians at busway stations and improved safety and motorway access for motorists and trucks. The busway project planning started in the late 1980s and construction commenced in 2003. Due to the lack of any rail corridor in that part of Auckland, a busway was considered ideal as it provided a cost effective and versatile mass transit option for the area. The busway, opened in February 2008, forms a key part of Auckland's rapid transit network. It improved journey speeds, reliability and provided an attractive alternative to private vehicle use and reduced the demand for more road infrastructure. The busway has also supported the first public transport service linking the North Shore with Auckland Airport, with the Northern Flyer. From 2009, shuttles were also permitted to use the busway, taking between 20 and 30 minutes off travel times in peak hours.		

Outcome/Effects:	The Northern Express, the bus service which operates up and down the Busway exclusively, had doubled its passengers since the Busway opened in February 2008. For the 12 months to October 2011, the Northern Express bus service had 17.3 percent more passengers than the previous year. By comparison, the growth in the Auckland bus patronage other than the Northern Express was 7 percent for the same 12 months period. The more than average growth in patronage of the Northern Express bus		
	service means fewer cars are making the trip from the North Shore to the Auckland CBD, which would result in reductions in fuel consumption and vehicle emissions.		
	Data source: Auckland Transport October 2011 Statistics Report		
Web link:	http://www.nzta.govt.nz/network/projects/project.html?ID=15 http://www.aucklandtransport.govt.nz/improving-transport/completed- projects/RapidTransit/Pages/TheNorthernBusway.aspx		
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisation □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Planning □ Urban □ Information Sharing □ Regulation/Law □ Other		
Contact:	Name: Joanne Leung and Haobo Wang Organisation: Ministry of Transport Email: j.leung@transport.govt.nz; h.wang@transport.govt.nz		

Country:	New Zealand		
Activity Title:	High Productivity Motor Vehicle (HPMV) system		
Mode(s):	Walking Light Rail Cycling Heavy Rail Private automobile Air Bus Inland Waterways ∠ Light or Heavy Goods Vehicle Maritime		
Objective (s):	The objective of the HPMV system is to improve the efficiency of freight movements, enable a given amount of freight to be carried with fewer trips, without reducing the safety of road users. This is achieved by making appropriate changes to the Land Transport Rule to allow suitable heavy vehicles to carry longer and/or heavier loads on suitable routes under permit. The implementation of this new practice fits under the "Connecting systems" theme.		
Timeframe:	Start: 1 May 2010 Finish: ongoing		
Outline of case:	The Vehicle Dimensions and Mass Rule Amendment 2010 came into effect on 1 May 2010 which allows for a new vehicle type called High Productivity Motor Vehicles (HPMVs) to carry longer and/or heavier divisible loads on suitable routes under permit. The HPMV system encourages road transport operators to identify areas where there could be significant productivity gains through matching freight task, vehicle capability and infrastructure capability. HPMV permits are issued by local councils for local roads and by New Zealand Transport Agency (NZTA) for the state highway network. The NZTA also issue permits for over-length HPMVs. To develop network availability for HPMVs the NZTA has worked with local councils and the road transport industry to identify potential end-to-end freight routes for HPMV use. Assessments are also made to determine the suitability and any network upgrade requirements for those routes. The NZTA has published regional maps of the HPMV routes that have been approved on the state highway network and guidance maps showing network capability for full and limited HPMV permits. Maps showing the investment priority for the state highway network have also been developed. The NZTA provides funding assistance to local authorities for the assessment and development of HPMV routes.		
Outcome/Effects:	Trials carried out in 2008 and 2009 found that under the right conditions, increasing the amount of freight moved per trip could increase productivity by between 10 to 20 percent, including reducing fuel use (and associated emissions) by up to 20 percent. During the first year of operation to April 2011, a total of 501 HPMV permits have been issued. The September 2011 review (note) of the VDM Rule confirmed that the HPMV permits being issued were providing, on average,		

	productivity gains of a 20 percent decrease in trips for the same freight task under higher-mass permits and a 14 percent decrease in trips for over-length permits. The annualised transport cost reductions was estimated to be in the order of \$9 million for the HPMV permits issued so far without any network upgrade cost to date.		
	It is too early to fully gauge the expected safety and environmental impact benefits from reduced HPMV trips. However, the reduced truck movements from improved freight efficiency will provide some safety benefits through lower crash risk exposure. Additionally, the new "built-to-purpose" over-length HPMV vehicles all have advanced safety features such as electronic stability control and anti-lock braking systems.		
	Note: Stimpson and Co (2011), "Monitoring, evaluation and review of the Vehicle Dimensions and Mass Rule: May 2010-April 2011", Report to New Zealand Transport Agency (http://www.nzta.govt.nz/vehicle/your/hpmv/docs/mer-summary-report-september-2011.pdf)		
Web link:	http://www.transport.govt.nz/ourwork/Land/Pages/VDMAmendment2010.aspx http://www.nzta.govt.nz/hpmv/		
Key Words:	□ Border Crossing □ Infrastructure □ Congestion □ Intercity □ Energy/Fuel □ Intermodal □ Environment □ Interoperability □ Freight □ Passenger □ Funding □ Planning □ Information Sharing □ Regulation/Law	 ☐ Rural ☐ Standards/Uniformisation ☐ Supply Chain ☐ Telecommunications ☐ Ticketing/Payment ☐ Urban ☐ Other 	
Contact:	Name: Joanne Leung and Haobo Wang Organisation: Ministry of Transport Email: j.leung@transport.govt.nz; h.wang@trans	sport.govt.nz	

SPAIN

Country:	Spain		
Activity Title:	Intermodal exchange stations for connecting urban transport modes: Madrid case study		
Mode(s):	 □ Walking □ Cycling □ Private automobile ⊠ Bus □ Light or Heavy Goods Vehicle 	☐ Light Rail☐ Heavy Rail☐ Air☐ Inland Waterwayse☐ Maritime	
Objective (s):	Identify and quantify the social benefits of having good intermodal exchange stations for connecting urban transport modes in urban areas		
Timeframe:	Start: 2008	Finish: Finished	
Outline of case:	The City of Madrid is putting into operation Intermodal Exchange Stations (IESs) to make connections between urban and suburban transportation modes easier for users of public transportation. The purpose of this study is to evaluate the actual effects that the implementation of IESs in the City of Madrid has on the affected stakeholders: users, public transportation operators, infrastructure managers, the government, the abutters and other citizens. We develop a methodology intended to help assess the welfare gains and losses for each stakeholder. Then we apply this methodology to the case study of the Avenida de América IES in the city of Madrid. We found that it is indeed possible to arrive at win-win solutions for the funding of urban transportation infrastructure, as long as the cost-benefit ratio of the project is high enough. Commuters save travel time. Bus companies diminish their costs of operation. The abutters gain in quality of life. The private operator of the infrastructure makes a fair profit. And the government is able to promote these infrastructure facilities without spending more of its scarce budgetary resources.		
Outcome/Effects:	The construction of the IES is thus a good example of a win-win strategy. The users are pleased since they save time without paying a larger fare for using the metropolitan buses. The bus companies are also happy since, even though they now have to pay a fee to the IES concessionaire, this amount is smaller than the transportation costs they save. Moreover, the bus companies are also pleased since travel by bus has substantially increased since the construction of the IES. The concessionaire is pleased since it can take advantage of a profitable business opportunity. The abutters gain in quality of life. The community, and even the country, benefits from a reduction in emissions.		

Web link:	http://www.crtm.es/servlet/CambiarIdioma?xh_TIPO=12		
Key Words:	 □ Border Crossing □ Congestion □ Energy/Fuel □ Environment □ Freight ☑ Funding □ Information Sharing 	 ✓ Infrastructure ☐ Intercity ✓ Intermodal ☐ Interoperability ✓ Passenger ✓ Planning ☐ Regulation/Law 	 ☐ Rural ☐ Standards/Uniformisation ☐ Supply Chain ☐ Telecommunications ☐ Ticketing/Payment ☐ Urban ☐ Other
Contact:	Name: José Manuel Vassallo Organisation: Universidad Politecnica de Madrid Email: josemanuel.vassallo@upm.es		

Country:	Spain	
Activity Title:	Electronic t2l initiative included in the monitoring operations services for motorways of the sea (mos4mos) project	
Mode(s):	 ☐ Walking ☐ Cycling ☐ Private automobile ☐ Bus ☐ Light or Heavy Goods Vehicl 	☐ Light Rail☐ Heavy Rail☐ Air☐ Inland Waterways
Objective (s):	The electronic T2L initiative (developed as part of the MONITORING OPERATIONS SERVICES FOR MOTORWAYS OF THE SEA (MOS4MOS) TEN-T Project, Project code: 2010-EU-21102-S, TEN-T Motorways of the Sea Call 2010) aims to define procedures to make intra-Community sea transport simpler and less cumbersome for its users, introducing new methods for simplifying formalities for ships arriving and/or departing to/from European ports, and more particularly facilitating and simplifying Customs controls at ports while enhancing security. These goals can be achieved by adopting electronic documentation and using electronic data transmission systems.	
Timeframe:	Start: 21 March 2011	Finish: 31 May 2012
Outline of case:	The release of foreign trade containerised flows at most European Union (EU) ports nowadays is simpler and requires less paperwork, thanks to advanced electronic procedures and risk analyses, than the release of Community goods transported on a non-authorised regular shipping service. Automatic controls on inbound and outbound intra-Community freight are not in place yet and a paper form named T2L (or an equivalent document) needs to be presented for the EU Customs' officers to sign and stamp. This situation is hindering the development of Motorways of the Sea (priority project 21 in the Trans-European Networks for Transport). The electronic T2L is a feasible solution for proving the Community status of goods using Customs electronic data transmission systems instead of paper documents. This system provides a secure single window environment using digital authentication and signature for submitting data, carries out automatic checks and authenticates electronically T2L declarations. The electronic T2L, designed as part of the MOS4MOS project, is one of the 22 proposals, aiming to reduce administrative burdens, included in the Spanish Action Plan for the Reduction of Administrative Burden, approved by the Agreement of the Spanish Council of Ministers signed on 16 September 2011.	
Outcome/Effects:	The general procedure to prove the Community status of goods often requires that paper T2L documents are generated and presented by an agent to Customs in the Member State of departure, accompanied by a commercial invoice. Then, Customs authorises the documents with a stamp and signature. Once stamped and signed, the documents have to be transferred from the port of origin to the port of destination. There are	

several ways for documents to reach their destination. Original documents usually travel on board; or they are transferred by mail or express mail, if it is important that the documents reach their destination before the vessel arrives so that customs formalities can be fulfilled in advance. Once the documents arrive, they have to be presented to Customs in the Member State of destination where an additional stamp and a signature is required, so that the goods can leave the port of destination. The original T2L is retained in the Customs Office of the final EU port.

Problems from this procedure arise when the vessel arrives before the paper documents are delivered, or when the customs offices are closed but the freight is waiting to depart from the port, as the status of the goods must be verified for authorizing and controlling the departure of these goods from the port.

The current procedures bear important costs in terms of personnel, printing, courier services and other forms of transport of documents, errors and delays.

Although procedures that are based on the presentation of the shipping manifest may be used, this simplified procedure usually requires the physical presentation of an original paper document, which has to be authorised by means of a signature and a stamp from Customs Authorities. The use of paper is the rule instead of using electronic information and electronic registries. Consequently, it is very difficult for Customs Authorities to effectively control and trace the flow of intra-Community goods by sea.

This situation could even lead to fraudulent practices. Goods for example could leave a port in one Member State following an export procedure and, thus, avoid paying VAT taxes, but then enter again in a subsequent port in another Member State stating that the goods have a Community status, avoiding the payment of customs duties. As there lacks an electronic registry or automatic verification between the Customs of exit and the Customs of entry, this possible situation would be very difficult to detect.

The electronic T2L is based on current e-Customs systems that are already in use in Europe. The Spanish Customs Department, jointly with the Tax IT Department, is developing an IT solution that will be applied all over Spain in order to introduce the electronic T2L. The features of this electronic platform are the following:

- An electronic channel will be available to submit electronic T2Ls before
 the departure of the goods via maritime transport. This channel will make
 it possible to transmit electronically the T2L in XML format with an
 electronic signature, via Web Services. The technical solution will be
 similar to the one that was adopted for the submission of Entry Summary
 Declarations (ENS) and Exit Summary Declarations (EXS).
- A web page associated to the web site of the Tax Agency will be available in order to type in the information of the T2L and then submit it electronically. It is mandatory that a copy of the document that proves the Community status of the goods be attached by using the web page designed to this purpose.

- The information fields that are being considered for the electronic T2L message are the following:
 - Box 1.3. Document type (T2L, T2LF, ...): Mandatory
 - Box 2. Shipper (Name, Address, EORI): Mandatory
 - Box 5. Total number of shipments included in the declaration: Mandatory
 - Box 6. Total number of packages included in the declaration: Mandatory for control purposes
 - Box 8. Consignee (Name, Address, NIF or EORI): Optional data. If a NIF or an EORI are indicated, they will be validated.
 - Box 14. Declaring agent/representing agent (EORI): Mandatory
 - Box 17. Destination Country Optional. If it is mentioned it must be valid and pertaining the EU.
 - Box 21. Active means of transport at border (Vessel name): Optional

Shipment list:

For each consignment, the following information will be included:

- Box 31. Goods description (Text, number of packages, container numbers): Mandatory
- Box 32. Order number of the consignment: Mandatory
- Box 33. Goods code (8 digit Codification): Mandatory
- Box 35. Gross Weight: Mandatory
- Box 38. Net Weight: Mandatory
- Box 40. Precedent Document: There is no precedent document
- Box 44. Submitted documents (Type, Reference and Date): One of the documents that prove the Community status of the goods must be submitted (e.g. commercial invoice, B/L, SAD...)
- Box 54. Place, date and signature: Mandatory. The hand-written signature will be replaced by an electronic signature, using a valid digital certificate.
- A computer-assisted risk assessment will be done immediately after the declaration, which will result in the assignment of a green, orange or red circuit. The Web Service that is used will send as a response an electronic message that will assign a number to the T2L by a MRN and the assigned circuit. A green circuit implies the Customs clearance and a control number will be associated to the operation. The information about the Customs clearance of the T2L submitted electronically will be transmitted to the Port authorities for them to apply the export paperless release procedure.
- An electronic channel will be available in order to present the accounting of the Community goods associated to a T2L when they arrive at the

border Customs area following the same technological solution that is used for the electronic T2L declaration.

- The pieces of information that are considered for the accounting message of Community goods associated to a T2L document are:
 - Document Type (Copy number 4 of SAD, endorsed cargo manifest...): Mandatory
 - Declaring agent of the accounting (NIF or EORI): Mandatory
 - Country where the T2L is submitted: Mandatory, and must be an EU country.
 - MRN Number assigned to the T2L: Mandatory (Number that is assigned to the T2L by the Customs where it is declared)
 - Date of declaration of the T2L: Mandatory
 - Total number of packages included in the declaration: Mandatory for control purposes. It will determine whether the accounting message is valid or not (the number of packages in the declaration must be the same as the sum of packages that are accounted in the shipments of the Summary Declaration). It is not allowed that only a part of the goods declared in a T2L document are accounted electronically.
 - Total Gross Weight of the goods included in the T2L document: Mandatory for control purposes. It will determine whether the accounting message is valid or not (the total gross weight in the declaration must be the same as the sum of gross weights that are accounted in the shipments of the Summary Declaration).
 - List of accountings of goods that are listed in the Summary Declaration for Temporary Storage.
 - Number of the Summary Declaration for Temporary Storage: Mandatory
 - Order Number of the consignment in the Summary Declaration for Temporary Storage: Mandatory
 - Gross weight that is accounted
 - Number of packages that are accounted
- At destination, another computer-assisted risk assessment will be done immediately after the declaration, which will result in the assignment of a green, orange or red circuit. The Web Service that is used will send as a response an electronic message that will assign a reference to an exit document (JCE or proof of Community goods). A green circuit implies the Customs clearance and a control number will be associated to the operation. The information about the accounting of the T2L submitted electronically will be transmitted to the Port Authorities for them to apply the import paperless release procedure. The received information can be printed by the agent that declares the accounting, so that it can be used as a clearance document that authorises the exit from the border Customs area. Once a T2L document is accounted, it cannot be accounted again. Partial electronic accounting of a T2L document is not allowed.

- A web system to perform consultations will be available. This system will be used to get a printed version of the T2L document in PDF format from the virtual site of the Tax Agency (copy number 4 of the Single Administrative Document, SAD). This consultation system can be accessed by Customs of other countries as a verification measure of the authenticity of the document, as well as by maritime operators in order to get remotely a printed copy of the T2L document, which is valid in other Member States. The T2L document in PDF format can be recovered typing in the control number that was assigned by the Customs where the document was declared. The civil servant's signature and the Customs stamp where the document is declared will no longer be necessary and will be replaced by a generated control number.
- The fact that there is a web page in the virtual site of the Spanish Tax Agency that enables the verification of the T2L document generated by the Customs service implies a significant improvement in switfness and flexibility compared with the solution applied by Belgian Customs, because in Belgium this verification has to be done via e-mail and be carried out by a Customs civil servant.
- The conclusions derived from the analysis and design study performed by the Spanish Customs Department, with the collaboration of the Port Authority of Valencia and the Valenciaport Foundation, have clearly exceeded the initial expectations of this initiative. Spanish Customs is going to implement this initiative after the testing phase of the prototypes within the framework of the MOS4MOS Project. It is expected that the system will be fully operational in the second semestre of 2012.
- As part of MOS4MOS, a financial feasibility analysis of implementing the electronic T2L and using this system for a period of 20 years at the port communities of Valencia, Barcelona and Salerno instead of continuing using current procedures has been carried out. Implementing the e-T2L instead of continuing using current procedures would be a profitable project for non-vessel operating common carriers (NVOCCs) and shipping agencies at the ports of Valencia, Barcelona and Salerno. Their net present value, after discounting the flow of net benefits at a 10% rate, would be 2 709,583 and 2 230 494 Euros respectively. The internal rate of return (IRR) cannot be calculated for NVOCCs since the net benefits flow is always positive. For shipping agencies, the project shows an IRR of 64.11% and the payback point is reached in year 3. The project for Spanish and Italian Customs results in an IRR of 0.57% if the electronic T2L were to be implemented only in Valencia and Barcelona in Spain and only in Salerno in Italy. This situation is highly unlikely as Customs would only implement the project to make the new process compulsory at national level. Customs and port authorities would only invest in the implementation of the electronic T2L if the project as a whole would have net economic benefits. This is the case, as considering only the port communities of Valencia, Barcelona and Salerno plus Spanish and Italian Customs, the results of the implementation of the electronic T2L would be of 2,774,720 Euros in terms of NPV, the IRR would be 17.63% and the payback point would be reached in year 11.

	simplified method f economic effect of methodology shared estimated savings of million Euros a year boost the developme Transport Networks a	or measuring admir its reduction, bas d by all Spanish implementing this initi in the whole of Spain. nt of Motorways of th	sed on the standard cost Public Administrations), the ative will be approximately 38 Additionally, this solution will e Sea in the Trans-European tart up of more innovative and
Web link:	www.mos4mos.eu		
Key Words:	 ☑ Border Crossing ☑ Congestion ☐ Energy/Fuel ☐ Environment ☑ Freight ☐ Funding ☑ Information Sharing 	☐ Infrastructure ☐ Intercity ☐ Intermodal ☐ Interoperability ☐ Passenger ☐ Planning ☐ Regulation/Law	Rural Standards/Uniformisation Supply Chain Telecommunications Ticketing/Payment Urban Other
Contact:	Name: Miguel Llop Cha Organisation: Fundació Email: mllop@fundacion	n Valenciaport	

SWEDEN

Country:	Sweden	
Activity Title:	The Swedish Doubling Project	
Mode(s):	 ☐ Walking ☐ Cycling ☐ Private automobile ☒ Bus ☐ Light or Heavy Goods Vehicle 	☑ Light Rail☑ Heavy Rail☑ Air☑ Inland Waterways☑ Maritime
Objective (s):	transport is dependent on keepii	ort market share in Sweden. Seamless ng public transport attractive and efficient, a erefore ensures a continued and enhanced port system.
Timeframe:	Start: 2008	Finish: ongoing
Outline of case:	In 2006 only 18% in Sweden used public transport for daily travel. A united public transport sector has therefore decided to double its market share. The sector has started a form of partner co-operation – known as the Doubling Project – in order to double the public transport market share. It is being conducted by the Swedish Public Transport Association, the Swedish Bus and Coach Federation, the Swedish Taxi Association, the Association of Swedish Train Operating Companies, the Swedish Association of Local Authorities and Regions and the Swedish Transport Administration. The aim is to encourage all employees and interested parties in the sector to work together in order to develop the next generation of public transport. An openness to new ideas, trust and confidence in each others' willingness and ability are building blocks in the co-operation. One important task is also to encourage the Government, Parliament and authorities to create the right preconditions with respect to infrastructure, urban planning, tax issues, legislation, research and development. The vision has been developed with a basic starting point in the Swedish Transport Policy Goals. The vision is: "Public Transport is a natural part of travelling in a sustainable society."	
Outcome/Effects:	society. The goals are to signific to increase energy efficiency to doubling will also give better ro	rt market share produces major benefits for cantly reduce carbon dioxide emissions and throughout the entire transport system. A ad safety, less congestion and a transport unities. Public transport also contributes to it.

Web link:	www.doublingproject.se		
Key Words:	 □ Border Crossing □ Congestion □ Energy/Fuel □ Environment □ Freight □ Funding □ Information Sharing 	 ☑ Infrastructure ☑ Intercity ☑ Intermodal ☑ Interoperability ☑ Passenger ☑ Planning ☑ Regulation/Law 	 ☐ Rural ☐ Standards/Uniformisation ☐ Supply Chain ☐ Telecommunications ☐ Ticketing/Payment ☐ Urban ☐ Other Public transport
Contact:	Name: Charlotte Wäreborn Schultz, Managing Director Organisation: Swedish Public Transport Association Email: charlotte.wareborn@svenskkollektivtrafik.se		

Country:	Sweden		
Activity Title:	The Swedish Green Corridor project		
Mode(s):	 ☐ Walking ☐ Cycling ☐ Private automobile ☐ Bus ☒ Light or Heavy Goods Vehicl 	☐ Light Rail ☑ Heavy Rail ☐ Air ☑ Inland Waterways le ☑ Maritime	
Objective (s):	Seamless transport depends on sustainable transport corridors. In the Green Corridor project we will create a seamless, environmental-friendly and safe transport corridor from Olso to Rotterdam by Gothenburg.		
Timeframe:	Start: 2010	Finish: ongoing	
Outline of case:	Green corridors is a European Commission initiative aimed at strengthening the logistics industry's competitiveness and create sustainable solutions. Green corridors will enable large-scale and long-term transport solutions through sufficient and attractive infrastructure and supportive regulatory frameworks. In October 2008 Sweden, led by the Swedish Logistics Forum, decided to start a big project within the Green corridor concept. In 2010 they appointed the Swedish Transport Administration (Trafikverket), the Swedish Maritime Administration (Sjöfartsverket) and the Swedish Agency for Innovation Systems (VINNOVA) to develop the concept for Green corridors in cooperation with companies, public sector and universities. Until the end of 2012 the aim of the project is to: — establish a Green corridor from Oslo to Rotterdam by Gothenburg; — find new efficient sustainable solutions through development projects; — test new technical solutions in the corridor; — spread information about Green corridor.		
Outcome/Effects:	Through this project the first Green Corridor will be established.		
Web link:	http://www.trafikverket.se/Foretag/Trafikera-och-transportera/Planera-godstransporter/Grona-korridorer/		
Key Words:	□ Congestion □ Integration □ Energy/Fuel □ Integration ⋈ Environment □ Integration ⋈ Freight □ Paster □ Plantegration □ Information Sharing ⋈ Regration	astructure	
Contact:	Name: Kenneth Wåhlberg Organisation: Trafikverket Email: Kenneth.Wahlberg@Tra	ıfikverket.se	

Country:	Sweden	
Activity Title:	Railport Scandinavia	
Mode(s):	Walking Light Rail Cycling Heavy Rail Private automobile Air Bus Inland Waterways Light or Heavy Goods Vehicle Maritime	
Objective (s):	Reduce emissions from carbon dioxide, increase volume of goods, increase seamlessness by replacing a vast number of trucks with rail at efficient and purpose-built terminals, as well as implementing a system characterised by simplicity and a ready-made concept.	
Timeframe:	Start: 2000 Finish: ongoing	
Outline of case:	In 2000, a project to operate direct trains to and from inland terminals began. Inland terminals are logistics hubs based in important towns across Sweden. During the past decade, the volume of freight transported by train has increased by 300% and 26 daily rail shuttles now transport around 400 000 containers per year between the Port of Gothenburg and other towns in Sweden and Norway. There are significant environmental benefits to the RailPort Scandinavia system and its network of inland terminals. It is not just the environment and the intensely-used road networks that benefit. Thanks to the deliberate and long-term investment in rail transport, local employment opportunities have been created in the towns hosting inland terminals. Moreover, import and export companies benefit from the rail shuttles; instead of transporting their goods to and from the port by truck, they can transport goods with ease, low costs and minimal environmental impacts to their nearest inland terminal, with their own VAT and toll declaration points. In addition, the Port of Gothenburg has successfully widened its catchment area and increased its attractiveness to major regions in Sweden and Norway. With increasing volumes, Gothenburg can attract an increased number of direct transoceanic liner calls, which supports development in the whole of Nordic region.	
Outcome/Effects:	Environmental benefits, less wear and tear on major roads, local employment opportunities, increased seamlessness in transport and reduced costs for operators, widened catchment area, increased volumes and thereby increased attractiveness for transoceanic liners.	
Web link:	http://www.portgot.se/prod/hamnen/ghab/dalis2b.nsf	
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisation □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Planning □ Urban □ Information Sharing □ Regulation/Law □ Other	

Name: Cecilia Carlsson, Corporate Communication Manager Organisation: Port of Gothenburg Email: cecilia.carlsson@portgot.se

Country:	Sweden	
Activity Title:	The Swedish Green Corridor project	
Mode(s):	□ Walking □ Light Rail □ Cycling □ Heavy Rail □ Private automobile □ Air □ Bus □ Inland Waterways □ Light or Heavy Goods Vehicle □ Maritime	
Objective (s):	Seamless transport depends on sustainable transport corridors. In the Green Corridor project we will create a seamless, environmental-friendly and safe transport corridor from Olso to Rotterdam by Gothenburg.	
Timeframe:	Start: 2010 Finish: ongoing	
Outline of case:	Green corridors is a European Commission initiative aimed at strengthening the logistics industry's competitiveness and create sustainable solutions. Green corridors will enable large-scale and long-term transport solutions through sufficient and attractive infrastructure and supportive regulatory frameworks. In October 2008 Sweden, led by the Swedish Logistics Forum, decided to start a big project within the Green corridor concept. In 2010 they appointed the Swedish Transport Administration (Trafikverket), the Swedish Maritime Administration (Sjöfartsverket) and the Swedish Agency for Innovation Systems (VINNOVA) to develop the concept for Green corridors in cooperation with companies, the public sector and universities. Until the end of 2012 the aim of the project is to: — establish a Green corridor from Oslo to Rotterdam via Gothenburg; — find new efficient, sustainable solutions through development projects; — test new technical solutions in the corridor; — spread information about Green corridor.	
Outcome/Effects:	Through this project the first Green Corridor will be established.	
Web link:	http://www.trafikverket.se/Foretag/Trafikera-och-transportera/Planera-godstransporter/Grona-korridorer/	
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisa □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Planning □ Urban □ Information Sharing □ Regulation/Law □ Other	ation
Contact:	Name: Kenneth Wåhlberg Organisation: Trafikverket Email: Kenneth Wahlberg @Trafikverket.se	

SWITZERLAND

Country:	Switzerland	
Activity Title:	Rail 2000 and follow up projects	
Mode(s):	 Walking Cycling Private automobile Bus Light or Heavy Goods Vehicle	☑ Light Rail☑ Heavy Rail☐ Air☐ Inland Waterways☑ Maritime
Objective (s):	Develop to a maximum an interconnected public transport system including railway (intercity, interregional, regional, sub/urban), buses, boats, cable cars etc., based on a 1 hour / 30 minutes time schedule in order to offer more frequent and speed-optimised high quality services, interlinkages also to a car sharing system called "mobility" with more than 2 000 vehicles available at hundreds of railway stations and dispatching points.	
	A concept which is part of the overall strategic objective of modal shift to public transport, both for passengers and freight, with a view to a sustainable mobility policy.	
Timeframe:	Start: 1987(referendum), 1994 phasing in two stages, 1998 part of referendum for financing fund of public transport projects	Finish: Dec 2004 (first stage), further ongoing with specific optimisation projects (5.4 bio CHF)
Outline of case:	Huge concept including more than 100 infrastructure measures (1st stage 5.9 bio CHF) for reducing distances or increasing speed for operation concept with spiders / nods distant of max 1 h to the next one, including new cab signalling systems (ETCS level2) on new high speed sections (200-230 km/h), especially one section Mattstetten-Rothrist (45km) between Olten and Berne, adaptation of rolling stock in order to obtain max 1 hour distance between spiders by introducing tilting trains running faster on curvy sections, introduction of high capacity rolling stock ("Doppelstock") on main lines, interoperability concept for cross border rolling stock.	
Outcome/Effects:	After first step 2005 increase of public transport use of 25-30%, increase of mobility demand by phasing a modal shift of most of it to public transport, transport increase without any CO2 emission (hydro-electric power).	
Web link:	http://www.uvek.admin.ch http://www.bav.admin.ch http://www.sbb.ch http://www.mobility.ch/en/pub/index.cfm	

	☐ Border Crossing		☐ Rural
	□ Congestion		☐ Standards/Uniformisation
	☐ Energy/Fuel		☐ Supply Chain
Key Words:			☐ Telecommunications
	☐ Freight	□ Passenger	☐ Ticketing/Payment
	□ Funding		☐ Urban
	☐ Information Sharing	☐ Regulation/Law	Other
	Name: Matthias Rinderk	necht	
Contact:	Organisation: Federal Off	fice of Transport	
	Email: Matthias.rinderknecht@bav.admin.ch		
Email: Matthas.imas.imas.imas.imas.imas.imas.imas.im			

TURKEY

Country:	Turkey	
Activity Title:	KAYBİS, Kayseri cycle path pr	oject
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☐ Bus☐ Light or Heavy Goods Vehicle	☐ Light Rail ☐ Heavy Rail ☐ Air ☐ Inland Waterways ☐ Maritime
Objective (s):	The aim of this project is to promote cycling not only for recreation and sport, but also as an alternative form of transportation, particularly for access to school and work.	
Timeframe:	Start: April 2010	Finish: October 2010
Outline of case:	A new structure, namely the KAYBIS system, which has enabled easier access to the city centre, was created. The KAYBIS system, a cycling for transport project, has been put into service with 25 bicycle parking stations established in various parts of the city. Citizens who wish to use the service from KAYBIS bicycle points, shall apply to the Kart38 Processing Centre, and will receive personalised cards enabling them to benefit from this service.	
Outcome/Effects:	With bicycle paths established at 25 locations, transport becomes more practical. The system has positive effects on health for bicycle users. Areas out of reach of public transport may be easily accessed.	
Web link:	http://www.kayseri.bel.tr/web2/up	oloads/dokumanlar/kayseray-kilavuz.pdf
Key Words:	☐ Congestion ☐ Inter ☐ Energy/Fuel ☐ Inter ☐ Environment ☐ Freight ☐ Funding ☐ Plan ☐ Inter ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐ Plan ☐	modal Supply Chain operability Telecommunications senger Ticketing/Payment
Contact:	Name: Burcu Erşekerci Organisation: Ulaşım Planlama Email: bersekerci@kayseri.bel.tı	ı ve Raylı Sistem Daire Başkanlığı

Country:	Turkey		
Activity Title:	CitySDK (ICT PSP 1.5 Open in "smart cities")	Innovation for Internet-enabled services	
	Walking	⊠ Light Rail	
	☐ Cycling	⊠ Heavy Rail	
Mode(s):	□ Private automobile	☐ Air	
	Bus	☐ Inland Waterways	
	☐ Light or Heavy Goods Vehicle	☐ Maritime	
	Build on existing:		
	Best Practices and Best Asset Distractions in the technological distraction.		
	Platforms, both technological aDeveloping incentive tools, such	and infrastructural ch as Apps4Cities competitions,	
	DevCamps, BarCamps	on ac rippo related competitions,	
Objective (s):	Aim for high ecosystem impact, an Server Hardware"	nd low technical investments – "No New ICT	
Objective (3).		st easily available and technically superior	
	assets are:	of easily available and teermineally superior	
	Mobility / Public transport		
	Participation / Feedback		
	TourismEnvironmental sensors		
	Limitorinental sensors		
	Ctarte Cobrugay 2012	Finish: Assessed 2014	
Timeframe:	Start: February 2012	Finish: August 2014	
Timetrame:	In Istanbul, the existing web-b	ased IMM Public Transit Travel Assistance e new components from PTA and CitySDK,	
Outline of case:	In Istanbul, the existing web-b System will be added with the including, most importantly, the	ased IMM Public Transit Travel Assistance new components from PTA and CitySDK, Mobile Personal Travel Assistance application	
	In Istanbul, the existing web-b System will be added with the including, most importantly, the as well as open interfaces for 3r	ased IMM Public Transit Travel Assistance new components from PTA and CitySDK, Mobile Personal Travel Assistance application d party developers. Waag and Logica work on	
	In Istanbul, the existing web-b System will be added with the including, most importantly, the as well as open interfaces for 3r	ased IMM Public Transit Travel Assistance e new components from PTA and CitySDK, Mobile Personal Travel Assistance application d party developers. Waag and Logica work on deployable and IMM will work on backend,	
	In Istanbul, the existing web-b System will be added with the including, most importantly, the as well as open interfaces for 3r ensuring the PTA application is localisations and user assessment Creation of an open source Citys	ased IMM Public Transit Travel Assistance e new components from PTA and CitySDK, Mobile Personal Travel Assistance application d party developers. Waag and Logica work on deployable and IMM will work on backend,	
Outline of case:	In Istanbul, the existing web-b System will be added with the including, most importantly, the as well as open interfaces for 3r ensuring the PTA application is localisations and user assessment Creation of an open source Citys Smart City applications.	ased IMM Public Transit Travel Assistance e new components from PTA and CitySDK, Mobile Personal Travel Assistance application d party developers. Waag and Logica work on deployable and IMM will work on backend, hts. SDK – a service developer toolkit for European	
	In Istanbul, the existing web-b System will be added with the including, most importantly, the as well as open interfaces for 3r ensuring the PTA application is localisations and user assessment Creation of an open source Citys	ased IMM Public Transit Travel Assistance enew components from PTA and CitySDK, Mobile Personal Travel Assistance application diparty developers. Waag and Logica work on deployable and IMM will work on backend, ants. SDK – a service developer toolkit for European tion;	
Outline of case:	In Istanbul, the existing web-b System will be added with the including, most importantly, the as well as open interfaces for 3r ensuring the PTA application is localisations and user assessment Creation of an open source Citys Smart City applications. Through the Istanbul pilot applications	ased IMM Public Transit Travel Assistance enew components from PTA and CitySDK, Mobile Personal Travel Assistance application diparty developers. Waag and Logica work on deployable and IMM will work on backend, ants. SDK – a service developer toolkit for European tion; public transport by citizens	
Outline of case:	In Istanbul, the existing web-be System will be added with the including, most importantly, the as well as open interfaces for 3r ensuring the PTA application is localisations and user assessment Creation of an open source Citys Smart City applications. Through the Istanbul pilot applicated Reliable and accurate use of personal standardization of public transports.	ased IMM Public Transit Travel Assistance enew components from PTA and CitySDK, Mobile Personal Travel Assistance application diparty developers. Waag and Logica work on deployable and IMM will work on backend, ints. SDK – a service developer toolkit for European tion; bublic transport by citizens it related data	
Outline of case: Outcome/Effects:	In Istanbul, the existing web-be System will be added with the including, most importantly, the as well as open interfaces for 3r ensuring the PTA application is localisations and user assessment Creation of an open source Citys Smart City applications. Through the Istanbul pilot applicated Properties of the PTA application of the PTA application of the PTA application of the PTA application of the PTA application of the PTA application of the PTA application of the PTA application of the PTA application of the PTA application of the PTA application of the PTA application of the PTA application of the PTA application of the PTA application is localisation in the PTA application is localisation in the PTA application is localisation in the PTA application is localisation in the PTA application is localisation in the PTA application is localisation in the PTA appli	ased IMM Public Transit Travel Assistance enew components from PTA and CitySDK, Mobile Personal Travel Assistance application diparty developers. Waag and Logica work on deployable and IMM will work on backend, ints. SDK – a service developer toolkit for European tion; bublic transport by citizens it related data	
Outline of case: Outcome/Effects:	In Istanbul, the existing web-be System will be added with the including, most importantly, the as well as open interfaces for 3r ensuring the PTA application is localisations and user assessment Creation of an open source City's Smart City applications. Through the Istanbul pilot application of Ptanbul and accurate use of perfect the Standardization of public transcription. http://ec.europa.eu/information_scription_scription_scription.	ased IMM Public Transit Travel Assistance is new components from PTA and CitySDK, Mobile Personal Travel Assistance application in diparty developers. Waag and Logica work on a deployable and IMM will work on backend, ints. BDK – a service developer toolkit for European into ition; bublic transport by citizens interlated data inciety/activities/livinglabs/docs/workshop_2012-iet_2011-09-12.pdf in astructure Rural Standards/Uniformisation	
Outline of case: Outcome/Effects: Web link:	In Istanbul, the existing web-be System will be added with the including, most importantly, the as well as open interfaces for 3r ensuring the PTA application is localisations and user assessment Creation of an open source City's Smart City applications. Through the Istanbul pilot application of Reliable and accurate use of proceeding to the Standardization of public transformation of public	ased IMM Public Transit Travel Assistance in new components from PTA and CitySDK, Mobile Personal Travel Assistance application diparty developers. Waag and Logica work on deployable and IMM will work on backend, ints. BDK – a service developer toolkit for European tion; public transport by citizens it related data Deciety/activities/livinglabs/docs/workshop_2012-let_2011-09-12.pdf Tastructure Rural Standards/Uniformisation Gremodal Supply Chain	
Outline of case: Outcome/Effects:	In Istanbul, the existing web-be System will be added with the including, most importantly, the as well as open interfaces for 3r ensuring the PTA application is localisations and user assessment Creation of an open source Citys Smart City applications. Through the Istanbul pilot applications. Through the Istanbul pilot applications. **Reliable and accurate use of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including	ased IMM Public Transit Travel Assistance is new components from PTA and CitySDK, Mobile Personal Travel Assistance application in depropers. Waag and Logica work on a deployable and IMM will work on backend, ints. BDK – a service developer toolkit for European intion; sublic transport by citizens it related data in it related data in it related data in it related in it is a structure in it is a structure in it is a structure in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it is a supply Chain in it i	
Outline of case: Outcome/Effects: Web link:	In Istanbul, the existing web-be System will be added with the including, most importantly, the as well as open interfaces for 3r ensuring the PTA application is localisations and user assessment Creation of an open source Citys Smart City applications. Through the Istanbul pilot applications. Through the Istanbul pilot applications. **Reliable and accurate use of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of particular transfer of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including states of the including	ased IMM Public Transit Travel Assistance is new components from PTA and CitySDK, Mobile Personal Travel Assistance application in departy developers. Waag and Logica work on a deployable and IMM will work on backend, ints. BDK – a service developer toolkit for European into ition; bublic transport by citizens interlated data inciety/activities/livinglabs/docs/workshop_2012-let_2011-09-12.pdf in astructure Rural Standards/Uniformisation into ition; incipation in the service interlated into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its properability into its prope	

	Name: Murat Güneri
Contact:	Organisation: Istanbul Metropolitan Municipality
	Email: murat.guneri@ibb.gov.tr

Country:	Turkey		
Activity Title:	Marmaray Project		
Mode(s):	Walking Light Rail Cycling Heavy Rail Private automobile Air Bus Inland Waterways Light or Heavy Goods Vehicle Maritime		
Objective (s):	The Marmaray Project will offer a long-term solution to the transport problems of İstanbul, and by shortening the travel time of more than 1 million people per day, will bring savings in time and energy. By reducing motorised traffic on the peninsula, it will reduce adverse effects on the historical environment. It will also reduce the traffic density on the existing bridges. When the Marmaray Project commences operations, the noise and air pollution in İstanbul will be substantially reduced.		
Timeframe:	Start: 2004		
Outline of case:	Within the scope of the Marmaray Project, commuter rail lines on both sides of the Istanbul Strait will be connected to each other by a railway tunnel passing under the Istanbul Strait. The line will go underground after passing the Kazlıçeşme Station, and will pass through Yedikule, Yenikapı and Sirkeci, and will be connected to Usküdar passing by the Bosphorus and then will surface at Söğütlüçeşme. Within the scope of the project; immersed tunnel, 3 underground and 1 surface station construction works and complete replacement of the existing 2 tracks with 3 new tracks throughout the entire 63 kilometre length, except for the Bosphorus Crossing on either side of the Istanbul Strait, 36 new and upgraded surface stations will be completed and 440 vehicles will be supplied.		
Outcome/Effects:	With a carrying capacity of 75 000 passengers per hour in each direction it will provide a high-capacity, safe, high-quality and cheap transport system. Travel times will shorten. The percentage of urban railway systems will increase. Becoming operational with the other rail systems to be integrated in the Marmaray Project, Istanbul's railway share of transport is expected to attain up to 30%.		
Web link:	www.marmaray.com.tr		
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisation □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Planning □ Urban □ Information Sharing □ Regulation/Law □ Other		

Contact:

Name: Mr. Hamza ŞEN

Organisation: General Directorate of Railway, Harbours and Ports

Construction

Email: hamzasen@ubak.gov.tr

Country:	Turkey	
Activity Title:	Istanbulkart	
Mode(s):	Walking ☐ Light Rail Cycling ☐ Heavy Rail ☐ Private automobile ☐ Air ☐ Bus ☐ Inland Waterways ☐ Light or Heavy Goods Vehicle ☐ Maritime	
Objective (s):	 To provide citizens with urban services by buying contactless smart cards. To be used as an electronic ticket in all public transportation modes including taxis. To provide more qualified parking services. To be used for payment of basic municipal services such as water supply, natural gas supply, municipal museum entrances, etc. 	
Timeframe:	Start: Last quarter of 2007 Finish: ongoing	
Outline of case:	Istanbulkart is part of the Electronic Fare Collection System - a secure, fast and accurate information management system that provides users with prepaid travel over all transportation modes. Istanbulkart is the contactless smartcard that will be used in the municipal services of Istanbul's metropolitan municipality. It is designed to be integrated with all municipal services. Citizens will use only one card for payment of all these services and will give ease of use. But the first step of the project is using the card on Istanbul's public transportation system. In the following steps "Istanbulkart" will be used as a loyalty card and a membership card for civic services: event ticketing, car parking, social aid identification and access control, e-health, electronic passport, electronic ticket, e-campus, etc. It can also be used to pay for parking, taxi fares, cinema / theatre, personnel attendance control systems, social services (e.g. food, fuel, service distribution) etc. Being a user-friendly system with its contactless property, Istanbulkart can fit in a wallet and be used easily. It is highly secured against counterfeiting. Its large memory storage capacity enables multiple applications and a flexible structure. It allows different scenario building according to the fare policy. Istanbulkart is up to the international standards for contactless smart cards (ISO 7816 and ISO 14443). The technology employed is the first of its kind in Turkey and one of the first worldwide.	
Outcome/Effects:	Using an individual card for all urban services.Supporting public transportation.	
Web link:	http://www.belbim.com.tr/en/products/Pages/istanbulkart_en.aspx	

	☐ Border Crossing	☐ Infrastructure	☐ Rural
	☐ Congestion	☐ Intercity	☐ Standards/Uniformisation
	☐ Energy/Fuel		☐ Supply Chain
Key Words:	☐ Environment	Interoperability	☐ Telecommunications
	☐ Freight	□ Passenger	☐ Ticketing/Payment
	☐ Funding	☐ Planning	⊠ Urban
		☐ Regulation/Law	☐ Other
	Name: Ms. F. Betul GUNE	EY AKBIYIK	
Contact:	Organisation: Istanbul Metropolitan Municipality		
	Email: betul.guney@ibb.gov.tr		

Country:	Turkey	
Activity Title:	Eskişehir Light Rail Transportation System	
Mode(s):	Walking □ Light Rail Cycling □ Heavy Rail □ Private automobile □ Air □ Bus □ Inland Waterways □ Light or Heavy Goods Vehicle □ Maritime	
Objective (s):	Energy efficient, ecologic, high-capacity public transportation	
Timeframe:	Start: 11 July 2002 Finish: 24 December 2004	
Outline of case:	In 2004, in order to provide high-capacity, fast and efficient transportation, as well as aiming to reduce traffic and air pollution; the Eskisehir light rail transit system the first transportation line in Turkey to use 100 per cent low-floor Bombardier FLEXITY Outlook trams was opened to passenger service. The complete network is designed to carry passengers at a top speed of 50 km/h in mixed traffic although it is capable of reaching speeds of up to 70 km/h. The project was completed in less than two years and was awarded by the UITP (International Association of Public Transport) in 2004 in recognition of its actions in favour of Light Rail.	
Outcome/Effects:	Between 24 December 2004 and 31 October 2011 a total of 203 322 370 passengers were carried, representing 9 991 321 km travelled and 1 192 578 trips made by Eskisehir Light Rail System. Public transport solutions and time recovery for passengers are the effects of the Project.	
Web link:	www.estram.com.tr	
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisation □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Urban □ Information Sharing □ Regulation/Law □ Other	
Contact:	Name: H. Seher KARA Organisation: Eskişehir Hafif Raylı Sistem İşletmesi (ESTRAM) Email: seher.kara@estram.com.tr	

Country:	Turkey	
Activity Title:	Kayseri Rail Transit System	
Mode(s):	Walking ☐ Light Rail Cycling ☐ Heavy Rail Private automobile ☐ Air Bus ☐ Inland Waterways ☐ Light or Heavy Goods Vehicle ☐ Maritime	
Objective (s):	To make public transport reliable, accessible, fast and of high quality and to increase the rail transit system's share in urban transport. To simplify passenger flow through minimizing traffic congestion and making transportation safe.	
Timeframe:	Start: 1st phase: 2006 Finish: 1st phase: 2009	
Outline of case:	The route for the 1st stage of the Kayseri Rail Transit System continues to transfer passengers in an uninterrupted manner from the east to the west of the whole city. The total length of the route is 17.4 km and there are 28 stations along the route. Project planning studies are being conducted for the 2nd and 3rd stages of the route. The 2nd stage is planned as the eastern extension of the 1st stage. The ildem route, which has 11 stations, is 9 km in length. Stage 3 is planned as the southern extension of Stage 1. The Talas route has 11 stations and is 7.4 km in length.	
Outcome/Effects:	 Pedestrian and vehicle traffic congestion has significantly diminished, and passenger transportation is provided in a safe manner. A passenger information service is provided in vehicles and on stations. This increases passenger satisfaction. The rail transit system helps to shorten passenger travel time, compared to rubber-tyred vehicles, because of its right of way. 	
Web link:	http://www.kayseri.bel.tr/web2/index.php?page=rayli-sistem	
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisation □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Planning □ Urban □ Information Sharing □ Regulation/Law □ Other	
Contact:	Name: Burcu Erşekerci Organisation: Ulaşim Planlama ve Rayli Sistem Daire Başkanliğ Email: bersekerci@kayseri.bel.tr	

Country:	Turkey	
Activity Title:	Public Transit Travel Assistance System	
Mode(s):	 ☑ Walking ☐ Cycling ☑ Private automobile ☑ Bus ☑ Light or Heavy Goods Vehicle 	☑ Light Rail☑ Heavy Rail☐ Air☑ Inland Waterways☐ Maritime
Objective (s):	 Creating network analysis for "faster time", "shorter distance" and "minimum cost" for pedestrians and drivers Enlightening citizens about public transport Synchronizing different types of transportation 	
Timeframe:	Start: Pre-Beta version as January 12	Finish: ongoing
Outline of case:	Designing and creating a web-based and mobile travel and analysis system for use by citizens and decision-makers	
Outcome/Effects:	 Reliable and accurate use of public transport by citizens Standardization of public transit related data 	
Web link:	_	
Key Words:	□ Border Crossing □ Infrastruct □ Congestion □ Intercity □ Energy/Fuel □ Intermode □ Environment □ Interoper □ Freight □ Passenge □ Funding □ Planning □ Information Sharing □ Regulation	Standards/Uniformisation al Supply Chain ability Telecommunications er Ticketing/Payment Urban
Contact:	Name: Murat Güneri Organisation: Istanbul Metropolitan M Email: murat.guneri@ibb.gov.tr	unicipality

USA

Country:	USA	
Activity Title:	Chattanooga Riverfront Parkw	ay
Mode(s):	☑ Walking☑ Cycling☑ Private automobile☑ Bus☑ Light or Heavy Goods Vehicle	☐ Light Rail ☐ Heavy Rail ☐ Air ☐ Inland Waterways e ☐ Maritime
Objective (s):		accommodates shifts in economic geography and pedestrian connections to multiple
Timeframe:	Start: 2002	Finish: 2005
Outline of case:	social and economic conditions. Chattanooga Riverfront Parkwa by converting the Riverfront expressway to an urban surfaroadway functions can change adapt to such changes. For decades, Riverfront Parkwathrough the city. The limited-act as it was in the 1960s and significantly by 2000. Truck the forecasts, properties redevelo changes in population replaced the city's economic geography road's accessibility and mobility. The new design focuses on im to riverfront destinations. accommodations for a broad-	dway designs are incompatible with current and land use and development issues. The y project addresses this incompatibility issue Parkway from a four-lane, limited-access ace street. This project demonstrates how over time and how project design needs to ay in Chattanooga, TN, provided easy travel cess highway responded to needs of the city 1 1970s. However, Chattanooga changed raffic has declined in contrast to previous ped for commercial uses, and increasing the industrial setting of the city. The shift in y emphasised the need to reconsider the from downtown to the riverfront. proving pedestrian and local vehicle access Design objectives included better ader range of users, supporting urban and increasing roadway capacity (number expected traffic volumes.
Outcome/Effects:	allowing more direct commuting Reduction of the roadway footp	arkway has improved downtown access, patterns and renewing economic viability. Firint created space for a pedestrian path and trainment-oriented spaces by the riverfront.
Web link:	http://www.fhwa.dot.gov/livability	//case_studies/guidebook/livabilitygb10.pdf

☐ Border Crossing		☐ Rural
□ Congestion	☐ Intercity	☐ Standards/Uniformisation
☐ Energy/Fuel	Intermodal	☐ Supply Chain
☐ Environment	Interoperability	☐ Telecommunications
☐ Freight	□ Passenger	☐ Ticketing/Payment
☐ Funding		⊠ Urban
☐ Information Sharing	☐ Regulation/Law	Other
Name: Shana Baker		
Organisation: Federal Highway Administration Email: Shana.Baker@dot.gov		
	 ☐ Congestion ☐ Energy/Fuel ☐ Environment ☐ Freight ☐ Funding ☐ Information Sharing Name: Shana Baker Organisation: Federal H	☑ Congestion ☐ Intercity ☐ Energy/Fuel ☐ Intermodal ☐ Environment ☐ Interoperability ☐ Freight ☒ Passenger ☐ Funding ☒ Planning ☐ Information Sharing ☐ Regulation/Law Name: Shana Baker Organisation: Federal Highway Administration

Country:	USA		
Activity Title:	Denver FasTracks Project		
Mode(s):	 □ Walking □ Cycling □ Private automobile ⊠ Bus □ Light or Heavy Goods Vehicle 		Rail Waterways
Objective (s):	and the surrounding eight-coul	To alleviate congestion and serve the mobility needs of Denver, Colorado, and the surrounding eight-county area, whose population is expected to double within the next twenty years.	
Timeframe:	Start: 2009	Finish: —	
Outline of case:	The Denver FasTracks Program is a \$6.5 billion dollar comprehensive transit expansion plan to build 122 miles of new commuter rail and light rail, 18 miles of bus rapid transit, 21 000 new parking spaces at light rail and bus stations, and enhance bus service for easy, convenient bus/rail connections across the eight-county district.		
Outcome/Effects:	This is currently the largest transit infrastructure project in the US. When completed, it will provide a seamless, intermodal public transportation network throughout one of the country's fastest growing areas. It has also been partly funded with private capital, and is the only large-scale transit PPP in the US.		
Web link:	www.rtd-fastracks.com		
Key Words:		ercity	Rural Standards/Uniformisation Supply Chain Telecommunications Ticketing/Payment Urban Other
Contact:	Name: Phillip Washington, Ger Organisation: Denver Regional Email: phil.washington@rtd-der	Transit District	

Country:	USA	
Activity Title:	Woodrow Wilson Bridge	
Mode(s):	 ✓ Walking ✓ Cycling ✓ Private automobile ✓ Bus ✓ Inland Waterways ✓ Maritime 	
Objective (s):	To incorporate facilities for walking on major highways functionally designated for automobile and truck use.	
Timeframe:	Start : 1999 Finish : 2009	
Outline of case:	The Woodrow Wilson Bridge carries I-95 and I-495 (the Capital Beltway) over the Potomac River south of Washington, DC. It is one example of how multimodal project planning can be incorporated into large-scale highway facilities. An increased demand for walking and biking, combined with limited Potomac River crossings, underscored an opportunity to pursue improvements in reconstruction of the bridge. Heavy traffic congestion and major delays were daily issues on the Woodrow Wilson Bridge. Initially designed to carry 75 000 vehicles per day, the bridge experienced traffic volumes of up to 195 000 per day by 2004. The high traffic volumes accelerated bridge deterioration and increased safety concerns. The redesign and reconstruction of the bridge (the only Potomac crossing south of downtown Washington, DC) included carrying capacity for expanded transit and non-motorized travel. Objectives of the reconstruction included providing adequate capacity for travel demand, facilitating intermodal travel (transit, HOV lanes, walking, biking, and maritime access), improving road safety, and protecting the surrounding environment.	
Outcome/Effects:	The newly constructed bridge reopened with bicycle and pedestrian paths on the northern side of the bridge. The trail design also included bridge crossings over vehicle lanes at each end for safe pedestrian and bicyclist crossings.	
Web link:	http://www.fhwa.dot.gov/livability/case_studies/guidebook/livabilitygb10.pdf	
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisation □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Planning □ Urban □ Information Sharing □ Regulation/Law □ Other	
Contact:	Name: Shana Baker Organisation: Federal Highway Administration Email: Shana. Baker@dot.gov	

CASE STUDIES ON SEAMLESS TRANSPORT: FROM INTERNATIONAL ORGANISATIONS

Context

The 2012 Summit, entitled "Seamless Transport: Making Connections", will focus on connectivity. More seamless linkages between transport systems, networks, users and infrastructure can improve the efficiency, sustainability, accessibility, safety and security of transport, with important benefits for mobility and trade.

New technologies are rapidly changing the way we move people and goods. The powerful vision of connecting people and markets, infrastructures and ideas to create seamless transport networks for communities and around the globe and will drive the development of new and improved forms of mobility that will shape the 21st Century.

Connectivity can be considered in all aspects of transport:

- Connecting systems Implementing advanced technologies and new practices to make seamless linkages between modes, and improve information sharing among operators and users.
- Connecting people Improving urban and inter-urban mobility, making transport more accessible, optimising active transport, implementing electronic ticketing and informationsharing, and increasing the flow through passenger terminals.
- Connecting markets Smoothing end-to-end journeys, integrating supply chains, improving border crossings and harmonising standards.
- Connecting sectors Better integrating transport with energy, finance, urban planning, tourism and other areas.
- Connecting ideas Integrating new technologies and thinking into transport, including the wireless revolution, social networking, Intelligent Transport Systems, and new approaches to financing and management.

Case Study Collection

In preparation of the 2012 Summit, the International Transport Forum sought submissions of good practice in relation to seamless transport for incorporation into a compendium.

This section of the compendium is organised in alphabetical order of submitting organisations. The International Transport Forum thanks all who have contributed to this collection of case studies.

AGE PLATFORM EUROPE

Organisation:	AGE Platform Europe		
Activity Title:	Establishment of an end-user platform on public transport issues at EU level		
Country(ies):	European Union	European Union	
Mode(s):	☑ Walking☐ Cycling☐ Private automobile☑ Bus☐ Freight Truck	☑ Light Rail☐ Heavy Rail☐ Air☐ Inland Waterways☐ Maritime	
Objective (s):	 Involve real users in the European debates around public transport Design solutions for ensuring all citizens freedom of movement 		
Timeframe:	Start: November 2008	Finish: November 2011	
Outline of case:	The End User Platform (EUP) established within the Mediate project is deemed as an essential tool for guaranteeing the involvement of real users in the European debates around public transport and transport accessibility and security. Involving a platform representing the real users of public transport in Europe moves towards the design and implementation of more efficient and user-friendly solutions for ensuring the freedom of movement for all citizens. The End User Platform (EUP) is primarily made up of representatives of European, national and local associations dealing with disabilities and reduced mobility problems. The EUP members were selected on the basis of a number of factors including their experience in this area, commitment and interest in the objectives and activities of Mediate, as well as the broadest geographic coverage. Coordinated by AGE Platform, the EUP ensures that the point of view and needs of users were taken into account in the project activities and outcomes. Its involvement was required both during the discussion to define a common set of indicators for assessing accessibility in public transport and the discussion of the Good Practice Guide. Currently AGE works together with the European Disability Forum to ensure long-term viability of the EUP since such a permanent forum would be useful to ensure involvement of end users in European debates around public transport.		

	In terms of seamlessness of transport, the point of view of edusers/passengers is very important to be listened to and taken into account since there are the one using public transport and experiencing the white journey. Indeed for end-users, seamless transport should include the white journey from departure (incl. home) to arrival, and encompass information system, access to platforms, stations, etc.			
	The engagement and results of the EUP within the Mediate Project could be presented to highlight the benefits of end users involvement as well as to better understand the perspective of end users regarding seamless public transport.			
Web link:	http://www.age-platform.eu/en/all-projects/654-mediate?start=2 http://www.mediate-project.eu/index.php?id=19			
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisation □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Planning □ Urban □ Information Sharing □ Regulation/Law □ Other: Accessibility			
Contact:	Name: Ilenia Gheno Organisation: AGE Platform Europe Email: ilenia.gheno@age-platform.eu			

Organisation:	AGE Platform Europe		
Activity Title:	Mediate – Tools for accessible public transport		
Country(ies):	European project with cities thro	European project with cities throughout Europe involved	
Mode(s):	Walking ☐ Light Rail Cycling ☐ Heavy Rail Private automobile ☐ Air Bus ☐ Inland Waterways Freight Truck ☐ Maritime		
Objective (s):	Establish a common European methodology for measuring accessibility to transport.		
Timeframe:	Start: 2008	Finish : 2010	
Outline of case:	 Mediate represents a framework for improving the accessibility of urb public transport, based on the needs of all passengers including vulning groups. Basic ideas are systematic frameworks for consulting users in by step improvement throughout the planning cycle of information gas planning, implementing, monitoring and evaluation, based on the idea Total Quality Management. This approach has lead to the development the following tools: The Mediate assessment tool supporting stakeholders to assess strengths and weaknesses of the transport system and to define appropriate actions. A set of common European indicators for measuring accessibility urban public transport and allowing for a common understanding situation between different stakeholders, on local level as well as European level. 		
	 The Mediate Good Practice Guide exchanging information by presenting examples of implemented measures throughout Europe on a range of themes. 		
	 The Aptie website presenting information, examples and events on accessible public transport (one-stop shop with search engine). 		
	 The European End User Platform representing people with disabilities, older people and relevant groups facing barriers when using public transport. This provides a significant potential for consultation and active participation in innovation and monitoring of public transport. 		
Web link:	www.mediate-project.eu www.aptie.eu		

Key Words:	☐ Border Crossing	☐ Infrastructure	☐ Rural	
	☐ Congestion	☐ Intercity	☐ Standards/Uniformisation	
	☐ Energy/Fuel	☐ Intermodal	☐ Supply Chain	
	☐ Environment	Interoperability	☐ Telecommunications	
	☐ Freight	⊠ Passenger	☐ Ticketing/Payment	
	☐ Funding	☐ Planning	☐ Urban	
	☐ Information Sharing	☐ Regulation/Law	Other: Accessibility	
	Name: Liv Øvstedal			
Contact:	Organisation: SINTEF Technology and Society			
	Email: Liv.Ovstedal@sintef.no			

Organisation:	AGE Platform Europe (Partner), Rupprecht Consult (Coordinator)		
Activity Title:	Aeneas Project (Attaining Energy Efficient Mobility in an Ageing Society)		
Country(ies):	Poland, Denmark, Germany, Austria, Belgium and Spain.		
Mode(s):	☑ Walking☑ Cycling☐ Private automobile☑ Bus☐ Freight Truck	☐ Light Rail ☐ Heavy Rail ☐ Air ☐ Inland Waterways ☐ Maritime	
Objective(s):	 Raise awareness about the challenge of energy-efficient urban mobility in an ageing society among stakeholders in European cities; Enable key actors to address these issues by applying successful, non-technological concepts; Raise awareness on energy-efficient travel options (walking, public transport, cycling, car sharing and public bicycles) and promote them as alternatives to the private car; Train older people on how to use sustainable transport according to their needs and expectations; Improve the attractiveness and safety of energy-efficient modes by small-scale, innovative interventions. 		
Timeframe:	Start: 01.08.2008	Finish: 31.05.2011	
Outline of case:	Enabling and encouraging older people to use energy-efficient mobility in five European cities through concrete measures in the areas of mobility management, training, awareness raising and communication. The project worked for the connectivity of people, with a focus on older people (the target of the project) and of sectors and systems, as it brought together a wide range of stakeholders at various level (European, national, regional and local) around the issues of urban planning and inter-urban mobility, energy-efficiency and sustainability, mobility for leisure and tourism, plus the improvement of dialogue and information sharing among operators, public authorities and users.		
Web link:	http://www.aeneas-project.eu/?page=about		
Key Words:	□ Congestion □ Intermediate ⋈ Energy/Fuel □ Intermediate ⋈ Environment □ Intermediate □ Freight ⋈ Pas □ Funding □ Plan	Rural City Standards/Uniformisation Coperability Telecommunications Senger Ticketing/Payment Sining Urban Ulation/Law Other	

Contact:	Name: Ilenia Gheno Organisation: AGE Platform Europe
	Email: ilenia.gheno@age-platform.eu

CENIT – CENTER FOR INNOVATION IN TRANSPORT

Organisation:	CENIT — Center for Innovation in Transport		
Activity Title:	New Bus Network for Barcelona City		
Country(ies):	Spain		
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☑ Bus☐ Freight Truck	☐ Light Rail ☐ Heavy Rail ☐ Air ☐ Inland Waterways ☐ Maritime	
Objective(s):	The objective is to design and implement a new bus network for the city of Barcelona, with total travel time and accessibility equivalent to private car, that is, an urban transit system that can deliver a level of service comparable to that of the automobile.		
Timeframe:	Start: 2005	Finish: ongoing	
Outline of case:	A transit network that will provide good service between every pair of points in the city throughout the day, and be easily used tool by public has the intention to encourage auto users to leave their cars home when their daily plans include complex trip chains with impromptu and non-routine links.		
	To achieve the standards, transit systems must uniformly cover the service region in space and time with well-spaced transit stop and frequent reliable service.		
	The new network RETBUS is a new transportation system designed to offer a differentiated service based on operational measures, management of traffic and new technologies this new network was conceived as a performance not intrusive infrastructure and respectful in their integration with the urban planning of the city. Its exploitation in addition to the service of metro, tram and urban bus networks will become a real alternative to private vehicles and a move towards sustainable mobility.		
Web link:	http://www.cenit.es/esp/novetats/n068_esp		

Key Words:	□ Border Crossing□ Congestion□ Energy/Fuel⊠ Environment□ Freight□ Funding	☐ Infrastructure ☐ Intercity ☐ Intermodal ☐ Interoperability ☐ Passenger ☐ Planning	 ☐ Rural ☐ Standards/Uniformisation ☐ Supply Chain ☐ Telecommunications ☐ Ticketing/Payment ☐ Urban
	Information Sharing	□ Regulation/Law	Other
Contact:	Name: Miquel A. Estrada Organisation: CENIT Email: miquel.estrada@upc.edu		

COMMUNITY OF EUROPEAN RAILWAY & INFRASTRUCTURE COMPANIES

Organisation:	Community of European Railw AISBL	ay and Infrastructure Companies (CER)
Activity Title:	E.RailFreight	
Country(ies):	Europe, 20 rail freight companies	
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☐ Bus☐ Freight Truck	☐ Light Rail ☑ Heavy Rail ☐ Air ☐ Inland Waterways ☐ Maritime
Objective (s):	Consignment note, paperless tran	sport
Timeframe:	Start: 2008	Finish: rollout ongoing
Outline of case:	contained in the consignment note of rail undertaking internal process. Functional and Technical specific data catalogue - have been prov specifications delivered by the CUIC, has developed the interfatechnical specifications. The Refunctioning platform for the exchar In 2008, 20 RUs signed a Letter implement e-Rail Freight. The interfation of e-RailFreight business processes. The potential railways stop the "old" manual internal processes including a success today. The more rail under data electronically, the easier suchievable. The team also looks into fulfill Electronic Consignment Note Shipments. E-RailFreight also services in the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service	rations - message structure, message flow, ded by the project team derived from legal IT in Bern. RAILDATA, a special group of ce software for ORFEUS based on the AILDATA application ORFEUS is a wellage of electronic consignment note data. It of Intent (LoI) committing themselves to remational rollout is ongoing. DB Schenker lementation effort. Will reduce costs and better the quality of all for reducing costs can only be touched if paper flow. This requires the redesign of cessful mental change for all involved in the entakings start exchanging consignment note ravings and quality improvements will be a to Dangerous Goods and Exceptional apports the joint CIM-SMGS consignment om Russia, the Ukraine, White Russia,

Web link:	www.cit-rail.org, www.raildata.coop, www.uic.org		
Key Words:	 ☑ Border Crossing ☐ Congestion ☐ Energy/Fuel ☐ Environment ☑ Freight ☐ Funding ☑ Information Sharing 	☐ Infrastructure ☐ Intercity ☐ Intermodal ☑ Interoperabil ☐ Passenger ☐ Planning ☐ Regulation/L	Standards/Uniformisation Supply Chain Telecommunications Ticketing/Payment Urban
Contact:	Name: Rainer Wilke Organisation: DB AG Email: Rainer.Wilke@de	eutschebahn.com	Mr. Bernard SCHMITT International Union of Railways (UIC) schmitt@uic.org

DEUTSCHE BAHN MOBILITY LOGISTICS AG

Organisation:	Deutsche Bahn Mobility Logis	tics AG
Activity Title:	Alternative Routes Service (A	RS)
Country(ies):	Germany	
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☐ Bus☐ Freight Truck	☑ Light Rail☑ Heavy Rail☐ Air☐ Inland Waterways☐ Maritime
Objective (s):	intended trips, providing delay-r	sruptions or connection breakdowns on their educing alternative routes and ratings for all operational decisions from the dispatching
Timeframe:	Start: June 2011	Finish: unlimited ongoing
Outline of case:	devices) for Deutsche Bahn's procedure was incorporated whe Bahn trains on delays, diversion the customers to compute help situation in the Use Case "Take and also in the Use Case "S Additionally the customer gets offered alternatives as well as or rating of every train-to-train confive step scale ("connection is greliable information available", "broken"). Up to now it is a pull service. Fapplications, connection rating	ing internet portals (especially for mobile timetable information system a new routing ich uses real-time data about any Deutsche is and cancellations. This may be used from iful connections regarding the current traffic me home with the next possible connection how me alternatives to my disrupted trip. extra information on the reliability of the fits originally intended trip; this is based on a nection in the trip and is communicated in a uaranteed, "connection is likely usable, "no connection is likely unusable, "connection is further steps will provide service access via s for intermodal trips, more sophisticated ons which are farther in distance and an isruption information.
Web link:	Official usage of the service on I	m.bahn.de (mobile service) and bahn.de

	☐ Border Crossing	Infrastructure	☐ Rural
	☐ Congestion		☐ Standards/Uniformisation
	☐ Energy/Fuel	oxtimes Intermodal	☐ Supply Chain
Key Words:	☐ Environment	Interoperability	☐ Telecommunications
	☐ Freight	□ Passenger	☐ Ticketing/Payment
	☐ Funding	☐ Planning	☐ Urban
		Regulation/Law	☐ Other
	Name: Dr. Christoph B	Blendinger	
Contact:	Organisation: DB Mobil	•	
	Email: christoph.blendi	•	

Organisation:	Deutsche Bahn Mobility Logis	stics AG
Activity Title:	Touch&Travel	
Country(ies):	Germany	
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☑ Bus☐ Freight Truck	☑ Light Rail☑ Heavy Rail☐ Air☐ Inland Waterways☐ Maritime
Objective (s):		public transport usage by providing an ble CheckIn / CheckOut system based on ucture
Timeframe:	Start: 2006	Finish: ongoing
Outline of case:	Touch&Travel is a new approach to electronic ticketing based on a new paradigm: Instead of implementing a heavy reader infrastructure for automatic fare collection, Touch&Travel uses the already existing mobile phone networks as backbone. The project started as a friendly user trial in 2008, using the contactless technology Near Field Communication (NFC). Before a trip, mobile phones equipped with NFC are held against so-called Touchpoints at the stops and stations which contain just a contactless smartcard. No power supply or data connection is needed for the Touchpoint. An ID stored in the smartcard is read out and then transferred to the backend system using the mobile network. A CheckIn record is stored on the phone and can be read out contactlessly during ticket inspection. After the trip the customer does the same as before and the price of the trip is shown. Once a month all trips are billed. In the last of several trial phases the approach was expanded to iPhones and Android phones without NFC. These phones use as additional methods localisation, 2D barcode scanning or entering an ID for CheckIn/CheckOut. End of 2010 DB decided to offer Touch&Travel as a regular service to all customers and began to migrate the pilot system. DB has been supported	
	as additional technology partner long distance rail nation-wide a	perators Vodafone, Telekom and O2 as well rs. Momentarily, Touch&Travel is available in as well as in all means of public transport in gional extensions are planned as well as the ntal bikes.
Web link:		CONF_PDF/TUESDAY/PM/GEMEINDER.pdf

Key Words:	☐ Border Crossing ☐ Congestion ☐ Energy/Fuel ☐ Environment ☐ Freight ☐ Funding ☐ Information Sharing	☐ Infrastructure ☐ Intercity ☐ Intermodal ☐ Interoperability ☐ Passenger ☐ Planning ☐ Regulation/Law	 □ Rural □ Standards/Uniformisation □ Supply Chain □ Telecommunications □ Ticketing/Payment □ Urban □ Other
Contact:	Name: Dr. Marcus Ger Organisation: DB Mobi Email: marcus.gemeind	lity Logistics AG / Inno	

Organisation:	Deutsche Bahn AG, DB Fuhrparkservice GmbH, Innovation Centre for Mobility and Societal Change (InnoZ) GmbH	
Activity Title:	BeMobility Berlin elektroMobil, Mobilitätskarte für Berlin	
Country(ies):	Germany	
Mode(s):	□ Walking □ Light Rail □ Cycling □ Heavy Rail □ Private automobile □ Air □ Bus □ Inland Waterways □ Freight Truck □ Maritime	
Objective (s):	The objective of the mobility card for Berlin is to promote multimodal transport behaviour by providing a joint ticket for (e-)car sharing, bike rental and public transport. It was intended for a testing period of three months to gauge user response. Additionally, it supplied viable alternatives for private car owners, providing flexible, attractive and environmentally friendly mobility. After evaluating the accompanying research, the long term implementation and transfer to other regions is intended.	
Timeframe:	Start: June 2011 (start of test) Finish: September 2011 (end of test)	
	The governmentally funded project BeMobility, Berlin elektroMobil, is realised by a group of partners lead by Deutsche Bahn. This project was conducted in cooperation with the local public transport association (VBB) in order to appeal to new target groups for multimodal solutions and to act as an alternative to owning a private vehicle. It intends to set the stage for introducing electric vehicles, parking and charging infrastructure in public areas, information and booking systems for smartphones, and a multimodal tariff, for instance implemented into a mobility card.	
Outline of case:	This mobility card was offered for a testing period of three months in Berlin and is a ticket for public transport, including an RFID chip that allows access to electric cars and rental bikes for 78 € per month. The main features include a monthly prepaid balance of €50 for time charges of the car, 30 minutes free use of rental bikes with each application and the ticket for the greater Berlin area (Berlin ABC). Minor features include free parking in over 20 parking structures of Contipark with the electric vehicle, free parking and charging in the public charging infrastructure. The card was tested by 135 users. After expiration of the testing period and analysis of customer behaviour an optimised permanent offer in 2012 is planned.	
Web link:	www.bemobility.de, www.innoz.de	

Key Words:	 □ Border Crossing □ Congestion □ Energy/Fuel ⋈ Environment □ Freight □ Funding ⋈ Information Sharing 	☐ Infrastructure ☐ Intercity ☑ Intermodal ☐ Interoperability ☑ Passenger ☐ Planning ☐ Regulation/Law	 □ Rural □ Standards/Uniformisation □ Supply Chain □ Telecommunications □ Ticketing/Payment □ Urban □ Other: multimodal
Contact:	Name: Dr. Frank Wolte Organisation: InnoZ G Email: frank.f.wolter@c	SmbH	

Organisation:	Deutsche Bahn Vertrieb GmbH	
Activity Title:	bahn.de Europe-wide travel information w	rith a focus on rail connections
Country(ies):	Germany	
Mode(s):	☑ Walking☑ Cycling☑ Private automobile☑ Bus☐ Freight Truck	☑ Light Rail☑ Heavy Rail☑ Air☑ Inland Waterways☑ Maritime
Objective (s):	Europe-wide timetables and inte	ermodal route options. It helps travelers to n.
Timeframe:	Start : 1996	Finish: ongoing
Outline of case:	and intermodal route options. It connection. The customer has the option destination station and search the also possible to specify an addition and configuration options, such whether only the direct or quicked required mode of transport. Endisplays whether the train is on shops, parking spaces and taxing all European railway companitionsport, coaches and ferries and door-to-door mobility (rental car, With the train/plane/car companitionsport for their journey. In addition with the journey to the train addition to the price and traveral calculations that are relevant, sustation, etc.), usable time and the providing information, you can also	rison, transport by rail, plane and car are to offer the customer the best mode of dition to a train station, customers can enter ne journey (train, plane) is then calculated a station and airport or the journey by car. In wel time, this function also makes other ch as the total travelling time (incl. arrival at the environmental balance sheet. As well as
Web link:	http://www.bahn.de http://www.rsmuc.de/db/eu-applid	cation/index.html

	□ Border Crossing	☐ Infrastructure	⊠ Rural
	□ Congestion		☐ Standards/Uniformisation
			☐ Supply Chain
Key Words:		Interoperability	☐ Telecommunications
	☐ Freight	□ Passenger	☐ Ticketing/Payment
	☐ Funding		⊠ Urban
		☐ Regulation/Law	☐ Other
Contact:	Name: Karina Kaestne Organisation: DB Vert Email: karina.kaestner@	rieb GmbH	

EUROCITIES

Organisation:	Eurocities	
Activity Title:	Future Ticketing Project (FTP)	
Country(ies):	UK	
Mode(s):	□ Walking □ Light Rail □ Cycling □ Heavy Rail □ Private automobile □ Air □ Bus □ Inland Waterways □ Freight Truck □ Maritime	
Objective (s):	To further improve the Oyster system in London by accepting Contactless Payment Cards and updating the technology that underpins it; improving customer experience and reducing costs.	
Timeframe:	Start: June 2007 Finish : 2015	
Outline of case:	Transport for London have embarked on a multi-phase project to improve the Oyster system in London. The first 2 phases involve the acceptance of Contactless Payment Cards (CPC) on its network beginning during 2012. In order to achieve this, TfL has been developing its own back office to calculate an end-of-day fare to charge a customer using a CPC. It has also changed its approach to asset management to improve the reliability and availability of readers. Furthermore, it has influenced a change in Scheme (Visa, MasterCard and Amex) rules to enable CPCs to be used in the transit environment when the fare is not known at entry. TfL is also taking the opportunity to refine its customer service offering by pursuing a self service model to its customers.	
Web link:	http://www.tfl.gov.uk/corporate/media/newscentre/archive/19216.aspx	
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisation □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Planning □ Urban □ Information Sharing □ Regulation/Law □ Other	

Contact:	Name: Matthew Hudson Organisation: Transport for London
	Email: matthewhudson@tfl.gov.uk

EUROPEAN CONFERENCE OF TRANSPORT RESEARCH INSTITUTES

Organisation:	European Conference of Transport Research Institutes (ECTRI)		
Activity Title:	Renewability Stoffstromanalyse: Nachhaltige Mobilität im Kontext erneuerbarer Energien bis 2030		
Country(ies):	Germany		
Mode(s):	☑ Walking☑ Cycling☑ Private automobile☑ Bus☑ Freight Truck	☑ Light Rail☑ Heavy Rail☑ Air☑ Inland Waterways☑ Maritime	
Objective(s):	Prediction of the transport demand in passenger and freight transport up to 2030; estimation of greenhouse gas emissions in accordance to the future transport demand; stakeholder involvement for the definition of policies		
Timeframe:	Start: 2010	Finish: 2012	
Outline of case:	One central element of Renewbility is the involvement of a broad number of stakeholders that discuss and define policy scenarios for the German transport sector up to 2030. The project connects people and sectors as stakeholders representing different transport modes (e.g. Deutsche Bahn, VDA) as well as different sectors (e.g. BUND, VCD, Shell) are brought together. Their aim is the definition of an ambitious climate-oriented scenario to save greenhouse gases (GHG) and meet the German government's goal for GHG reduction. Within the project an extensive analysis and model-based assessment of policy measures is undertaken to predict the transport system performance against different assumptions. Results are discussed with the stakeholders against their feasibility.		
Web link:	www.renewbility.de		
Key Words:	☐ Congestion ☐ I ☐ Energy/Fuel ☐ I ☐ Environment ☐ I ☐ Freight ☐ Funding ☐ F	nfrastructure	

Contact:	Name: Stephan Mueller Organisation: DLR Institute of Transport Research Email: stephan.mueller@dlr.de
----------	-------------------------------------------------------------------------------------------------------

Organisation:	European Conference of Transport Research Institutes (ECTRI)	
Activity Title:	AMITRAN Assessment Methodologies for ICT in multimodal transport from User Behaviour to CO2 reduction.	
Country(ies):	Germany, Spain, Belgium, Netherlands, Romania	
Mode(s):	Walking □ Light Rail □ Cycling ⋈ Heavy Rail □ Private automobile □ Air ⋈ Bus □ Inland Waterways ⋈ Freight Truck □ Maritime	
Objective(s):	Develop, validate and produce guidelines for a CO2 assessment methodology for all information and communication technology (ICT) measures including multimodal passenger and freight transport, taking into account the whole chain of effects from user behaviour to CO2 production (energy efficiency).	
Timeframe:	Start: November 2011 Finish: April 2014	
Outline of case:	 Developing a CO2 assessment methodology for all ICT measures including multimodal passenger and freight transport, taking into account the whole chain of effects from user behaviour to CO2 production (energy efficiency). Developing interfaces for models and simulation tools implementing this methodology starting from the road sector, but and integrating high level modelling from the other modes. Validating the proposed methodology and its implementation with the simulation tools interfaces developed in this project and with the use of simulation tools, by using available data from other projects and/or studies. Producing guidelines for future projects to use the proposed methodology. Our mobility system is under pressure. Our present infrastructure can barely be extended; fossil fuels are becoming increasingly scarce, while the environment is continually being polluted. The application of intelligent transport systems (ITS) is seen as promising tool to help to reduce the negative consequences of road transport. However, the kind of impact those ITS applications have on our mobility system is a question that constantly confronts stakeholders, from government to industry, all the way from system development to roll-out. In current European transport policies and research frameworks, emphasis is given on the importance of considering the environmental impacts of transport and measures which can help to reduce these impacts. AMITRAN analyses has currently developed ITS applications, e.g. information and routing services, traffic access systems etc. that can contribute to reducing transport impacts. 	

Web link:	_		
Key Words:	 □ Border Crossing □ Congestion □ Energy/Fuel □ Environment □ Freight □ Funding □ Information Sharing 	☐ Infrastructure ☐ Intercity ☐ Intermodal ☐ Interoperability ☐ Passenger ☐ Planning ☐ Regulation/Law	 □ Rural □ Standards/Uniformisation □ Supply Chain □ Telecommunications □ Ticketing/Payment □ Urban □ Other: ICT
Contact:	Name: Axel Wolfermann Organisation: DLR German Aerospace Center Email: axel.wolfermann@dlr.de		

Organisation:	European Conference of Transport Research Institutes (ECTRI)		
Activity Title:	COFRET Carbon footprint of freight transport — calculation methodology		
Country(ies):	Germany, Switzerland, The Netherlands, Norway, France, Lithuania, Poland, UK, Greece, Finland		
Mode(s):	□ Walking □ Light Rail □ Cycling □ Heavy Rail □ Private automobile □ Air □ Bus □ Inland Waterways □ Freight Truck □ Maritime		
Objective(s):	To establish a complete GHG emission calculation methodology and framework in the context of complex supply chains based on available calculation tools for CO2 emissions; To cover all types of shipments, all types of transport relations (short-range to long range), both at company level and at the aggregated level of transport and logistics; To provide a methodology that is applicable for supply chains within the EU as well as in the global context.		
Timeframe:	Start: June 2011 Finish: November 2013		
Outline of case:	COFRET is a project funded within the frame of the European FP7 Programme to support the efforts of shippers, forwarders, rail operators, airlines and road carriers in reducing greenhouse gases (GHG) emissions through developing and testing a methodology and framework for the accurate calculation of GHG emissions in the context of complex supply chains. Project outputs should cover all types of shipments, all types of transport relations (short-range to long range), both at company level and at the aggregated level of transport and logistics; to provide a methodology that is applicable for supply chains within the EU as well as in the global context. A consortium of 14 European partners from 8 European countries, COFRET is supported, through the practical application of the project outputs, by key stakeholders from of the transport industry. A close co-operation between the research team and stakeholders will be an integral element of COFRET in order to maximise the future use of the project's outcomes.		
Web link:	www.cofret-project.eu		
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisation □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Planning □ Urban □ Information Sharing □ Regulation/Law □ Other		

	Name: Verena Ehrler
Contact:	Organisation: DLR German Aerospace Center
	Email: verena.ehrler@dlr.de

Organisation:	European Conference of Transport Research Institutes (ECTRI)		
Activity Title:	Regional bundling of material flows to optimise transports		
Country(ies):	Romania (Region Timis)		
Mode(s):	Walking ☐ Light Rail Cycling ☐ Heavy Rail Private automobile ☐ Air Bus ☐ Inland Waterways Freight Truck ☐ Maritime		
Objective(s):	Reduction of transport kilometer transport costs.	s, reduction of emissions, and reduction of	
Timeframe:	Start : 01.03.2008	Finish: 30.09.2009	
Outline of case:	The region Timis in Western Romania with its' twenty-five automotive suppliers that have transport flows mainly to Western Europe seemed most adequate for the empirical analysis and first tests of a cross-company logistic model. As in comparable economic regions, transports to and from Timis are mostly operated by direct truck traffic resulting from limited transport flows. Transport optimization is done individually on a company level and is not based on co-operations. After analysing the initial situation the results were successfully implemented in a simulation model, by concentrating and consolidating transport volumes in order to allow railroad operation on the main run. Subsequently, various scenarios for the usage of railway traffic were simulated. The findings of the simulation model in combination with information from the analysis at the start of the project are used to identify synergy effects. Using intelligent cross-company transport bundling combined with the usage of railway transport, emissions can be reduced at lower transport costs. In the newly designed scenarios, up to 60 per cent of the ton kilometers can be operated by train allowing a 40 per cent CO2 emission reduction. In other words seven out of ten truck tours through Austria can be avoided, by putting the loads on the railroad.		
Web link:	_		
Key Words:	□ Congestion □ Inter □ Energy/Fuel □ Inter □ Environment □ Inter □ Freight □ Pass □ Funding □ Plan □ Information Sharing □ Region	modal Supply Chain operability Telecommunications senger Ticketing/Payment	
Contact:	Name: Stefan Auer Organisation: Fraunhofer Austria Research GmbH Email: stefan.auer@fraunhofer.at		

Organisation:	European Conference of Transport Research Institutes (ECTRI)		
Activity Title:	eCoMove		
Country(ies):	European approach		
Mode(s):	Walking Light Rail Cycling Heavy Rail Private automobile Air Bus Inland Waterways Freight Truck Maritime		
Objective (s):	Minimizing fuel consumption of private vehicles and commercial vehicles through the usage of information and communication technology (ICT).		
Timeframe:	Start: 04/2010		
	By applying the latest vehicle-to-infrastructure and vehicle-to-vehicle communication technologies, the project will create an integrated solution comprising eco-driving support and eco-traffic management to tackle the main sources of energy waste by passenger and goods vehicles.		
	The eCoMove project will target three main causes of avoidable energy use by road transport to bring fuel wastage to a minimum:		
Outline of case:	 inefficient route choice, inefficient driving performance, inefficient traffic management & control. 		
	eCoMove will develop core technologies and applications based on vehicle-to-vehicle and vehicle-to-infrastructure communication or so called "cooperative systems", where vehicle eco-relevant data can be shared real time with other vehicles and traffic controllers as a basis for fuel-efficient driving support and traffic management.		
Web link:	http://www.ecomove-project.eu/		
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisation □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Planning □ Urban □ Information Sharing □ Regulation/Law □ Other		
Contact:	Name: Stefan Trommer Organisation: DLR Email: stefan.trommer@dlr.de		

Organisation:	European Conference of Transport Research Institutes (ECTRI)		
Activity Title:	Seamless public transport door-to-door navigation		
Country(ies):	Germany, Italy		
Mode(s):	 ✓ Walking ✓ Cycling ✓ Private automobile ✓ Bus ✓ Inland Waterways ✓ Freight Truck ✓ Maritime 		
Objective(s):	Realisation of a public transport	passenger navigation system.	
Timeframe:	Start : 02/2009		
Outline of case:	Imagine: Being in a foreign city, getting on the first tram or bus on your way; and being guided to your destination through the public transport network by your own mobile phone! Despite spontaneous detours, you won't get lost in the network. In case of delays, or construction works, you don't lose orientation. A mobile passenger navigation system realising this vision will be developed in the SMART-WAY project.		
Web link:	http://www.smart-way.mobi		
Key Words:	□ Congestion □ Inte □ Energy/Fuel ⋈ Inte ⋈ Environment □ Inte □ Freight ⋈ Pas □ Funding □ Plan	astructure	
Contact:	Name: Andreas Küster Organisation: Fraunhofer IVI Email: Andreas.Kuester@ivi.fraunhofer.de		

Organisation:	European Conference of Transport Research Institutes (ECTRI)		
Activity Title:	Application and Benefit of Electrical Transportation in Industrial Infrastructure		
Country(ies):	Germany		
Mode(s):	 Walking Cycling Private automobile Bus Freight Truck	☐ Light Rail ☐ Heavy Rail ☐ Air ☐ Inland Waterways ☐ Maritime	
Objective(s):	Access the seamless use of electric vehicles in industrial transportation – research project		
Timeframe:	Start: 2011-07-01 Finish: ongoing		
Outline of case:	A number of electric vehicles is installed in a large-scale industrial area. The cars are used by service technicians and assembly operators. Each electric vehicle is equipped with a gps sensor based data acquisition units. The charging stations and the electric vehicles are wireless connected to an automatic control room, where the energy consumption and the movement data will be monitored and analyzed. The results of the research project will help to evaluate the benefits of electric mobility in comparison to other transportation methods, under consideration of energy costs as well as maintenance cost.		
Web link:	_		
Key Words:	□ Congestion □ Inte □ Energy/Fuel □ Inte □ Environment □ Inte □ Freight □ Pas □ Funding □ Plar	Rural Standards/Uniformisation Supply Chain Telecommunications Ticketing/Payment Urban Urban Other: Electric Mobility	
Contact:	Name: Dr. Przemyslaw Komarr Organisation: Fraunhofer IFF Email: komarn@iff.fraunhofer.de		

Organisation:	European Conference of Transport Research Institutes (ECTRI)		
Activity Title:	PalletFlow		
Country(ies):	Germany, Austria		
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☐ Bus☑ Freight Truck	☐ Light Rail ☑ Heavy Rail ☐ Air ☐ Inland Waterways ☐ Maritime	
Objective (s):	Modal shift of palletized goods f system	rom road to a multimodal rail-road transport	
Timeframe:	Start: September 2008	Finish: May 2011	
Outline of case:	The adverse impact of traffic congestion and environmental pollution by freight traffic has become a major issue in past years. This not only leads to high public costs, but companies face increasing delay of transport. A possible solution is the shift of goods to more environmentally friendly means of transport that are less affected by traffic congestion. The proportion of high-value consumer and capital goods which are usually palletized and transported by truck is increasing. Because of that, the research project PalletFlow was started. PalletFlow wants to shift palletized goods from road to a multimodal rail-road transport system. Palletized goods can efficiently be handled with common forklifts. Therefore, additional handling capacities can be created with low investments to develop new, large areas for multi-modal transport. The equipment required to carry palletized goods efficiently is already available: curtainsider trucks and freight wagons with sliding doors permit a fast handling as they can be loaded and unloaded laterally. With pre-haul and last-mile delivery by truck and long-haul traffic by train, PalletFlow ensures the decoupling of short- and long-haul traffic. This allows for consideration of individual time frames for pickup and delivery and also for participation of customers who are not located near major railway		
Web link:	frames can be achieved. Becau		

Key Words:	 □ Border Crossing □ Congestion □ Energy/Fuel □ Environment □ Freight □ Funding □ Information Sharing 	☐ Infrastructure ☐ Intercity ☐ Intermodal ☐ Interoperability ☐ Passenger ☐ Planning ☐ Regulation/Law	☐ Rural ☐ Standards/ Uniformisation ☑ Supply Chain ☐ Telecommunications ☐ Ticketing/Payment ☐ Urban ☑ Other modal shift
Contact:	Name: Bernd Herrler Organisation: Fraunho Email: bernd.herrler@s		

EUROCONTROL

Organisation:	EUROCONTROL	
Activity Title:	Information for the Single European Sky	
Country(ies):	Europe and world-wide	
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☐ Bus☐ Freight Truck	☐ Light Rail ☐ Heavy Rail ☑ Air ☐ Inland Waterways ☐ Maritime
Objective (s):	Improve mobility by enabling the	efficient and sharing information
Timeframe:	Start: —	Finish: ongoing
Outline of case:	Creating the seamless single sky for Europe requires that we eliminate the joins on a number of different levels: operations, equipment, finance, culture and not least information which is the focus of this case study: implementing system-wide information management (SWIM). To give an idea of the scale of the information problem, currently there are about 1 million active 'notices to airmen' (NOTAMs) that describe minor, local but safety-critical changes to procedures. Mostly they are still human processed, with all the inefficiencies, costs and risks that that entails. EUROCONTROL has been working with others in the industry on a three-phase solution: technical standards (relatively easy, but take years to agree); operational procedures; and finally technology, which is the most difficult because it involves all the change management issues of changing people's behaviour. Two examples illustrate what SWIM can mean in practice. Firstly, the Network Operations Portal allows air traffic management, airlines and airports direct access to the live situation on the European network; in two years since it went live it has become a vital tool for the smooth-running of the network, not just in the ash-cloud crisis when it was getting 18 million hits a day (TBD), but every day. Secondly, the passenger portal, a work in progress that aims to provide passengers and shippers with the live information they need; beyond this, clearly integrating and sharing information between transport modes is a pre-requisite for better-informed mobility.	

Web link:	_		
Key Words:		rastructure ercity ermodal eroperability ssenger anning gulation/Law	Rural Standards/Uniformisation Supply Chain Telecommunications Ticketing/Payment Urban Other: Safety
Contact:	Name: Paul Bosman Organisation: EUROCONTRO Email: Paul.bosman@eurocon		

Organisation:	EUROCONTROL	
Activity Title:	Challenges of Growth in Aviation	
Country(ies):	Europe-wide	
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☐ Bus☐ Freight Truck	☐ Light Rail ☐ Heavy Rail ☑ Air ☐ Inland Waterways ☐ Maritime
Objective (s):	Support more robust, long-ter information on the internal and e	m transport planning by providing better xternal challenges of growth.
Timeframe:	Start: 2001	Finish: continues
Outline of case:	Aviation, like other modes requires long-term planning. In its 'Challenges of Growth' series of studies over the last 10 years, EUROCONTROL has shown how robust planning even for a single mode requires a seamless perspective on the future. Three examples: • Mitigating aviation's environmental impact is of course a key driver to be considered when forecasting future demand. However, we must also consider the converse, climate change's impact on demand and on aviation infrastructure, as changes to summer and winter temperatures have long-term effects on demand patterns and some 30 European airports are at risk from predicted rises in sea levels. • The best transport mode to meet a given need changes with time. Domestic air transport in many North-West European states has been in decline for years, as road and rail increasingly provide better alternatives. After EU expansion in 2004, air transport grew rapidly as the only mode that could reconfigure its network 'instantly' to provide the mobility that was required; but that, again, is not a permanent state of affairs, and high-speed rail and better road links will increasingly satisfy the demand. • Airports are the bottlenecks in the long-term: demand will remain concentrated in more, but still relatively few airports. As they find it ever harder to expand capacity, the outlook is for around 20 airports operating near capacity for much of their day; an unstable system, highly vulnerable to delays, is in the making.	
Web link:	_	
Key Words:	☐ Congestion ☐ Inte ☐ Energy/Fuel ☐ Inte ☐ Environment ☐ Inte ☐ Freight ☐ Pas ☐ Funding ☐ Plar	Rural rcity Standards/Uniformisation rmodal Supply Chain roperability Telecommunications senger Ticketing/Payment ulation/Law Other

Contact:	Name: David Marsh Organisation: EUROCONTROL Email: david.marsh@eurocontrol.int
----------	--------------------------------------------------------------------------------

Organisation:	EUROCONTROL	
Activity Title:	Performance in Air Traffic Management	
Country(ies):	Europe-wide	
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☐ Bus☐ Freight Truck	☐ Light Rail ☐ Heavy Rail ☑ Air ☐ Inland Waterways ☐ Maritime
Objective(s):	•	ch in the planning of air traffic management, lation to ensure the achievement of set
Timeframe:	Start: 1998	Finish: continues
Outline of case:	Management (ATM) results from trajectories by a large number of air navigation service providers flights. Insufficient performance and fuel consumption. The lever management tool to express reand plans. Furthermore, it can propose corrective actions. Europe has adopted a performation which is now regulated within the A Performance Review Body, for instrument, is in charge of propand review. The targets apply at the scale of which must publish performance the targets through improved organisational measures. Safet environment, and air navigation targets.	Insport and more particularly Air Traffic in the intricate decisions made on the flight actors (aircraft operators, airport operators, is), and at European scale for international translates into delays, extra distances flown I of performance in ATM can be used as a quirements, set targets and define priorities be measured to detect shortcomings and ance oriented approach in ATM since 1998, is EU's Single European Sky legislation. For which EUROCONTROL is the designated osing targets and undertaking the reporting the European network and individual States is plans describing how they intend to meet procedures, enhanced systems or other ty, delays, impact on flight efficiency and service costs are currently the subject of the countability and service delivery, benefiting a society.
Web link:	http://www.eurocontrol.int/prc/public/subsite_homepage/homepage.html	
Key Words:	☑ Congestion ☐ Inte ☐ Energy/Fuel ☐ Inte ☒ Environment ☐ Inte ☐ Freight ☒ Pas ☐ Funding ☒ Plar	Rural rcity Standards/Uniformisation rmodal Supply Chain roperability Telecommunications senger Ticketing/Payment aning Urban ulation/Law Other

	Name: Bernard Miaillier
Contact:	Organisation: EUROCONTROL
	Email: bernard.miaillier@eurocontrol.int

Organisation:	EUROCONTROL		
Activity Title:	Total Airport Management		
Country(ies):	Covers 44 member countries of Europe Europe Focus	Covers 44 member countries of European Civil Aviation Conference (ECAC) Europe Focus	
Mode(s):	□ Walking □ Light Rail □ Cycling □ Heavy Rail □ Private automobile ☑ Air □ Bus □ Inland Waterways □ Freight Truck □ Maritime		
Objective (s):	Improve efficiency by better use of a capacity.	available resources in situations with reduced	
Timeframe:	Start: 2005	Finish: ongoing	
	capacity, an Airport Operations C	cy, in particular during periods with reduced entre (APOC), hosting agents from airport es and the European Network Manager, has	
	•	n about current operations as well as plans for provided to all agents. In addition, each agent proper organisation.	
Outline of case:	to obtain further environmental gains	e is a wish to further optimise operations, e.g. for a period of time, decisions are taken based ors and Targets, following rules that assure	
		n airport as a physical location or as a virtual decision making from their home base.	
		It to better use of available airline, airport and its, in particular during bad weather conditions, and passenger delays.	
Web link:	http://www.eurocontrol.int/eec/public/s	standard_page/EEC_News_2006_3_TAM.html	
Key Words:	□ Border Crossing □ Infrastruct □ Congestion □ Intercity □ Energy/Fuel □ Intermode □ Environment □ Interoper □ Freight □ Passenge □ Funding □ Planning □ Information Sharing □ Regulation	Standards/Uniformisation al Supply Chain ability Telecommunications Ticketing/Payment Urban	
Contact:	Name: Peter Eriksen Organisation: EUROCONTROL Email: peter.eriksen@eurocontrol.ing	l	

Organisation:	EUROCONTROL	
Activity Title:	Airport Collaborative Decision Making (CDM)	
Country(ies):	Covers 44 member countries of European Civil Aviation Conference (ECAC)	
Mode(s):	Walking Light Rail Cycling Heavy Rail Private automobile Air Bus Inland Waterways Freight Truck Maritime	
Objective (s):	By the implementation of advanced technology and improved procedures, improve air transport efficiency in particular in airports.	
Timeframe:	Start: 2000 Finish: ongoing	
Outline of case:	Airport collaborative decision making (CDM) is about partners [airport operators, aircraft operators/ground handlers, air traffic control (ATC) and the European Network Manager] working together more efficiently and transparently in the way they work and share data. The Airport CDM project aims to improve the overall efficiency of operations at an airport, with a particular focus on the aircraft turn-round and pre-departure sequencing process. One of the main outputs of the CDM process will be more accurate take-off times which can be used to improve en-route and sector planning of the European Air Traffic Management (ATM) Network. This is being achieved through implementation of a full set of Departure Planning Information messages sent to the European Network manager. Ten major airports have, or are about to implement, CDM. Considerable reductions in taxi-out times have been recorded, as well as improved predictability improvements that, potentially, can increase the capacity of the en-route network by up to 10%. An Airport-CDM Community Specification has been adopted. For the passenger, CDM leads not only to fewer delays, but will in particular lead to improved predictability and more accurate information about flights, especially during periods of bad weather or winter conditions, As an example, in Munich airport, where CDM is fully implemented, information about start and end of boarding is now provided to passengers with a very high degree of accuracy.	
Web link:	http://www.euro-cdm.org/	
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisation □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Urban □ Information Sharing □ Regulation/Law □ Other	

	Name: Bernard Miaillier
Contact:	Organisation: EUROCONTROL
	Email: bernard.miaillier@eurocontrol.int

FEDERAL HIGHWAY RESEARCH INSTITUTE

Organisation:	Federal Highway Research Institute		
Activity Title:	RETISS Real Time Security Management System for Road Infrastructures		
Country(ies):	Germany, Israel		
Mode(s):	□ Walking □ Light Rail □ Cycling □ Heavy Rail ⋈ Private automobile □ Air ⋈ Bus □ Inland Waterways ⋈ Freight Truck □ Maritime		
Objective (s):		Developing a real time security system to improve the security level of critical road infrastructures such as tunnels and bridges.	
Timeframe:	Start: 03/2010	Finish: 02/2013	
Outline of case:	The project RETISS aims to develop a Real Time Security Management System that supports operators in tunnel control centres in their work to identify possible dangers to road users and initiate preventive and mitigating measures. In order to improve the protection of critical road infrastructures the system is developed and tested in the context of a cooperative research project with partners from Israel and Germany involved. A demonstrator (test system) is already installed at the Rennsteig Tunnel in Thuringia, which is the longest road tunnel in Germany. RETISS will provide real-time information on the current security situation of critical infrastructures to the persons responsible for the operation. This includes, for example, information about possibly dangerous vehicles with technical problems (e.g. overheated brakes). The innovative detection systems for overheated vehicles (a system using infrared and optical cameras) are tested in a German road tunnel for the first time. In order to assess the overall security situation of bridges and tunnels, the sensor data of various detection systems is then fused into a single system that evaluates and prioritises the recorded sensor data to determine the actual security status of a critical object and to present effective preventive and reactive measures and strategies for counteracting critical situations for road users.		
Web link:	www.retiss.de		

	☐ Border Crossing		☐ Rural
	☐ Congestion	☐ Intercity	☐ Standards/Uniformisation
	☐ Energy/Fuel	Intermodal	☐ Supply Chain
Key Words:	☐ Environment	Interoperability	☐ Telecommunications
	☐ Freight	☐ Passenger	☐ Ticketing/Payment
	☐ Funding	☐ Planning	☐ Urban
		☐ Regulation/Law	Other: Security/Reliability
	Name: Samuel Rother	npieler	
Contact:	Organisation: Federal Highway Research Institute		
	Email: rothenpieler@bast.de		

Organisation:	Federal High Research Institute	
Activity Title:	SeRoN Security of Road Transport Networks	
Country(ies):	Germany, Austria, Switzerland, Belgium, Denmark, Great Britain	
Mode(s):	Walking Light Rail Cycling Heavy Rail Private automobile Air Bus Inland Waterways Freight Truck Maritime	
Objective (s):	Developing a methodology to investigate critical road transport networks and to evaluate protective measures against man-made hazards.	
Timeframe:	Start: 11/2009 Finish: 10/2012	
Outline of case:	The project SeRoN (Security of Road Transport Networks) investigates the impacts of possible man-made attacks on the transport network, in particular the resulting regional and supra-regional impacts on transport links and their economic impacts. For this, SeRoN develops a methodology which is based on an interdisciplinary interaction of expertise and innovative simulation methods. The developed methodology allows identifying critical road infrastructure objects (like bridges and tunnels) with regard to their importance to the transport network and their respective vulnerability and to choose and evaluate possible protection measures regarding their impact on the security status by taking into account their overall cost-effectiveness. The recommendations formulated in SeRoN will include macro-economic, institutional and organisational as well as technical items and will support public and private infrastructure owners and operators in developing short to long-term strategies to improve the security of transport structures and provide guidance for investing in countermeasures and risk mitigation strategies. The methodology developed by SeRoN is shown to be exemplary at two Trans European Highway links (TEN-T roads), including a detailed analysis of 2 bridges and 2 tunnels. The developed methodology might also be transferred to transport networks used by other traffic modes (e.g. railway links), and possibly to natural disasters.	
Web link:	www.seron-project.eu	
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisation □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Planning □ Urban □ Information Sharing □ Regulation/Law □ Other: Security	

	Name: Samuel Rothenpieler
Contact:	Organisation: Federal Highway Research Institute Email: rothenpieler@bast.de

Organisation:	Federal Highway Research Institute	
Activity Title:	Security Risk Management Processes for Road Infrastructure	
Country(ies):	Germany, Austria, Slovenia	
Mode(s):	☐ Walking☐ Cycling☑ Private automobile☐ Bus☑ Freight Truck	☐ Light Rail ☐ Heavy Rail ☐ Air ☐ Inland Waterways ☐ Maritime
Objective(s):	Stimulating the development of methodologies, security standards and the exchange of know-how for the protection of Critical Infrastructure on European Transport Networks.	
Timeframe:	Start : 08/2011	Finish : 07/2013
Outline of case:	The project strives to develop processes for owners and operators of European Road Infrastructure to enable them to identify critical infrastructure based on common aspects, to assess these infrastructures in a structured and traceable way and to determine effective protection measures for prevention and mitigation. This is done by utilising a holistic approach, making use of the results of several national and European research projects and combining the findings into a comprehensive manual. In the course of this project, two trans-national road infrastructures will be used to apply the findings and evaluate the methodology. In a mid- to long-term perspective, the project contributes to a coordinated strategy for prevention, preparedness and consequence management of terrorism and other security related risks for critical road infrastructure in Europe. The main deliverable of the project will be a manual for "Security Risk Management for Road Infrastructure". The project is funded under the CIPS Action Grand framework of the EU.	
Web link:	www.secman-project.eu (not accessible yet)	
Key Words:	Congestion Inte	structure
Contact:	Name: Kohl, Bernhard Organisation: ILF Consulting E Email: Bernhard.Kohl@ilf.com	ingineers

FÉDÉRATION INTERNATIONALE DE L'AUTOMOBILE

Organisation:	Fédération Internationale de l'Automobile	
Activity Title:	Advanced Multi-Platform Traffic Information Service	
Country(ies):	Italy	
Mode(s):	☐ Walking☐ Cycling☑ Private automobile☑ Bus☐ Freight Truck	☐ Light Rail ☐ Heavy Rail ☐ Air ☐ Inland Waterways ☐ Maritime
Objective (s):	Implement Innovative Traffic Information Service as a means for better integration of transport modes and services	
Timeframe:	Start: 2010	Finish: ongoing
Outline of case:		

Web link:	http://regionelazio.luceverde.it		
Key Words:	 □ Border Crossing ☑ Congestion □ Energy/Fuel □ Environment □ Freight □ Funding □ Information Sharing 	☐ Infrastructure ☐ Intercity ☑ Intermodal ☐ Interoperability ☑ Passenger ☐ Planning ☐ Regulation/Law	 ☐ Rural ☐ Standards/Uniformisation ☐ Supply Chain ☒ Telecommunications ☐ Ticketing/Payment ☒ Urban ☐ Other
Contact:	Name: Francesco Mazzone Organisation: ACI Email: f.mazzone@aci.it		

Organisation:	Fédération Internationale de l'Automobile	
Activity Title:	Public information and research	
Country(ies):	Canada	
Mode(s):	□ Walking □ Light Rail □ Cycling □ Heavy Rail □ Private automobile □ Air □ Bus □ Inland Waterways □ Freight Truck □ Maritime	
Objective(s):	Integrating transport modes	
Timeframe:	Start: 2010 Finish: ongoing	
Outline of case:	The Canadian Automobile Association (CAA) is a prime mover in the Canadian debate on integrating bicycles and motor vehicles. CAA hosted the first national policy conference on the topic, "Changing Lanes – Improving the bicycle-car relationship on Canada's roads", in spring 2011, bringing together nearly 100 urban planners, public policy professionals and bicycling advocates to seek practical infrastructure and safety solutions. CAA created a special website area (caa.ca/changinglanes) to house conference videos and other materials, and commissioned online training modules for both bicycle riders and vehicle drivers (caa.ca/bikesafety) so novices and experienced riders/drivers alike can refresh their skills and knowledge of the rules of the road. CAA is also developing an online tool and mobile app called Driving Costs that will incorporate the cost of urban transit. An existing tool allows users to see at a glance the yearly running cost of any two new vehicles, as well as a comparison of the greenhouse gases each vehicle would emit in a year. The new tool will preserve that functionality but add a comparison to the annual cost of taking public transit in a given jurisdiction, allowing consumers to make an easy comparison between these modes, and to encourage them to think about transit as an option. CAA is also funding academic research into Intelligent Transportation Systems to integrate it into infrastructure planning, improve traffic flows and safety.	
Web link:	caa.ca/changinglanes & caa.ca/bikesafety	
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisation □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Planning □ Urban □ Information Sharing □ Regulation/Law □ Other: -	

Contact:	Name: Ian Jack Organisation: Canadian Automobile Association
	Email: ijack@national.caa.ca

Organisation:	Fédération Internationale de l'Automobile	
Activity Title:	RACC Infotransit Traffic Information Services	
Country(ies):	Spain	
Mode(s):	Walking Light Rail Cycling Heavy Rail Private automobile Air Bus Inland Waterways Freight Truck Maritime	
Objective(s):	Improving urban mobility by implementing traffic information services to reduce urban congestion	
Timeframe:	Start: 2009 Finish: ongoing	
Outline of case:	The RACC is the leading traffic information provider in Spain. The project has implemented advanced traffic information technologies, starting from radio reports on the current traffic conditions to a technological environment capable of integrating heterogeneous sources of data (both public and private), standardizing and disseminating traffic information to users by means of different communications channels (web, mobile devices, RDS-TMC, etc.). The RACC Infotransit server processes and standardizes (in TMC format) different sources of traffic information. It operates on the basis of a modular and scalable system, with a clear goal to integrate several sources of data which are very heterogeneous and scattered. Current services for users include a web access platform (traffic information delivered to RACC's VMO customers via GPRS/SMS). In order to develop the service towards traffic prediction and dynamic routing the RACC will acquire further data sources through agreements with public and private operators around Spain. The objective is to launch real-time and predictive traffic flow data at the end of 2011.	
Web link:	www.raccinfotransit.es	
Key Words:	□ Border Crossing □ Infrastructure □ Rural □ Congestion □ Intercity □ Standards/Uniformisation □ Energy/Fuel □ Intermodal □ Supply Chain □ Environment □ Interoperability □ Telecommunications □ Freight □ Passenger □ Ticketing/Payment □ Funding □ Planning □ Urban □ Information Sharing □ Regulation/Law □ Other	
Contact:	Name: Lluis Puerto Organisation: RACC Email: Iluis.puerto@racc.es	

INTERNATIONAL CHAMBER OF SHIPPING (ICS)

Organisation:	International Chamber of Shipping (ICS)	
Activity Title:	IMO Safety and Pollution Framework	
Country(ies):	_	
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☐ Bus☐ Freight Truck	☐ Light Rail ☐ Heavy Rail ☐ Air ☐ Inland Waterways ☑ Maritime
Objective(s):	Achieve global uniformity throug	h safety and pollution regulations
Timeframe:	Start: 1959	Finish: ongoing
Outline of case:	The International Maritime Organization (IMO) has developed a comprehensive framework of safety and pollution regulations governing ships trading internationally so that the same rules apply at all stages of a ship's voyage, preventing market distortions and administrative inefficiencies. This regulatory framework, which allows trade between ports in different nations to be conducted seamlessly, includes the International Convention on Safety of Life at Sea (SOLAS), the International Convention for the Prevention of Pollution from Ships (MARPOL) and the International Convention on Standards of Training, Certification and Watchkeeping for Seafarers (STCW). All of these Conventions are widely implemented and enforced on a global basis throughout virtually the entire merchant fleet by a combination of flag state inspection and port state control. The MARPOL Convention now includes mandatory technical regulations for the reduction of shipping's CO2 emissions, the first international agreement on CO2 reduction measures to be adopted for an entire international sector on a global basis. Other IMO Codes, mandated by these and other IMO Conventions, address uniform global standards relating to such detailed matters as management procedures, ship security, search and rescue, international collision regulations, safe load lines, the carriage of dangerous goods, and liability in the event of accidents - to mention but a few. This framework of regulations as provided by IMO has greatly contributed to the development of the efficient global maritime transport that operates	

Web link:	www.imo.org/ourwork		
Key Words:	☐ Border Crossing ☐ Congestion ☐ Energy/Fuel ☒ Environment ☐ Freight ☐ Funding ☐ Information Sharing	☐ Infrastructure ☐ Intercity ☐ Intermodal ☐ Interoperability ☐ Passenger ☐ Planning ☐ Regulation/Law	 □ Rural □ Standards/ Uniformisation □ Supply Chain □ Telecommunications □ Ticketing/Payment □ Urban □ Other: Safety
Contact:	Name: Camilla Arana Organisation: ICS Email: camilla.arana@i	cs-shipping.org	

Organisation:	International Chamber of Shipping (ICS)	
Activity Title:	International Convention for Safe Containers	
Country(ies):	International	
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☐ Bus☐ Freight Truck	☐ Light Rail ☐ Heavy Rail ☐ Air ☐ Inland Waterways ☑ Maritime
Objective(s):	Achieve global uniformity throug	h safety and pollution regulations
Timeframe:	Start: —	Finish: ongoing
Outline of case:	Safe Containers is to maintain a during the transport and handling procedures and related strength intended to facilitate the international the application of uniform international applicable to all modes of surfact rail and maritime transport. The annexes to the Convention government administrations may maintenance and examination or structural safety requirements ar	Maritime Organization's Convention for high level of safety, to protect human life g of containers, by providing acceptable test requirements. The Convention is also ional transportation of containers through ational safety regulations that are equally be transport, thus effectively connecting road, provide: a regulatory framework by which y approve containers as conforming to the riteria set out by the convention; and and tests for containers as well as procedures lifting, stacking and transverse racking.
Web link:	www.imo.org/ourwork	
Key Words:	□ Congestion □ Intermediate □ Energy/Fuel □ Intermediate □ Environment □ Intermediate □ Freight □ Pas □ Funding □ Plan	Rural rcity Standards/Uniformisation rmodal Supply Chain roperability Telecommunications senger Ticketing/Payment nning Urban gulation/Law Other: Safety
Contact:	Name: Camilla Arana Organisation: ICS Email: camilla.arana@ics-shipp	

Organisation:	International Chamber of Shipping (ICS)	
Activity Title:	Rotterdam Rules	
Country(ies):	US/EU Member States etc	
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☐ Bus☐ Freight Truck	☐ Light Rail ☐ Heavy Rail ☐ Air ☐ Inland Waterways ☑ Maritime
Objective(s):	Streamline rules related to Cargo	Liability
Timeframe:	Start: 2009	Finish: ongoing
Outline of case:	The Rotterdam Rules replaced a number of existing cargo liability regimes, such as the Hamburg and Hague/Visby Rules, with one streamlined Convention and are a prime example of connectivity in action. The signing of the United Nations Convention on the Carriage of Goods Wholly or Partly by Sea (the Rotterdam Rules), concluded several years of intensive international negotiations in New York and Vienna, in which ICS participated throughout. The Convention reflects modern 'door to door' services involving other transport modes in addition to the sea leg, and 'just in time delivery practices'. The early ratification and widespread implementation of the Rotterdam Rules will not only increase legal certainty and global uniformity with regards to the carriage of goods by sea but with new provisions will facilitate the development of e-commerce, dramatically increasing the efficiency of global trade. Finally, the implementation of the Rotterdam Rules as an International Convention will avoid the proliferation of regional cargo liability regimes which in a global transport system in need of global rules, can be a serious impediment to efficiency and streamlined connectivity.	
Web link:	www.ics-shipping.org	
Key Words:	Congestion Inter Energy/Fuel Inter Environment Inter Freight Pass Funding Plan Information Sharing Reg	structure
Contact:	Name: Camilla Arana Organisation: ICS Email: camilla.arana@ics-shippi	ng.org

INTERNATIONAL CIVIL AVIATION ORGANISATION (ICAO)

Organisation:	International Civil Aviation Organisation (ICAO)	
Activity Title:	ICAO States' Action Plans on CO2 Emissions Reduction Activities	
Country(ies):	ICAO Member states (190 states)	
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☐ Bus☐ Freight Truck	☐ Light Rail ☐ Heavy Rail ☑ Air ☐ Inland Waterways ☐ Maritime
Objective(s):	Showcase specific voluntary measures to improve efficiency, and thereby contribute to global environmental aspirational goals	
Timeframe:	Start: October 2010	Finish: ongoing
Outline of case:	October 2010 established a new aviation and climate change. It professions for the 190 Member States of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states of the states	the 37th Session of the ICAO Assembly in benchmark for ICAO's objective relative on provides a roadmap for action through 2050 e Organisation and invites them to action plans to reduce CO2 emission from O by June 2012.
Web link:	_	
Key Words:	□ Congestion □ Intermediate □ Energy/Fuel □ Intermediate □ Environment □ Intermediate □ Freight □ Plan □ Funding □ Plan	Rural rcity Standards/Uniformisation rmodal Supply Chain roperability Telecommunications senger Ticketing/Payment nning Urban gulation/Law Other
Contact:	Name: Ted Thrasher Organisation: ICAO Email: actionplan@icao.int	

INTERNATIONAL ROAD FEDERATION

Organisation:	International Road Federation		
Activity Title:	A14 Urban motorway Paris		
Country(ies):	France		
Mode(s):	 Walking Cycling Private automobile Bus Freight Truck	☐ Light Rail ☐ Heavy Rail ☐ Air ☐ Inland Waterways ☐ Maritime	
Objective (s):	The A14 motorway is located in the West of Paris, France, linking the business district of La Défense to the western suburbs. It was built to relieve the heavily congested A13 freeway and provide commuters with (tolled) alternative and dedicated services, such as an Express bus service.		
Timeframe:	Start : 1991	Finish: opened in 1996	
	This motorway was designed as a high-quality project, taking into account numerous specific constraints such as the urban surrounding and infrastructure integration as well as commuters' expectations. The A14 was integrated into its environment in an exemplary manner, and 50% of the total project budget was set aside for the aspects of protection and "insertion".		
Outline of case:	The motorway is fully lit, and the pavement is constructed using draining asphalt, a material that enhances safety, as well as providing a smooth and quiet ride. All run-off water is collected in a separate sealed system and processed before being discharged. In order to minimize the visual impact, the A14 motorway runs below ground level for 13.4 km, which represents 86% of its total length, and crosses the river Seine by means of two viaducts. The two bridges carrying the road over the Seine are acoustically screened. The open-air stretches are bounded by walls or earth banks planted with noise reducing shrubs, etc. Nearly one million new plants were needed for the 47 hectares of new landscape areas around the motorway.		
	The A14 motorway provides services dedicated to commuters to meet customers' demands which are specific for an urban infrastructure:		
	 Free access is given to drivers carpooling (3+), thus encouraging vehicle sharing 		
	Discounts for frequent use	ers using transponders (subscriptions are	

	 Proposed to commuters and businesses) A bus service (Express A14) with 3 lines linking the western suburbs (Mantes La Jolie, Les Mureaux, Verneuil et Orgeval) and the business centre of La Defense. Currently, 15% of people on the A14 are using the Express A14 bus service (2009 figures). The Express A14 is the first Bus Rapid Transit (BRT) service in the Paris area. 		
Web link:	http://www.sanefgroupe infrastructures-de-transp		ssionnaire/Concessionnaire-d-
Key Words:	 □ Border Crossing □ Congestion □ Energy/Fuel □ Environment □ Freight □ Funding □ Information Sharing 	 ☐ Infrastructure ☐ Intercity ☐ Intermodal ☐ Interoperability ☐ Passenger ☐ Planning ☐ Regulation/Law 	 ☐ Rural ☐ Standards/Uniformisation ☐ Supply Chain ☐ Telecommunications ☐ Ticketing/Payment ☐ Urban ☐ Other
Contact:	Name: Mr. Erik Merkez Organisation: Sanef Email: erik.merkez@sa		

INTERNATIONAL ROAD TRANSPORT UNION (IRU)

Organisation:	International Road Transport Union (IRU)		
Activity Title:	Taxi – Anytime, Anywhere		
Country(ies):	European-wide		
Mode(s):	□ Walking □ Light Rail □ Cycling □ Heavy Rail □ Private automobile □ Air □ Bus □ Inland Waterways □ Freight Truck □ Maritime		
Objective (s):	Promote the use of taxis as an ir create a pool of best policy and i	ntegral part of the public transport chain, and ndustry practices	
Timeframe:	Start: 2011	Finish: ongoing	
Outline of case:	 "Taxi - Anytime, Anywhere" is a join industry effort to promote the use of taxis as the most flexible and convenient part of the public transport chain. The objectives of this collective action are: Through joint actions and promotion of the commonly agreed taxi slogan and values, to improve the taxi industry's image, market and legislative environment and, as a result, to substantially increase the use of the services of taxis and hire cars with drivers, including as part of the public transport chain; To build an international platform and to exchange best industry and legal/administrative practices implemented at national/local/company level among taxi professionals worldwide. 		
Web link:	http://www.iru.org/en_taxi		
Key Words:	⊠ Congestion ☐ Intell ⊠ Energy/Fuel ☑ Intell ☑ Environment ☑ Intell ☐ Freight ☑ Pas ☐ Funding ☐ Plan	rmodal Supply Chain roperability Telecommunications	
Contact:	Name: Oleg Kamberski Organisation: IRU Email: oleg.kamberski@iru.org		

Organisation:	International Road Transport Union (IRU)		
Activity Title:	TRANSPark		
Country(ies):	Armenia, Azerbaijan, Austria, Belarus, Belgium, Bulgaria, Bosnia and Herzegovina, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Georgia, Germany, Greece, Hungary, Iran (Islamic Republic of), Italy, Ireland, Kazakhstan, Latvia, Lithuania, Luxemburg, Macedonia (FYROM), Malta, Moldova, Montenegro, Netherlands, Poland, Portugal, Romania, Russia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Tajikistan, Turkey, Ukraine, United Kingdom		
Mode(s):	□ Walking □ Light Rail □ Cycling □ Heavy Rail □ Private automobile □ Air □ Bus □ Inland Waterways □ Freight Truck □ Maritime		
Objective(s):	To support route planning by transport operators through access to a significant database of long series of information regularly updated and provide for the necessary security and comfort of transport operators while en route.		
Timeframe:	Start: — Finish: ongoing		
Outline of case:	TRANSPark is a modern, interactive application on the IRU website that enables truck drivers, logistics planners, transport managers and others involved in road transport operations to search, locate, select and contact truck parking areas in over 40 countries — from Portugal to Kazakhstan. Accessible free of charge on the IRU and ITF websites, TRANSPark is also available in PDA format for easy use from the truck cabin. TRANSPark users can search for truck parking areas by country, around a location within a 100-km radius, or along their planned routes. All facilities available at the selected parking area are listed (security features, truck repair, vehicle wash, hotel, restaurant, etc.), and can be used as parking search criteria. Full contact details and location maps are also provided. TRANSPark is a one-stop shop for drivers, offering: search functions to locate, select and contact some 3,000 truck parking areas; a route planner; fuel prices in 40 countries; border waiting times; flash information on traffic conditions and restrictions; security guidelines and checklists; weather conditions; a currency converter; legal advice and support. All available free of charge, also in a portable device-friendly format!		

Web link:	http://www.iru.org/cms-filesystem- action?file=/helpdesk/transpark_uguide_en.pdf		
Key Words:	 ☑ Border Crossing ☑ Congestion ☑ Energy/Fuel ☐ Environment ☑ Freight ☐ Funding ☑ Information Sharing 	☐ Infrastructure ☐ Intercity ☐ Intermodal ☐ Interoperability ☑ Passenger ☑ Planning ☐ Regulation/Law	☐ Rural ☐ Standards/Uniformisation ☐ Supply Chain ☐ Telecommunications ☐ Ticketing/Payment ☐ Urban ☐ Other: Parking
Contact:	Name: Jens Hügel Organisation: IRU Email: jens.huegel@iru	.org	

Organisation:	International Road Transport Union (IRU)		
Activity Title:	IRU TIR Electronic Pre-Declaration (TIR-EPD) and Real Time SafeTIR (RTS)		
Country(ies):	TIR-EPD: 15 countries: (Belgium, Bulgaria, Czech Republic, Estonia, Finland, France, Germany, Hungary, Latvia, Lithuania, Moldova, Poland, Romania, Slovakia, Slovenia). More countries will soon be available. RTS: 8 countries: (Bosnia and Herzegovina, Bulgaria, France, Kazakhstan, Moldova, Russia, Turkey, Ukraine) out of 54 SafeTIR reporting countries.		
Mode(s):	□ Walking □ Light Rail □ Cycling □ Heavy Rail □ Private automobile □ Air □ Bus □ Inland Waterways ☑ Freight Truck □ Maritime		
Objective(s):	To create a standard uniform platform, which ensures the automatic exchange of TIR information between the IRU, TIR carnet holders, national Associations and Customs, applicable to both EU and non-EU countries.		
Timeframe:	Start: RTS (27.04.2007) TIR EPD (01.01.2009) Finish: ongoing		
Outline of case:	TIR-EPD is a modern technology-based solution for electronically connecting Business to Customs. TIR-EPD allows transporters — TIR holders — to submit free-of-charge electronic transit pre-declarations to customs in a simple and convenient manner. For customs, TIR-EPD guarantees that the pre-declaration was submitted by an authorised holder and that the TIR carnet is valid; so the customs can use this advance information with high confidence for pre-arrival risk analysis and customs operations at the border. The experience shows that with TIR-EPD border crossing is simpler, safer and faster. As of 01.01.2009 TIR-EPD are sent electronically to EU customs offices of departure/entry, including now safety and security data (mandatory since 01.01.2011), which give numerous advantages for customs and transporters. TIR-EPD is currently available in 16 languages and successfully operational in 14 EU countries and one non-EU country (5 more are becoming		
	operational soon). RTS was developed by IRU to automate and facilitate routine Customs TIR operations by providing Customs with up-to-date information on TIR carnet status and validity thus allowing prompt detection of possible irregularities. Upon termination of the TIR operation, RTS sends automatically a confirmation message to the IRU without any effort from the Customs. Electronic reconciliation procedure is also possible.		

Web link:	http://www.iru.org/en_iru_tir_epd		
Key Words:	 ☑ Border Crossing ☐ Congestion ☐ Energy/Fuel ☐ Environment ☑ Freight ☐ Funding ☑ Information Sharing 	☐ Infrastructure ☐ Intercity ☐ Intermodal ☐ Interoperability ☐ Passenger ☐ Planning ☐ Regulation/Law	 ☐ Rural ☐ Standards/Uniformisation ☐ Supply Chain ☐ Telecommunications ☐ Ticketing/Payment ☐ Urban ☐ Other
Contact:	Name: Jens Hügel Organisation: IRU Email: jens.huegel@iru	.org	

Organisation:	International Road Transport Union (IRU)		
Activity Title:	Smart Move		
Country(ies):	Global		
Mode(s):	Walking Light Rail Cycling Heavy Rail Private automobile Air Bus Inland Waterways Freight Truck Maritime		
Objective(s):	Doubling the use of collective passenger transport b	y bus and coach	
Timeframe:	Start: 2009 Finish: ongoing		
Outline of case:	Smart Move (www.busandcoach.travel) is a global awareness campaign, initiated jointly by the IRU and Busworld, which advocates the doubling of bus and coach use worldwide as the safest, most environmentally-friendly, affordable, user-friendly and efficient means of collective passenger transport. Targeted actions focus primarily on opinion and decision makers at international European, national and local level, the academic world, transport, travel, environment etc. related NGOs, and the media (both specialized and general). Smart Move addresses also industry stakeholders, such as bus and coach operators and drivers, with industry-own initiatives and best practices leading to increasing the use of collective passenger transport by bus and coach, as well as to raise awareness and improve the quality of services, safety, and environmental-friendliness through training, checklists, and dedicated awareness raising campaigns. A brochure of best policy and industry practices was produced (2010) and a pool of policy and company best practices is made available on line (http://www.busandcoach.travel/en/best_practices/) to promote their in-take and use.		
Web link:	www.busandcoach.travel		
Key Words:	☑ Congestion ☑ Intercity ☐ St ☑ Energy/Fuel ☑ Intermodal ☐ St ☑ Environment ☑ Interoperability ☐ Te ☐ Freight ☑ Passenger ☑ Ti ☐ Funding ☐ Planning ☑ U ☑ Information Sharing ☒ Regulation/Law ☐ O	ural tandards/Uniformisation upply Chain elecommunications icketing/Payment rban ther	
Contact:	Name: Kamberski Organisation: IRU Email: oleg.kamberski@iru.org		

Organisation:	International Road Transport	Union (IRU), Geneva	
Activity Title:	New Eurasian Land Transport Initiative (NELTI): Phases 1 and 2		
Country(ies):	12 countries: Belarus, Ukraine, Russia, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan, Iran, Turkey, Georgia, Azerbaijan		
Mode(s):	☐ Walking☐ Cycling☐ Private automobile☐ Bus☑ Freight Truck	☐ Light Rail ☐ Heavy Rail ☐ Air ☐ Inland Waterways ☐ Maritime	
	To investigate regular road freight shipments between Europe, Central Asia and China, to monitor road transport operations in the region and analyse the results in order to assist the Central Asian and Caucasian countries to realise their full trade and road transport potential.		
Objective(s):	To increase the volumes of road transport operations and services that the countries along the Silk Road could offer, while raising political and business awareness of the feasibility of and demand for such road transport operations.		
	To provide effective impetus for regulatory reforms in the fields of transportation and Customs services in order to implement international Agreements and Conventions to facilitate trade and road haulage.		
Timeframe:	Start: 2008	Finish: 2010	
	Within the framework of the IRU NELTI Project, shipments have been undertaken by companies from 12 countries along three principal routes of the ancient Silk Road: Northern, Central and Southern.		
	To tackle the physical and non-physical impediments to road transport along the revived Silk Road, streamlining border crossing procedures as well as promoting the development of ancillary road infrastructure (modern filling stations, motels, safe parking facilities, etc.).		
Outline of case:	The project has been implemented due to close coordination between IRU Secretariat, IRU member associations in the transit countries, participant haulier-companies, and governmental agencies covering transport, customs and security policies, as well as local authorities and scientific community in Central Asia, Caucasus and Eastern Europe.		
	NELTI-2 — Final Report presen Tbilisi (Georgia) in June 2011. N country-members of ECO - Eco	e resulted in the IRU-NEA analytical study ted at the 6th IRU Euro-Asian Conference in NELTI, Phase-3 is still on-going in the nomic Cooperation Organisation comprising key, Azerbaijan, Turkmenistan, Tajikistan, zbekistan.	

Web link:	http://www.iru.org/cms-filesystem-action/mix-publications/en_mhi.pdf www.iru-eupd.org		
Key Words:	 ☑ Border Crossing ☐ Congestion ☐ Energy/Fuel ☐ Environment ☑ Freight ☐ Funding ☐ Information Sharing 	 ☑ Infrastructure ☐ Intercity ☐ Intermodal ☐ Interoperability ☐ Passenger ☐ Planning ☒ Regulation/Law 	 ☐ Rural ☐ Standards/Uniformisation ☐ Supply Chain ☐ Telecommunications ☐ Ticketing/Payment ☐ Urban ☐ Other
Contact:	Name: Jens Hügel Organisation: IRU Email: jens.huegel@iru	.org	

Organisation:	International Road Transport	Union (IRU)	
Activity Title:	IRU Border Waiting Time Observatory (BWTO)		
Country(ies):	Belarus, Bulgaria, Estonia, Greece, Hungary, Iran (Islamic Republic of), Latvia, Lithuania, Macedonia (FYROM), Poland, Romania, Russia, Serbia, Slovakia, Turkey, Ukraine		
Mode(s):	 Walking Cycling Private automobile Bus Freight Truck	☐ Light Rail ☐ Heavy Rail ☐ Air ☐ Inland Waterways ☐ Maritime	
Objective(s):	To support route planning by transport operators through access to a significant database of long series of information and daily data. To help governments and national competent authorities in meeting their legal obligation of informing all parties concerned, including the fleet operators, of waiting times at borders thus avoiding border congestion and other economic and social implications.		
	To draw the attention of the competent authorities to "hot spot need for improvement, for example through encouraging customs border authorities to streamlining border control procedures.		
Timeframe:	Start: —	Finish: ongoing	
	The IRU has developed the IRU Border Waiting Times Observatory (BWTO), a state-of-the-art IRU web-based application which enables authorities to report on border waiting times, free of charge, anywhere in the world (www.iru.org/index/bwt-app). This is a simple user-friendly web interface for daily data input. Data is		
	This is a simple, user-friendly web interface for daily data input. Data is entered directly into the database, while waiting times beyond 10 hours a day and any text message on reasons of long waiting times need personal approval by the System Administrator. Users can consult waiting times.		
Outline of case: The system contains two modules: one for truck and anothe waiting times. A mapping function belongs to the site where border crossing points can be located.		on belongs to the site where the observed	
	By applying various search functions, the border crossing point of interest can be accessed; the latest daily data, as well as any historical periods since the site became operational, can be investigated and presented either in the form of graphs or in a series of data.		
		in hours and by direction of traffic (in-out). ains the accumulated hours spent on both	

Web link:	http://www.iru.org/cms-f	ilesystem-action?file=	mix-publications/bwto_en.pdf
Key Words:	 ☑ Border Crossing ☑ Congestion ☐ Energy/Fuel ☐ Environment ☑ Freight ☐ Funding ☑ Information Sharing 	☐ Infrastructure ☐ Intercity ☐ Intermodal ☐ Interoperability ☐ Passenger ☐ Planning ☐ Regulation/Law	☐ Rural ☐ Standards/Uniformisation ☐ Supply Chain ☐ Telecommunications ☐ Ticketing/Payment ☐ Urban ☐ Other
Contact:	Name: Jens Hügel Organisation: IRU Email: jens.huegel@iru.	org	

TRANSPORT CORRIDOR BETWEEN EUROPE, CAUCASUS AND ASIA

Organisation:	Transport Corridor between Europe, Caucasus and Asia (TRACECA)		
Activity Title:	TRAX TRACECA Route Attractiveness for Seamless Connection		
Country(ies):	TRACECA countries: Azerbaijan, Armenia, Bulgaria, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Romania, Tajikistan, Turkey, Ukraine, Uzbekistan		
Mode(s):	 Walking Cycling Private automobile Bus Freight Truck	☐ Light Rail ☑ Heavy Rail ☐ Air ☐ Inland Waterways ☑ Maritime	
Objective(s):	To achieve seamless transport linkage across the black and Caspian sea by identifying traffic bottlenecks on hardware and software side and measuring improvements in providing enabling environment for traffic to flow without delay and at reasonable liability.		
Timeframe:	Start: 2010	Finish: ongoing	
	TRACECA developed as a transport corridor to create links for all TRACECA countries to international trade routes. Crossing the borders of 4-6 countries in central Asia and the Caucasus was a challenge for transport operators, particularly from western countries. During a decade of work, a multi-lateral-agreement was signed, a multi-modal agreement was ratified by many countries and several infrastructure projects were put in place, with the help of IFIs and countries' own		
Outline of case:	resources. Yet TRACECA, having matured to international status, still experiences competition from alternative routes. A considerable share of traffic is diverted away from TRACECA commercial routes to alternatives that might be more expensive, but with a predictable frame of cost and time. To understand this competition and adequately respond, TRACECA developed a monitoring tool, TRAX (TRACECA Route Attractiveness Index). It benchmarks transport routes and highlights any major bottlenecks in the system. This case study highlights the success of benchmarking and on responding mechanisms to the challenge of seamless transport chains in international routes by:		

	 Investments pipeline of missing links on the multimodal transport network, Best practice analysis of corridor reliability and security benchmarking for freight forwarders liabilities. Thanks to these two parallel actions, the main bottlenecks have been identified and an action plan, including both hard (infrastructure projects) and soft (policies) measures, is in an advanced stage of design. 		
Web link:	www.traceca-org.org		
Key Words:	 ☑ Border Crossing ☐ Congestion ☐ Energy/Fuel ☐ Environment ☑ Freight ☐ Funding ☐ Information Sharing 	☐ Infrastructure ☐ Intercity ☐ Intermodal ☐ Interoperability ☐ Passenger ☐ Planning ☐ Regulation/Law	□ Rural □ Standards/Uniformisation □ Supply Chain □ Telecommunications □ Ticketing/Payment □ Urban □ Other
Contact:	Name: Angelo Martino - IDEA project coordinator Organisation: TRT Trasporti e Territorio Email: martino@trt.it		

VBB VERKEHRSVERBUND BERLIN-BRANDENBURG GMBH

Organisation:	VBB Verkehrsverbund Berlin-Brandenburg GmbH		
Activity Title:	EU-SPIRIT : European travel information network		
Country(ies):	Denmark, Germany, France, Luxembourg, Poland, Sweden		
Mode(s):	✓ Walking☐ Cycling☐ Private automobile✓ Bus☐ Freight Truck	☑ Light Rail☑ Heavy Rail☑ Air☑ Inland Waterways☑ Maritime	
Objective (s):	EU-Spirit is an intermodal travel information service offering itineraries between European cities and regions using various public transport modes. EU-Spirit is not an own travel planner but a network of already existing internet-based travel planning systems for regional, national and international connections. Short-distance and long-distance traffic can be handled. EU-Spirit as a continuous service is the result of a project in the 5th framework 1998 – 2001.		
Timeframe:	Start : 1998	Finish: ongoing	
Outline of case:	EU-Spirit connects existing travel information systems through open interfaces, harmonised meta data and central technical components which allow the generation of complete cross-border travel information from door to door. The information from every single system connected to the EU-Spirit network is available for all users. Customers can get information from the whole EU-Spirit network using their familiar travel information system in their mother tongue. The usage of the system is especially high where neighbouring regions are connected like the Oresund region.		
	Information services based on EU-Spirit provide all information and functions each participating system provides. This can include:		
	Search for stops and addresses;		
	 Presentation of stops and addresses in maps; 		
	Presentation of an itinerary including all essential partial information; Information and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer and transfer		
	 Information on transportation and transfer modes including arrival and departure times at interchanges; 		
	 Realistic check-in and check-out time for transitions at airports and harbours; 		
	Fare and ticketing information.		

	The EU-Spirit information network aims at covering whole Europe and is open for every operator of national, regional and local internet-based travel planning system to participate.			
Web link:	http://www.eu-spirit.com http://euspirit.vbb-fahrinfo.de			
Key Words:	 ☑ Border Crossing ☐ Congestion ☐ Energy/Fuel ☐ Environment ☐ Freight ☐ Funding ☒ Information Sharing 	 ☐ Infrastructure ☐ Intercity ☐ Intermodal ☐ Interoperability ☐ Passenger ☐ Planning ☐ Regulation/Law 	 ☐ Rural ☐ Standards/Uniformisation ☐ Supply Chain ☐ Telecommunications ☐ Ticketing/Payment ☐ Urban ☐ Other 	
Contact:	Name: Mr. Juergen Ross Organisation: VBB Verkehrsverbund Berlin-Brandenburg GmbH Email: ross@VBBonline.de			

ACKNOWLEDGMENTS

The International Transport Forum thanks the following member countries and international organisations for their contributions to the compendium.

Member Countries

Canada - Transport Canada

Finland - Ministry of Transport and Communications

France - Ministère de l'Ecologie, du Développement Durable, des Transports & du Logement

Georgia - Ministry of Economy and Sustainable Development

Germany - Federal Ministry of Transport, Building and Urban Development

Japan - Ministry of Land, Infrastructure, Transport and Tourism (MLIT)

Korea - Ministry of Land, Transport and Maritime Affairs

The Netherlands - Ministry of Infrastructure and the Environment

New Zealand - Ministry of Transport

Spain - Ministry of Development (FOMENTO)

Sweden - Ministry of Enterprise, Energy and Communications

Switzerland - Federal Department of the Environment, Transport, Energy and Communication

Turkey - Ministry of Transport, Maritime Affairs and Communications

USA - Department of Transportation

International Organisations

AGE Platform Europe

CENIT - Center For Innovation in Transport

Community of European Railway and Infrastructure Companies (CER) AISBL

Deutsche Bahn Mobility Logistics AG

Eurocities

European Conference of Transport Research Institutes (ECTRI)

Eurocontrol

Federal Highway Research Institute

Fédération Internationale de l'Automobile

International Chamber of Shipping (ICS)

International Civil Aviation Organisation (ICAO)

International Road Federation

International Road Transport Union (IRU)

Transport Corridor between Europe, Caucasus and Asia (TRACECA)

VBB Verkehrsverbund Berlin-Brandenburg GmbH







International Transport Forum

2 rue André Pascal 75775 Paris Cedex 16, France T +33 (0)1 45 24 97 10

F +33 (0)1 45 24 13 22

E itf.contact@oecd.org W www.internationaltransportforum.org