

"FUELMAP2.txt"	! 燃費マップファイル
"ENGTQMAP.TXT"	! エンジントルクマップファイル
800	! アイドリング回転数 (rpm)
3000	! 最高出力回転数 (rpm)
3600	! 最高エンジン回転数 (rpm)

エンジン回転数 (rpm)	エンジントルク (Nm)	燃料消費量 (L/h)
800	0	6.58800E-01
800	30	1.30E+00
800	155	3.70E+00
800	250	6.25E+00
900	32.04	1.51195E+00
900	65.86	2.19051E+00
900	97.9	3.02060E+00
900	129.94	3.65963E+00
900	162.87	4.41396E+00
900	195.8	5.10241E+00
900	227.84	5.77768E+00
900	259.88	6.90422E+00
1050	33.82	1.72276E+00
1050	69.42	2.47050E+00
1050	103.24	3.39282E+00
1050	137.06	4.24926E+00
1050	170.88	5.07276E+00
1050	205.59	5.79744E+00
1050	240.3	6.70000E+00
1050	274.12	7.95830E+00
1200	35.6	2.05216E+00
1200	70.31	2.99095E+00
1200	105.02	4.17350E+00
1200	140.62	5.29675E+00
1200	175.33	6.31460E+00
1200	210.93	7.07551E+00
1200	245.64	8.19547E+00
1200	279.46	9.60201E+00
1800	38.27	2.89543E+00
1800	74.76	4.29867E+00
1800	112.14	5.90614E+00
1800	149.52	7.77055E+00
1800	186.01	9.11120E+00
1800	223.39	1.02806E+01
1800	260.77	1.17728E+01
1800	297.26	1.39402E+01
2400	33.82	4.85206E+00
2400	67.64	6.85152E+00
2400	101.46	9.23967E+00
2400	135.28	1.17069E+01
2400	168.21	1.39995E+01
2400	202.92	1.59627E+01
2400	235.85	1.83739E+01
2400	269.67	2.14901E+01
3000	32.93	6.76917E+00
3000	65.86	8.97286E+00
3000	98.79	1.13017E+01
3000	131.72	1.38348E+01
3000	163.76	1.63448E+01
3000	197.58	1.92238E+01
3000	229.62	2.23728E+01
3000	263.44	2.67308E+01
3400	26.7	8.69616E+00
3400	55.18	1.04354E+01
3400	81.88	1.25996E+01
3400	110.36	1.49778E+01
3400	137.06	1.76064E+01
3400	164.65	2.00473E+01
3400	192.24	2.34599E+01
3400	218.94	2.72447E+01

！アイドル回転数でトルクを数水準(1)，（トルク=0,クラッチオフアイドル）
！アイドル回転数でトルクを数水準(2)
！アイドル回転数でトルクを数水準(3)
！アイドル回転数でトルクを数水準(4)

開度(%)	エンジン回転数(rpm)	エンジントルク(Nm)
0	800	-47.32
0	1000	-50.05
0	1200	-50.05
0	1400	-51.87
0	1600	-54.6
0	1800	-59.15
0	2000	-63.7
0	2200	-68.25
0	2400	-77.35
0	2600	-86.45
0	2800	-91
0	3000	-100.1
0	3200	-109.2
0	3400	-118.3
0	3600	-127.4
0	3800	-145.6
10	600	127.4
10	800	50.05
10	1000	-50.05
10	1200	-50.05
10	1400	-51.87
10	1600	-54.6
10	1800	-59.15
10	2000	-63.7
10	2200	-68.25
10	2400	-77.35
10	2600	-86.45
10	2800	-91
10	3000	-100.1
10	3200	-109.2
10	3400	-118.3
10	3600	-127.4
10	3800	-145.6
20	600	250.25
20	800	182
20	1000	91
20	1200	-9.1
20	1400	-51.87
20	1600	-54.6
20	1800	-59.15
20	2000	-63.7
20	2200	-68.25
20	2400	-77.35
20	2600	-86.45
20	2800	-91
20	3000	-100.1
20	3200	-109.2
20	3400	-118.3
20	3600	-127.4
20	3800	-145.6
30	600	273
30	800	282.1
30	1000	291.2
30	1200	236.6
30	1400	136.5
30	1600	36.4
30	1800	-59.15
30	2000	-63.7
30	2200	-68.25
30	2400	-77.35
30	2600	-86.45
30	2800	-91
30	3000	-100.1
30	3200	-109.2
30	3400	-118.3
30	3600	-127.4
30	3800	-145.6
40	600	273
40	800	282.1
40	1000	291.2
40	1200	291.2
40	1400	295.75
40	1600	227.5
40	1800	127.4
40	2000	27.3
40	2200	-68.25
40	2400	-77.35
40	2600	-86.45
40	2800	-91
40	3000	-100.1
40	3200	-109.2
40	3400	-118.3
40	3600	-127.4
40	3800	-145.6
50	600	273
50	800	282.1
50	1000	291.2
50	1200	291.2
50	1400	295.75
50	1600	295.75
50	1800	295.75
50	2000	200.2
50	2200	95.55
50	2400	0
50	2600	-86.45

50	2800	-91
50	3000	-100.1
50	3200	-109.2
50	3400	-118.3
50	3600	-127.4
50	3800	-145.6
60	600	273
60	800	282.1
60	1000	291.2
60	1200	291.2
60	1400	295.75
60	1600	295.75
60	1800	295.75
60	2000	295.75
60	2200	282.1
60	2400	182
60	2600	77.35
60	2800	-27.3
60	3000	-100.1
60	3200	-109.2
60	3400	-118.3
60	3600	-127.4
60	3800	-145.6
70	600	273
70	800	282.1
70	1000	291.2
70	1200	291.2
70	1400	295.75
70	1600	295.75
70	1800	295.75
70	2000	295.75
70	2200	291.2
70	2400	286.65
70	2600	227.5
70	2800	145.6
70	3000	40.95
70	3200	-63.7
70	3400	-118.3
70	3600	-127.4
70	3800	-145.6
80	600	273
80	800	282.1
80	1000	291.2
80	1200	291.2
80	1400	295.75
80	1600	295.75
80	1800	295.75
80	2000	295.75
80	2200	291.2
80	2400	286.65
80	2600	282.1
80	2800	282.1
80	3000	218.4
80	3200	109.2
80	3400	9.1
80	3600	-91
80	3800	-145.6
90	600	273
90	800	282.1
90	1000	291.2
90	1200	291.2
90	1400	295.75
90	1600	295.75
90	1800	295.75
90	2000	295.75
90	2200	291.2
90	2400	286.65
90	2600	282.1
90	2800	282.1
90	3000	277.55
90	3200	254.8
90	3400	172.9
90	3600	72.8
90	3800	-27.3
100	600	273
100	800	282.1
100	1000	291.2
100	1200	291.2
100	1400	295.75
100	1600	295.75
100	1800	295.75
100	2000	295.75
100	2200	291.2
100	2400	286.65
100	2600	282.1
100	2800	282.1
100	3000	277.55
100	3200	254.8
100	3400	227.5
100	3600	136.5
100	3800	-27.3