

Showcase of Japanese Airport Technologies

**Council for International
Development of Aviation Infrastructure**



1. Terminal

- 1-1. CFT(Concrete filled Steel Tube) [JFE Engineering]
- 1-2. Fuel Stock Management System [JFE Engineering]
- 1-3. Fuel Leak Detection System [JFE Engineering]
- 1-4. clip EAR [donut robotics]
- 1-5. One-ID Facial Recognition Technology [NEC]
- 1-6. cocobo [SECOM]
- 1-7. Virtual Keibi System [SECOM]
- 1-8. Robot Floor Cleaner EGrobo [AMANO]
- 1-9. Infectious Disease Control Solution [NEC]
- 1-10. Staff Operation System [SECOM]
- 1-11. Automated Baggage Storage System Supported by AMR [TOYO KANETSU]
- 1-12. High Speed Belt Conveyor [TOYO KANETSU]
- 1-13. High-speed Baggage Tray System for Conveying and Sorting [TOYO KANETSU]
- 1-14. Belt Carry Sorter [TOYO KANETSU]
- 1-15. Triplanar [TOYO KANETSU]
- 1-16. Hinged Diverter [TOYO KANETSU]
- 1-17. Horizontal Sliding Belt Diverter [TOYO KANETSU]
- 1-18. WHILL Autonomous service [WHILL]
- 1-19. UVC sterilization Device [AGP]
- 1-20. T-WOOD® BRACE [TAISEI]

2. Data

- 2-1. 3D BHS Monitoring System [TOYO KANETSU]
- 2-2. BHS Maintenance System [TOYO KANETSU]
- 2-3. Aircraft Noise Monitoring [RION]
- 2-4. PANADES [NTT DATA]
- 2-5. ACTS(Aerodrome Control Training System) [MITSUBISHI ELECTRIC]

3. Ramp

- 3-1. Air to Ground Radio [JRC]
- 3-2. Multilateration [JRC]
- 3-3. ASR/SSR Airport Traffic Control Radar [NEC]
- 3-4. TRCS(Transportable Radar Control System) [NEC]
- 3-5. EVA(Emergency VFR System for Air Traffic Control System) [MEISEI]
- 3-6. SAC-20(Transportable VCCS) [MEISEI]
- 3-7. FOD Detection System [Hitachi Kokusai Electric]
- 3-8. CERA-DUCT GLOBAL [Sugie Seito]
- 3-9. Airport Pavement Inspection System [Research & Solution]
- 3-10. MSAS(Michibiki Satellite-based Augmentation Service) [NEC]
- 3-11. GBAS(Ground-Based Augmentation System) [NEC]
- 3-12. Ground movement type GPU/PCA [AGP]
- 3-13. Battery-powered GPU [AGP]
- 3-14. Fixed type GPU/PCA Underground System [AGP]
- 3-15. Full Flat Floor Type PBB [ANA MOTOR SERVICE]
- 3-16. PBR(Passenger Boarding Roof) [AGP]
- 3-17. PBB(Passenger Boarding Bridge) [ShinMaywa]
- 3-18. Monitoring Service by Synthetic Aperture Radar (SAR) Satellite [NEC]
- 3-19. Road Pavement Damage Diagnosing System [NEC]
- 3-20. Optical Fiber Sensing [NEC]
- 3-21. airpalette UTM [NTT DATA]
- 3-22. RVA(Remote VFR system for ATS) [Oki Electric industry]
- 3-23. CCS(Communication Control System) [Oki Electric industry]

1. Terminal

1-1. CFT(Concrete filled Steel Tube)



Category	Area	Terminal Construction and Installations
	Theme	Advanced and high quality of maintenance

Product Summary

- A Concrete Filled Steel Tube (CFT) is a simple structural member that does not require assembling of reinforcements or a mold. This is because concrete is poured into a round-or square-shape steel pipe and a column is created. It is superior in view of strength, rigidity, and deformability.

Features


- This product is superior in fireproof and anti-earthquake performance.
- A smaller column cross section area allows more extensive utilization of space is otherwise possible.
- It is possible to shorten the construction period because a mold is not necessary.

Applications

- Large-space buildings, such as spaces inside passenger terminal building

Past Installations

- Japan : ○ Building, Hotel and Hospital(s)
- Overseas : ○ airport(s)



Contact Information

Atsushi Sugawara
Overseas Business Division,
Energy Industries Engineering Sector,
JFE Engineering Corporation
TEL: +81-45-505-7385
E-mail: sugawara-atsushi@jfe-eng.co.jp



1-2. Fuel Stock Management System



Category	Area	Terminal Construction and Installations
	Theme	Advanced and high quality of maintenance

Product Summary

Fuel stock management system for inventory, custom and operation in international airport

- Inventory management for unloading and loading by oil companies and airline companies
- Management of customs bonded fuel oil for foreign aircrafts and declaration documentation.
- Management of refueler/server truck operation and quality control sampling.

Features


- Automatic and systematic management.
- Management software optimized to each airport

Applications

- Fuel filling facilities

Past Installations

- Japanese Airports: Narita, Kansai
- Overseas Airports: (Vietnam) Noi Bai



Contact Information

Hattori Shinya
Overseas Business Division,
Energy Industries Engineering Sector,
JFE Engineering Corporation
TEL: +81-45-505-7545
E-mail: hattori-shinya@jfe-eng.co.jp



1-3. Fuel Leak Detection System



Category	Area	Terminal Construction and Installations
	Theme	Security and Safety

Product Summary

- A Leak detection system for underground fuel pipelines
- 1) Direct detection system
 - Leak detection by cable impedance and conductor change
 - Leak detection by pressure change of protection pipe gas
- 2) Indirect detection system
 - Leak detection by pressure change of packed pipeline

Features


- Environmental conservation measures
- High reliability (direct detection system)
- Low cost (indirect detection system)

Applications



- Apron (fuel oil supply pipelines)

Past Installations

- Japanese Airports: Narita, Kansai
- Overseas Airport: (Vietnam) Noi Bai



Indirect detection system



Indirect detection system monitoring screen

Contact Information

Hattori Shinya
Overseas Business Division,
Energy Industries Engineering Sector,
JFE Engineering Corporation
TEL: +81-45-505-7545
E-mail: hattori-shinya@jfe-eng.co.jp



1-4. clip EAR



Category	Area	Terminal Operations
	Theme	Improving passenger convenience

Product Summary

- Used via Bluetooth connection with a smartphone
- Intercom tunes translation app for ease of use
- Earphones with high-capacity battery with 100-language translation and unlimited distance intercom

Features

- Unlimited distance intercom, 100-language translation available
- Easy control of apps with a single button on the earphone
- Can be used for business purposes with one earphone
- Equipped with a high-capacity battery that can be used for long hours

Applications

- Passenger Terminal Information Counters, etc.
- Recommended for use in a relatively quiet environment

Past Installations

- Haneda Airport (Terminal 1 Information Counter)
- Haneda Airport (Terminal 3 International Information Counter)



Contact Information

- donut robotics Customer Support
TEL: +81-03-6804-6139
E-mail: cs@donutrobotics.com
URL: <https://en.donutrobotics.com/clip-ear>
- Japan Airport Terminal Co.,Ltd.
Business Promotion Office (Sales Agent)
TEL: +81-3-5757-8181
E-mail: eigyoku-suishin@jat-co.com



1-5. One-ID Facial Recognition Technology



Category	Area	Terminal Operations
	Theme	Improving passenger convenience

Product Summary

- With the One-ID facial recognition technology, departing flight passengers who preliminarily register their faces in a predetermined way can go through procedures inside an airport (ticketing, baggage check-in, security check and boarding check) by just showing their faces without presenting their passports and tickets

Features


- A facial recognition engine having the world highest authentication accuracy has achieved flight passenger authentication with higher accuracy than visual confirmation of staff.
- Walk-through procedures (without asking passengers to stop) contribute to alleviating congestion and improving throughput of passengers per unit time (enabling boarding time to be reduced by 11 minutes or more)

Applications

- Airports

Past Installations

- Japan : Narita and Haneda airports
- Overseas : Atlanta, Frankfurt and Munich, etc.



Contact Information
DID Department, NEC Corporation
E-mail: aviation_global@inquiry.jp.nec.com
URL: <https://www.nec.com>



Orchestrating a brighter world

1-6. cocobo



Category	Area	Terminal Operations
	Theme	Improving passenger convenience, Security and Safety

- Product Summary
- Features
- Applications
- Past Installations

- The security robot providing security services such as static guard/patrol and inspection of trash bin and suspicious things with utilizing cutting-edge technology such as AI and 5G.
- The image recorded by cameras installed on its body is analyzed by AI in real-time and sent to a disaster prevention center with encryption signal.
- Patrol with autonomous driving (Route configuration required)
- Provide information by its LED display
- Remote communication with a disaster prevention center
- Threatening function with sound and light
- Inside Passenger Terminal Building
- Japanese airport : Narita

Specifications


Main functions

- Autonomous driving and automatic charging**
Autonomous driving on roads with obstacles and unevenness
Collision avoidance by automatically detecting obstacles
Automatically charged according to remaining battery
- Detection of loitering and fallen persons**
Image AI and sensors can detect loitering and fallen persons and notify the monitoring center
- Abnormal sound detection**
Detecting abnormal and loud sounds, then notifies the monitoring center
- Gas and fire detection**
Gas leak detection by gas sensor
Fire Monitoring with Thermal Image Sensor
- Detection of leftover objects**
Image AI and sensor can detect unattended objects and notify the monitoring center
- Inspection by arm**
Inspection using thermal image sensor and visual camera
Detecting heat sources, then notifying the monitoring center



<Optional devices> Sensor arm, front lights (warning and camera lighting), smoke emitting device

Operation Example



Contact Information

PIC: Keita FUKUSHIMA (Mr.)
International Business Division
SECOM CO., LTD.
TEL: +81-80-9022-5782/+81-3-5775-8345
E-mail: kei-fukushima@secom.co.jp
global@secom.co.jp

1-7. Virtual Keibi* System

*Keibi=Security




Category	Area	Terminal Operations
	Theme	Improving passenger convenience, Security and Safety

Product Summary
Features
Applications
Past Installations


- Providing security guard service such as alert surveillance and reception with the display integrated mirror displaying 3D character.
- Efficient personnel allocation will be realized by utilizing a virtual security guard for alert surveillance and reception work, in combination with skillful security guards conducting advanced support.
- Advanced Alert Surveillance Utilizing AI:
Promptly notify when emergency is detected.
- Reception Service:
Able to conduct reception correspondence based on preconfigured scenario.
- Integrated with Security Guard Service:
Efficiency and security reinforcement can be realized.
- Remote Support utilizing Cloud:
Remotely update scenario and guide maps.
- Passenger Terminal Building, and other facilities in airport.

N/A

Specifications



Operation Example



Contact Information

PIC: Keita FUKUSHIMA (Mr.)
International Business Division
SECOM CO., LTD.
TEL: +81-80-9022-5782/ +81-3-5775-8345
E-mail: kei-fukushima@secom.co.jp
global@secom.co.jp

1-8. Robot Floor Cleaner EGrobo



Category	Area	Terminal Operations
	Theme	Advanced and high quality of maintenance

Product Summary

- The “EGrobo” robotic floor cleaner cleans floors automatically.
- “EGrobo” can be used to clean large areas unattended.
- Stable cleaning quality can also be maintained.

Features

- The robot's travel routes and tasks can be easily learnt by the teaching system.
- Minimises the impact of manpower shortages (personnel availability) and improves the overall efficiency of the cleaning operation and maintains its aesthetics.
- Reduces accidents caused by operator’s error and workload of the operator.

Applications

- Inside Passenger Terminal Building

Past Installations

- Japan : Haneda (Terminal Building Domestic), Chubu(Terminal Building Domestic and Access Plaza,Sendai (Terminal building)



Contact Information

- AMANO Corporation
Clean Systems Robotics Solutions Business Division
Noriaki Yui
TEL: +81-45-439-2206
- Japan Airport Terminal Co., Ltd.
Sales Promotion Office (Sales Agent)
TEL: +81-3-5757-8181
E-mail: eigyuu-suishin@jat-co.com

AMANO



1-9. Infectious Disease Control Solution



Category	Area	Terminal Operations
	Theme	Security and Safety

Product Summary

- Combination of facial recognition technology with the world's leading accuracy and body surface temperature measurement allows quick identification of passengers who are suspected of suffering from infectious diseases, thereby contributing to reduction of infection risks.

Features

- Contactless facial recognition and body surface temperature measurement are performed simultaneously. When a person whose body surface temperature has exceeded the set value has been recognized, it is possible to have a security guard to speak with such person and have the person take his/her body temperature.

Applications

- Locations in which many persons gather, such as airports

Past Installations

- Five airports in the State of Hawaii



Contact Information

Land, Infrastructure, Transport and Tourism
Solution Department, NEC Corporation
TEL: +81-3-3798-6683



Orchestrating a brighter world

1-10. Staff Operation System



Category	Area	Terminal Operations
	Theme	Security and Safety

Product Summary

- Security guards are equipped with the wearable camera on their chest, and the live images through the wearable camera enables controllers to remotely give proper instruction to security guards.
- Beacons enable controllers to get the position of each security guard, therefore they can give an instruction to a security guard who is near the site where an incident occurs.

Features

- Consideration for people nearby:
A sign, "Recording" is indicated on the case of the wearable camera when it is in operation.
- Chat function with photos attached:
Able to share incidents with other security guards on duty.

Applications

- Inside Passenger Terminal Building

Past Installations


- Japanese airport: Haneda
(Intl Terminal Building)

Device used



Smart Phone+Special Case+Special Speaker Microphone/Earphone

System Diagram



Contact Information

PIC: Keita FUKUSHIMA (Mr.)
International Business Division
SECOM CO., LTD.
TEL: +81-80-9022-5782/+81-3-5775-8345
E-mail: kei-fukushima@secom.co.jp
global@secom.co.jp

1-11. Automated Baggage Storage System Supported by AMR



Category	Area	Baggage Handling
	Theme	Improving passenger convenience

Product Summary

- Automatic baggage storage system using AMR
- Checked baggage are temporarily stored and are then transported to the handling area before departure time.
- The structure of this system can be configured according to the available space.

Features


- Security is improved by eliminating human intervention.
- Mobil shelving that does not required stationary equipment.
- Highly flexible solutions that allows for increasing/decreasing of robots to match demand.
- A storage rack with shuttle system can be added to the mobile baggage transport robots for a complete storage solution.

Applications

- Within the airport restricted area

Past Installations

- World's first demo-prototype is being planned.



Contact Information

Toyo Kanetsu K.K.
Overseas Sales Group
Logistics Solutions Sales Dept
TEL: +81-3-5857-3132
URL: <https://www.tksl.co.jp>



1-12. High Speed Belt Conveyor



Category	Area	Baggage Handling
	Theme	Improving passenger convenience

Product Summary

- World's fastest airport baggage handling systems feature our high speed belt conveyors.
- The system delivers high speed without special maintenance technology or extra cost.

Features

- The system boasts a speed of 600 m/min, with a structure that has been certified by an international patent organization.
- Even at a speed of 600 m/min, the system consumes 70% of the power that is consumed by conventional systems (at 150 m/min) and has a noise level of 60% when compared to these systems. (Comparison done by TKK)
- Compared to the tray handling system, running costs may be lower.
- The belt conveyor type of system has higher performance and allows for continuous loading.

Applications

- Within the airport restricted area

Past Installations

- Japan: Inside Haneda Airport



Contact Information

Toyo Kanetsu K.K.
Overseas Sales Group
Logistics Solutions Sales Dept
TEL: +81-3-5857-3132
URL: <https://www.tksl.co.jp>



1-13. High-speed Baggage Tray System for Conveying and Sorting



Category	Area	Baggage Handling
	Theme	Improving passenger convenience

Product Summary

- This high-speed Baggage Tray System used for transporting and sorting minimizes the damage to bags commonly seen in conventional systems.

Features




- System can reach speeds up to 600m/min, with an optimized, dedicated tray.
- Scanners built into the trays allow for reading of position data for accurate tracking of baggage throughout the system.
- Our independently developed dynamic sorting system sorts at high speed with little to no impact to baggage.

Applications

- Within the airport restricted area

Past Installations

- -



Contact Information

Toyo Kanetsu K.K.
Overseas Sales Group
Logistics Solutions Sales Dept
TEL: +81-3-5857-3132
URL: <https://www.tksl.co.jp>



1-14. Belt Carry Sorter



Category	Area	Baggage Handling
	Theme	Improving passenger convenience

Product Summary

- We have the most cross-belt sorter installations in airports in the world.
- Highly controlled sorting action prevents baggage from getting damage.
- With systems still in operation 30 years after installation, our reliability speaks for itself.

Features


- Sorter with movable layers
- The belt conveyor allows for seamless diverting without damage for reliable data tracking.
- A solid track record and reputation of supporting 24/7 non-stop airport operation.
- Low noise and space saving (reduced height by about 30% compared to tilt-type systems)
- Energy saving support

Applications

- Within the airport restricted area

Past Installations

- Japan: Haneda Airport, Narita Airport, Chubu Airport
- Overseas: (Malaysia) Kuala Lumpur Airport



Kinetic energy supported belt drive system

Contact Information

Toyo Kanetsu K.K.
Overseas Sales Group
Logistics Solutions Sales Dept
TEL: +81-3-5857-3132
URL: <https://www.tksl.co.jp>



1-15. Triplanar



Category	Area	Baggage Handling
	Theme	Improving passenger convenience

Product Summary

- Highly durable baggage transportation system with a track record of over 30 years of operation
- Designed to ensure the safety of passengers and workers
- There are two types, flat and inclined, which can be used for various purposes and bag types.

Features

- The sheet shape and frame structure were designed with passengers' and workers' safety in mind.
- The world's first friction drive system allows for low noise levels to be achieved.
- The floor pit and easily adjustable structure of take-up make installation easy.

Applications


- Inside the passenger terminal building, and inside the restricted airport area

Past Installations

- Japan: Haneda Airport, Narita Airport, Chubu Airport
- Overseas: (Thailand) Krabi Airport, Phuket Airport, Don Muang Airport, (Malaysia) Kuala Lumpur Airport, other facilities




Made in TKK




Perfect Conditions

Made by a foreign Company




Visible Deterioration

Made in TKK



Perfect Conditions

Made by a foreign Company



Cracks, Peeling are visible

TKK parts are subjected to accelerated endurance tests to assure quality.

Durability Test for Wheels

Uses highly durable parts

Contact Information

Toyo Kanetsu K.K.
Overseas Sales Group
Logistics Solutions Sales Dept
TEL: +81-3-5857-3132
URL: <https://www.tksl.co.jp>



1-16. Hinged Diverter



Category	Area	Baggage Handling
	Theme	Improving passenger convenience

Product Summary

- The hinged conveyor is a belt conveyor type that allows for vertical diverting without impacting baggage.

Features

- Sorting capacity up to 2,400 bags / hour
- Can be reversed and used as a merging device

Applications

- Within the airport restricted area

Past Installations

- Japan: Haneda Airport, Narita Airport, Chubu Airport, New Chitose Airport, other facilities.
- Overseas: (Malaysia) Kuala Lumpur Airport



Contact Information

Toyo Kanetsu K.K.
Overseas Sales Group
Logistics Solutions Sales Dept
TEL: +81-3-5857-3132
URL: <https://www.tksl.co.jp>



1-17. Horizontal Sliding Belt Diverter



Category	Area	Baggage Handling
	Theme	Improving passenger convenience



Product Summary

Features

Applications

Past Installations

- World's only provider of this solution with the most installations. (International patent).
- The belt diverter is a type of belt conveyor that allows for horizontal diverting without impacting baggage.
- Since no impact is imparted to baggage, the belt diverter is ideal as an inline screening diverter (airport explosive detection systems).
- Since the diverter is level with upstream conveyor and has no gaps, baggage loading is smooth and continuous for safe, high-performance sorting.
- Sorting capacity up to 2400-3600 bags/hour
- Can accommodate various shapes of baggage
- Our special belt guide to prevent slippage makes replacement easy.
- Within the airport restricted area
- Japan: Haneda Airport, Chubu Airport, Kansai Airport, New Chitose Airport, Fukuoka Airport, other facilities.
- Overseas: (Thailand) Trang Airport, (Malaysia) Kuala Lumpur Airport etc...



Contact Information

Toyo Kanetsu K.K.
Overseas Sales Group
Logistics Solutions Sales Dept
TEL: +81-3-5857-3132
URL: <https://www.tksl.co.jp>



1-18. WHILL Autonomous service



Category	Area	Passenger Handling, Terminal Facilities
	Theme	Improving passenger convenience

- Product Summary
- Features
- Applications
- Past Installations

A new transportation solution featuring autonomous driving technology

Provides self-driving mobility and management systems for facility operators

Through route customization tailored to the facility environment and customer needs, we enhance the smoothness of customer movement within the facility, achieving both service improvement and operational optimization simultaneously.

- Fully autonomous driving. No actions by the passenger are required while in motion.
- Detects when passengers get off the device and automatically returns to its original location.
- Easy and simple to use interface that can be operated by anyone
- Multilingual support
- Provides a remote fleet management system
- No additional infrastructure installation or communication devices are required within facilities.
- Elevator linkage possible

■ transportation within and between airport terminals


Optimization of PRM services

- Japan : Haneda, Narita, Kansai airports
- Overseas : Canada, Winnipeg airport



Contact Information

- IMURA, Sharing Solution Dep.
WHILL, Inc.
TEL: +81-3-6718-4006
E-mail: jp.ss-sales@whill.inc
URL: <https://whill.inc>
- Japan Airport Terminal Co.,Ltd
Business Promotion Office (Sales Agent)
TEL: +81-3-5757-8181
E-mail: eigyuu-suishin@jat-co.com



1-19. UVC sterilization Device



Category	Area	Terminal Facilities
	Theme	Others

Product Summary

- The device for sterilizing baggage, luggage carts, and luggage trays through irradiation with ultraviolet rays of 3 millijoule.
- Irradiation with ultraviolet rays of 3 millijoule results in 99.9% sterilization.
- Through an evaluation test, a COVID-19 inactivating effect of 99.9% or more has been confirmed.
- 10 luggage carts can be sterilized in 30 seconds.

Features

- Together with electric tags and QR codes, traceability management that allows users to grasp sterilization time and scheduled time for arrival of baggage is possible.
- Can be installed in various locations for multiple purposes, such as for luggage carts, BHS, security trays, etc.

Applications

- Inside passenger terminal buildings (e.g., concourses, security gates, and restricted areas)

Past Installations

- Japanese Airports:
Chubu (1st Demo: OCT to NOV 2020)
(2nd Demo: MAR to JUL 2021)
Kansai (AUG 2022)



Carts, Wheelchairs, sterilizer



Luggage sterilizer inside the BHS



Sterilizer of the trays for security check



Irradiation with ultraviolet rays

Contact Information

AGP CORPORATION
TEL: +81 3 3747 1640;
E-mail: h.koyama@agpgroup.co.jp
y.tsuji@agpgroup.co.jp
URL: <https://www.agpgroup.co.jp>



1-20.T-WOOD® BRACE



Category	Area	Terminal Construction and Installations
	Theme	Decarbonation

Product Summary

- A seismic construction method that improves the design by placing wood-based materials such as laminated timber and CLT (Cross Laminated Timber) within a frame of steel plate braces arranged in a diagonal grid pattern.
- Using wood helps the carbon fixation.

Features

- Excellent Design
The layout of the framework is flexible and allows for design changes.
- Structural Strength
The laminated timber and CLT used act as buckling stiffeners to increase the compressive strength of the steel plate braces.
- Decarbonation
Using wood can contribute to the development of local industries and forest conservation.



Applications

- Passenger Terminal Building


Past Installations

- N/A

Design Examples of T-WOOD BRACE



Examples : Maibara City Office



Examples : Taisei Advanced Center of Technology

Contact Information

Taisei Advanced Center of Technology,
Urban Engineering Research Department,
Structural Research Section
Contact:
https://f.msgs.jp/webapp/form/10878_kcq_8/index.do
URL:https://www.taisei-techsolu.jp/english/solution/o_technology/

2. Data

2-1. 3D BHS Monitoring System



Category	Area	Data Management Systems and Solutions
	Theme	Advanced and high quality of maintenance

Product Summary

- Baggage can be monitored in real time, enabling the operator to respond quickly in the unlikely event of an incident.

Features


- Baggage being transported on the conveyor can be monitored in real time via a 3D image on the screen.
- Transport conditions based on BHS performance and flight status are centrally managed, ensuring better flight on-time performance.
- By utilizing AI technology, baggage that is inappropriate for the system can be identified for removal from the system, improving utilization rate.

Applications

- Within the airport restricted area

Past Installations

- Japan: Inside Haneda Airport, Inside Narita Airport



Contact Information

Toyo Kanetsu K.K.
Overseas Sales Group
Logistics Solutions Sales Dept
TEL: +81-3-5857-3132
URL: <https://www.tksl.co.jp>



2-2. BHS Maintenance System



Category	Area	Infrastructure and Terminal Management
	Theme	Advanced and high quality of maintenance

Product Summary

- By combining our in-house developed high performance IoT sensors and AI, we have created a predictive maintenance system that identifies abnormalities in advance, improving reliability and reducing maintenance costs.
- By identifying trouble before it occurs, we support 24/7 non-stop airport operations
- The maintenance system can be remote with the use of a wearable camera to save cost and time.


Features

- AI analyzes minute changes in vibration during operation to detect signs of failure and will also send out alerts.
- Parts can then be scheduled for replacement at the optimal time.
- Highly specialized technicians monitor data and images remotely and from multiple locations, delivering robust, high-quality maintenance support.

Applications

- Within the airport restricted area

Past Installations



Contact Information

Toyo Kanetsu K.K.
 Overseas Sales Group
 Logistics Solutions Sales Dept
 TEL: +81-3-5857-3132
 URL: <https://www.tksl.co.jp>



2-3. Aircraft Noise Monitoring



Category	Area	Data Management Systems and Solutions
	Theme	Countermeasures against Aircraft noise

Product Summary

- Aircraft noise data obtained from noise measurement terminals and flight tracking information can be managed together.
- The evaluation of noise exposure situation around airports throughout the year will be beneficial for environmental assessment and countermeasures against aircraft noise.
- Flight tracking information can also be useful to consider flight times and flight routes.

Features


- Acquire aircraft noise report with accurate aircraft type.
- Acquire flight tracking of non-ADSB type with unique technology of sound arrival direction data.
- Special microphone with excellent weather resistance, allowing accurate measurements even in the rainy and humid Asian climate.

Applications


- Near airport runways
- Vicinity around the airport

Past Installations

- Japan : Narita International Airport, National aviation facilities, etc.
- Overseas : Noi Bai International Airport, Dubai International Airport, etc.



Noise data



Flight tracking information



Measurement microphone



Technical training for local engineers

Contact Information

Kazu Hagiwara, Int'l Sales Dept
RION CO.,LTD.
TEL: +81-42-359-7888
E-mail: hagiwara-y@rion.co.jp
URL: <https://rion-sv.com>



2-4. PANADES



Category	Area	Air Traffic Management
	Theme	Improving air traffic efficiency

Product Summary

- PANADES is an integrated software package for Flight Procedure Design compliant to international standards (ICAO PANS OPS Criteria).
- It has a capability of automatically processing many of the complex calculations in flight procedure design work and features the ability to automatically create flight zones with as few parameter inputs as possible.
- This enables flight system designers to reduce their work time, ensure the quality and reliability of design results, and improve the safety of flight paths

Features


- (1) Labor saving in operations
- Realization of a high degree of automation in area drawing and obstacle safety verification
- Realization of quick and rational operation by allowing completion of designing work in a single screen
- Display of additional information used in the operation (intersection coordinates of the area, orientation, etc.)
- (2) Ensuring the quality and reliability of design
- Realization of a consistent quality flight rule regardless of designer while complying with ICAO standards
- (3) Smooth integration with ATM systems

Applications

- Civil aviation authority and air traffic control providers
- Airport, etc.

Past Installations

- Japan : MILT JCAB, MOD
- Overseas : (Thailand): Air traffic control provider AEROTHAI,
(Indonesia): Directorate General of Civil Aviation,
(Cambodia): Air traffic control provider CATS,
(Nepal): Civil Aviation Authority of Nepal



Contact Information

NTT DATA JAPAN Corporation
First Public Sector, Mobility&Resilience Division
TEL: +81 50 5546 2287
E-mail: info@airpalette.net
URL: <https://www.airpalette.net/panades>



2-5. ACTS (Aerodrome Control Training System)



Category	Area	Air Traffic Management
	Theme	Security and Safety

Product Summary

- TAPS(1), which is manufactured by Mitsubishi Electric Corporation, supports ATC services for aerodrome and terminal airspaces throughout Japan.
1)TAPS : Trajectorized Airport traffic data Processing System
- ACTS is a simulator for training in aerodrome control using TAPS. This product offers not only the ATC equipment, but also virtual images of outside view and aircrafts seen from the control tower.

Features

- The same equipment as actual TAPS are used. In addition, 340-degree screen displays clear and high presence out-the-window view.
- Customization of training scenario is available in various aspects such as aircrafts movement, weather, time of a day, etc.
- You can review the training with recorded operations and voice communication.

Applications

- Airport offices

Past Installations

- Japan : Tokyo international airport, Narita international airport, Naha airport



Training scene



Installation illustration

Contact Information

Mitsubishi Electric Corporation
Government and public systems Dept. Sect.1
TEL: +81-3-3218-3204
E-Mail: kankou2.global@nm.MitsubishiElectric.co.jp



3. Ramp

3-1. Air to Ground Radio



Category	Area	Technical Installations
	Theme	Improving air traffic efficiency

Product Summary

- It provides a system used for communication with aircraft by HF band radio communication. It can provide control information for aircraft flying over the ocean.

Features


- The transmitter is fully solid-state type and can ensure long life cycle and low running cost.
- It can receive multiple signals of up to four channels.
- It has a module type of radio unit for easy maintenance.
- Compliant with ITU-R recommendations and ICAO standards

Applications

- Control tower
- Remote type of air-ground communication equipment

Past Installations

- Overseas Airport: (Singapore) Changi
For the Civil Aviation Authority of Singapore
- Delivered to other airports around the world for more than 30 years



Contact Information

Japan Radio Co., Ltd.
TEL: +81 3 6832 0155
URL: <http://www.jrc.co.jp>



3-2. Multilateration





Category	Area	Technical Installations
	Theme	Improving air traffic efficiency

- Product Summary
- Features
- Applications
- Past Installations

- A multilateration system (MLAT) is a secondary radar system that monitors the position of aircraft on an airport surface.
- JRC's MLAT achieves the world's highest level of positioning accuracy. In an evaluation at an actual airport, the system achieved a positioning accuracy error of 3 meters or less on the runway, compared to the standard of 12 meters or less (ED-117A).
- High positioning accuracy can be obtained with a minimized number of receiving stations.
- Since the system does not needs power supply and LAN cable in outdoors, it can reduce damage from lightning, typhoons, and water damage.
- It can also monitor aircraft up to 30 NM around the airport.
- Runway in the airport restricted area
- Japan : Fukuoka
- Overseas : (Vietnam) Phu Quoc

Multilateration System



Contact Information

Japan Radio Co., Ltd.
 TEL: +81 3 6832 0155
 URL: <http://www.jrc.co.jp>



3-3. ASR/SSR Airport Traffic Control Radar



Category	Area	Technical Systems and Services(airside)
	Theme	Improving air traffic efficiency

Product Summary

- An air traffic control radar system that uses the latest technology to provide stable and clear radar information to air traffic controllers in enroute and approach control airspace.

Features

- Compliant with international standard ICAO Annex 10 SARPs
- Mode S ELS/EHS, Mix mode compatible
- High stability and reliability with all-solid-state transmitter and signal processing technology

Applications

- Within airport restricted area
- Areas with good visibility such as mountain peaks (for enroute)

Past Installations

- Japan : More than 30 airports
- Overseas : South Korea, Taiwan, Nepal, Bangladesh, Malawi, etc.



Contact Information

Yumie Kudo
Aerospace Business Sales Department
NEC Corporation
E-mail: ansglobal-pr@ans.jp.nec.com
URL: <https://www.nec.com>



\Orchestrating a brighter world

3-4. TRCS

(Transportable Radar Control System)



Category	Area	Technical Systems and Services(airside)
	Theme	Disaster management, Improving air traffic efficiency

Product Summary

- NEC's Transportable Radar Control System (TRCS) provides an essential radar air traffic control service at an airport where its ATC system is inoperative due to unexpected accidents and/or disasters or its equipment upgrade work.
- TRCS consists of PSR/SSR, ARTS, and VCCS.

Features

- Compliant with international standard ICAO Annex 10 SARPs
- Maximum detection range of 60NM for PSR, 200NM for SSR
- Highly mobile system
 - Transportable by a medium size truck, aircraft or helicopter.
 - Can be set up within 90 minutes

Applications

- Airport
- Temporary area of Landing/Take-off in case of Disaster

Past Installations

- Japan : Civil Aviation Bureau and Ministry of Defense
- Overseas : None



Radar shelter



Control shelter



Contact Information

Yumie Kudo
 Aerospace Business Sales Department
 NEC Corporation
 E-mail: ansglobal-pr@ans.jp.nec.com
 URL: <https://www.nec.com>



Orchestrating a brighter world

3 5. EVA

(Emergency VFR System for Air Traffic Control System)



Category	Area	Technical Systems and Services(airside)
	Theme	Disaster management

Product Summary

- EVA serves as an alternative to air traffic control system in case a latter system fails because of contingencies
- EVA can be transported by air or land in case of emergency, the EVA consists of the commutation shelter, the control shelter, and the power supply shelter

Features

- The control shelter is equipped with the lifter that extends up to six meters, and the power shelter has a generator in case of emergency
- It has an earthquake-proof device
- Transport (by land, sea, or air) is possible

Applications

- Various airports (international and regional)

Past Installations

- Japanese Airports:
 - Sendai (at the time of the Great East Japan Earthquake in 2011)
 - Haneda, Osaka, Fukuoka(Stationed at Airport)



Contact Information

MEISEI ELECTRIC CO., Ltd.
Meteorological & Disaster Prevention
Systems Div. Sales & Marketing Dept.
TEL: +81 3 6204 8254
E-mail: websales@meisei.co.jp



3 6. SAC-20(Transportable VCCS)



Category	Area	Technical Systems and Services(airside)
	Theme	Disaster management

Product Summary

- This is the transportable voice communication control system console-for emergency use.
- The system consists of the air-to-ground radio communication console, the dedicated telephone console, the switch box for external interfaces (wireless lines, telephone lines), and the switch box (control unit, power supply unit) that controls the system.

Features

- It can be carried in the dedicated storage case for easy deployment.
- The operation terminal device is a touch panel, which can be customized by user settings.
- A maximum of two air-to-ground communication consoles can be added.
- It can be battery powered in case of power failure.

Applications

- Various airports and heliports

Past Installations

- Japanese Airports:
Haneda, Osaka (Stationed at Airport)



Contact Information

MEISEI ELECTRIC CO., Ltd.
Meteorological & Disaster Prevention
Systems Div. Sales & Marketing Dept.
TEL: +81 3 6204 8254
E-mail: websales@meisei.co.jp



3-7. FOD Detection System



Category	Area	Technical Systems and Services(airside)
	Theme	Security and Safety

Product Summary

- Millimeter wave radar and high-definition cameras constantly monitor runway safety
- Location information of foreign objects detected by radar is instantly transmitted to a high-definition camera, which can capture the object's image.
- The location information and camera images of the foreign object are notified to the airport operator, enabling rapid retrieval of the object if necessary.

Features


- Capable of detecting 1-inch diameter and 1-inch high metal cylinders (-20dBsm) at a 500m distance
- Confirmed to detect objects specified in EuroCAE MASPS (ED-235) with a detection rate of over 95% in clear weather
- One recommendation and one report have been approved and issued by ITU-R
- Minimizes risk of foreign object occurrence up to pilot report and equipment dropout report from hangar maintenance

Applications



- Runway·Taxiway

Past Installations


- Japan : Tokyo International Airport
- Overseas : Kuala Lumpur International Airport (KLIA)



System Overview



PPI Image



Hitachi Kokusai Electric

Contact Information

Public Solution Sales Department,
Hitachi Kokusai Electric Ltd.
URL: <https://global.all.hitachi-kokusai.com>




3-8. CERA-DUCT GLOBAL



Category	Area	Airfield Lighting
	Theme	Advanced and high quality of maintenance, Decarbonation

- Product Summary
- Features
- Applications
- Past Installations

- Ceramic underground duct system
 - Compactly accommodates multiple cables
 - No change in shape and quality, can be used for long-term (has been used for over than 60 years continuously in Japan)
 - The only product in Japan and in the world
- Improve of the cost performance and workability due to the compact cross section
 - Reduce the labor and cost for the excavation and backfilling. No need for reinforcement so backfilling can be done right after the installation
 - Contributing to sustainable society with outstanding life cycle cost. Made of ceramic, no deterioration. No need for duct renewal
- Airport : runaway/apron/GSE passage way/green area & others
 - Others : Container Yard/Power Plant/Railway/Subway & others
- Japan : Narita & 30 other airports
 - Overseas : Singapore, Bangladesh, Papua New Guinea, Taiwan



Contact Information

Chatarina
 International Sales Div.
 Sugie Seito Co., Ltd.
 TEL: +81-569-35-2360
 E-mail: ceraduct-a@sugie.co.jp
 URL: <https://www.sugie.co.jp>



3-9. Airport Pavement Inspection System



Category	Area	Pavement Service
	Theme	Advanced and high quality of maintenance

Product Summary

- This system enables operators to make reports on inspection, repair and etc., through the smartphone app.
- This system contributes to significant cost reduction for operations (e.g., communication and office work operations).

Features

- Abnormalities, status photos, and location information in inspection sites can be reported through the smartphone app.
- Recorded data can be checked via personal computers in real-time based on cloud management. Moreover, diagnoses and instructions for response actions can be conveyed remotely. Thus, this system reduces communication tasks.
- Accumulation of records of abnormalities enables analysis of data for planning of preventive maintenance.
- Reports can be automatically output. Thus, this system contributes to reducing office work (e.g., daily and monthly reports).


Applicability

- Runway, taxiways, aprons, overrun areas, roads, parking spaces, etc.

Past Installations

- Japanese Airport: Nanki-Shirahama airport
Tottori Airport
- Foreign Airport : Papua New Guinea
Nadzab Tomodachi International Airport

Structural image



Contact Information

Research & Solution Co.,
Ltd.Department, Corporation
TOKYO sales Kakeru Aoki
TEL: +81-3-6311-8356
E-mail:aoki-k@rands-co.com

3-10. MSAS

(Michibiki Satellite-based Augmentation Service)



Category	Area	Ground Support Equipment and Services
	Theme	Improving air traffic efficiency, Decarbonation

Product Summary

- A wide-area augmentation system that provides aircraft with advanced safety and highly accurate correction information for GPS
- It realizes secure and accurate GPS positioning.

Features


- Compliant with international standard ICAO SARPs
- It uses the quasi-zenith satellite system Michibiki 3 (QZS-3 geostationary satellite).
- It can expand the coverage area by adding monitoring stations (optional function).

Applications

- Master control station (MCS): Hitachiota, Ibaraki prefecture
- Ground monitor stations (GMS): throughout Japan (airports, etc.)
- Optical circuit

Past Installations

Japan : Civil Aviation Bureau, Ministry of Land, Infrastructure, Transport and Tourism



Contact Information

Erika Koshino
Aerospace Business Sales Department
NEC Corporation
E-mail: ansglobal-pr@ans.jp.nec.com
URL: <https://www.nec.com>



Orchestrating a brighter world

3-11. GBAS

(Ground-Based Augmentation System)



Category	Area	Ground Support Equipment and Services
	Theme	Improving air traffic efficiency, Decarbonation, Countermeasures against Aircraft noise

Product Summary

- A landing guidance system to assist aircraft approach and landing using GPS technology

Features


- Compliant with international standard ICAO SARPs
- Challenge of GBAS in low magnetic latitude environments with the introduction of IFM (Ionospheric Field Monitor)
- Benefits of GBAS
 - Lower installation and operation costs (Supporting aircrafts approach for multiple runways and bidirectional)
 - Flexible approach and landing methods can be selected

Applications

- Installed in and near airports

Past Installations

- Japan : Civil Aviation Bureau, Ministry of Land, Infrastructure, Transport and Tourism
- Overseas : Suvarnabhumi International Airport in Thailand (Proof of Concept, 2019-2023)



- GBAS Message Contents:**
- ✓ Differential Correction Data
 - ✓ Integrity Data
 - ✓ Final Approach Path

Contact Information

Erika Koshino
 Aerospace Business Sales Department
 NEC Corporation
 E-mail: ansglobal-pr@ans.jp.nec.com
 URL: <https://www.nec.com>



Orchestrating a brighter world

3-12. Ground movement type GPU/PCA



Category	Area	Ground Support Equipment and Services
	Theme	Improving air traffic efficiency, Decarbonation

Product Summary

- GPU/PCA for supplying electricity and air-conditioning air to a parked aircraft.
- This method distributes the power cables/air conditioner hoses from GPU/PCA near aprons using arms with wheels.
- CO2 emissions are 1/10 of those of APU (Auxiliary Power Unit)

Features

- Large-size construction work for aprons is unnecessary.
- Vehicles for supplying electricity/air conditioner air are unnecessary.
- Development and containment of cables/hoses are smooth.
- It is possible to flexibly respond to aircraft parking positions.

Applications

- Aprons

Past Installations


- Japanese Airports : Haneda, Narita, Kobe, Fukuoka



Electric cable container




Electricity supply



Electricity supply



Electricity/air conditioner integrated type



Contact Information

AGP CORPORATION
TEL: +81 3 3747 1640;
E-mail: h.koyama@agpgroup.co.jp
y.tsuji@agpgroup.co.jp
URL: <https://www.agpgroup.co.jp>



3-13. Battery-powered GPU



Category	Area	Ground Support Equipment and Services
	Theme	Improving air traffic efficiency, Decarbonation

Product Summary

- The GPU can help to the decarburization of airports.
- Static power converter inverter for aircraft.
- GPUs powered by lithium-ion batteries have significantly lower CO2 emissions and noise than GPUs powered by conventional diesel engines.
- Next-generation, environmentally friendly GPUs.
- First domestic production in Japan

Features

- Based on AGP's accumulated aircraft power load data, a compact and lightweight lithium-ion battery with optimal capacity and excellent charge-discharge characteristics is used.
- The CHAdeMO fast charging standard for electric vehicles (BEVs) is used to control the charging of the lithium-ion batteries, allowing the use of fast chargers for BEVs and other benefits in terms of versatility and safety.
- Power assist for easy handling.

Applications

- Aprons

Past Installations

- Demonstration test underway from OCT 2022



Battery-powered GPU Dimensions L2,745 x W1,480 x H1,620mm Weight 2,200KG Less than



Front View



Back View



Side View

Contact Information

AGP CORPORATION
TEL: +81 3 3747 1640;
E-mail: h.koyama@agpgroup.co.jp
y.tsuji@agpgroup.co.jp
URL: <https://www.agpgroup.co.jp>



3-14. Fixed type GPU/PCA Underground System



Category	Area	Ground Support Equipment and Services
	Theme	Improving air traffic efficiency, Decarbonation

Product Summary

- GPU/PCA for supplying electricity and conditioned air to a parked aircraft
- In recent years, GPUs have been used in place of APUs to reduce CO2 emissions, and the Underground System is the most reasonable Japanese method.

Features

- CO2 emissions from GPUs are about 1/10 of those from APUs (ECOLOGICAL)
- No need for a supply vehicle, eliminating the risk of collision (SAFTY)
- Unlike mobile equipment, the time required for connection is short (WORKING EFFICIENCY)
- No loss of apron appearance due to underground burial (LANDSCAPING)
- Embedded pipes can be almost perpetually used (DURABILITY)
- Cooling effect is not easily affected by outside temperatures (THERMAL EFFICIENCY)



Applications

- Aprons

Past Installations

- Japanese Airports : New Chitose, Narita , Haneda, Chubu Centrair, Kansai etc. (600 units for nine airports)

Underground type GPU system
Schematic diagram



Electricity supply



Pits for electric power



Pits for air-conditioning air



Air-conditioning air supply

Contact Information

AGP CORPORATION
TEL: +81 3 3747 1640;
E-mail: h.koyama@agpgroup.co.jp
y.tsuji@agpgroup.co.jp
URL: <https://www.agpgroup.co.jp>



3-15. Full Flat Floor Type PBB



Category	Area	Aircraft Docking and Passenger Boarding Bridges
	Theme	Improving Passenger Convenience

Product Summary

- Full Flat Floor Type PBB (EASYWALK®) eliminates steps inside the PBB tunnel and allows passengers to pass through with ease.
- Full Flat Floor Type PBB is a product only one to Japan. Several Japanese PBB companies have commercialized this product, as the necessity to improve hospitality of airport buildings and airlines escalated, due to the increase in number of passengers falling in the aisles.

Features

- Successfully achieved transforming steps in the passageways to a full-flat surface by using a unique floor mechanism. This has led to a reduction of falling accidents as well as reducing concerns of wheelchair users and easing workload of airport staff.
- Simple mechanical design achieved as the floor mechanism does not require any special control system to extend and retract the tunnel.

Applications


- Shipsides(Aprons)

Past Installations

- Japan : 12 airports, Total 46units PBB
(as of Dec.2023)
Tokyo International airport(Haneda),
Sendai airport and Other local airports



Full Flat Floor Type PBB Exterior View




Full Flat Floor Type PBB Interior View


Standard Type PBB



Full Flat Floor Type PBB



Model Comparison



Steps Inside Standard PBB Tunnel

Contact Information

ANA MOTOR SERVICE CO.,LTD.
Airport Facilities & Equipment
TEL: +81-3-5756-7607
E-mail: t.okada@anams.co.jp
URL: <https://www.anams.co.jp/index.html>

3-16. PBR(Passenger Boarding Roof)



Category	Area	Aircraft Docking and Passenger Boarding Bridges
	Theme	Improving passenger convenience, Security and Safety

Product Summary

- Passage with an extendable roof
- Extendable part specification (one unit)
 - WGT: About 150 kg; H: 2,600 mm; W: 1,750 mm;
 - L: 1,250 mm -> 250 mm
 - Unit connection allows response to length in accordance with the operating environment.
 - Tip part specification
 - WGT: About 300 kg; H: 2,600 mm; W: 1,750 mm
 - It is possible to respond to changes in size, a boarding gate, or the like in accordance with the operating environment.

Features

- Passenger routes can be established between the terminal and the aircraft even where there is no PBB.
- Can be extended, retracted, and moved by an electric towing vehicle or other means.
- The telescopic mechanism reduces the length to 1/5 of the maximum length when retracted.
- Several colors can be selected for the sealing and sides.

Applications

- Aprons
- Ship CIQ facilities
- Event venues.

Past Installations

- Japanese Airports:
 - Chubu (LCC terminal) OCT 2019, Matsumoto MAR 2024
- Japanese Ports:
 - Shizuoka Shimizu MAR 2021, Kyoto Maizuru JUL 2021
 - Ehime Matsuyama MAR 2024



Inside PBR passage



PBR external appearance



Roof and side designs can be changed



Tip part

Contact Information

AGP CORPORATION
TEL: +81 3 3747 1640;
E-mail: h.koyama@agpgroup.co.jp
y.tsuji@agpgroup.co.jp
URL: <https://www.agpgroup.co.jp>



3-17. PBB(Passenger Boarding Bridge)



Category	Area	Aircraft Docking and Passenger Boarding Bridges
	Theme	Improving air traffic efficiency

Product Summary

- Fully Automatic Docking System (Intelligent PAXWAY™)
This system consists of 2 cameras, an image processor and a laser rangefinder, which incorporates artificial intelligence, detects aircraft doors regardless of aircraft parking errors and run automatically up to approx. 2cm ahead of the aircraft door with single push of a button.
- Remote Control
Remote control is possible as an upgrade feature of the fully automatic docking system. This system allows the operator to drive 2nos PBBs simultaneously from an apron far from the CAB.

Features

- Fully Automatic Docking System (Intelligent PAXWAY™)
 1. Prevents misoperation using AI and image recognition technology.
 2. Stable docking and undocking regardless of the skill level of the operator.
 3. Possible to reduce training time for PBB new operators.
- Remote Control
This system enables remote operation of multiple PBBs from a control panel installed on the rotunda column of the PBB, reducing the workload of GSE works and saving manpower. In the future, this system can operate PBBs remotely at multiple Gates from the central monitoring room in the terminal building, reducing the number of operators assigned to each PBB.



Applications

- Apron

Past Installations

- Fully Automatic Docking System (Intelligent PAXWAY™)
Japan: Osaka (Itami) Airport
Overseas: Changi Airport(Singapore)
- Remote Control
Overseas: Changi Airport(Singapore)

- Fully Automatic Docking System (Intelligent PAXWAY™)
Docking Procedure
1. 1 Push “Auto Start”
(No selection aircraft model required.)
 2. Detects the aircraft door and runs automatically, stopping 1m away.
 3. Again detects door image, automatically completed docking.
(Gap is approx.2cm from fuselage, automatically lower canopy, enable the Auto-Level mode.



- Remote Control
Achieving the world's first “Autonomous fully remote control PBB” without the selection of aircraft model at Changi Airport and contributed to Smart Airport Operation.
Executed actual aircraft docking test using door mock-up and retired B777 from Sep/2022 to Mar/2023.
The live aircraft operation using remote control had started from Aug/2023.

Contact Information

ShinMaywa Industries, Ltd.
Parking Systems Div.
TEL: +81-3-3843-3410
E-mail: hayashi.y1@shinmaywa.co.jp
URL: <https://www.shinmaywa.co.jp>



3-18. NEC Earth Observation Satellites' image Analysis Services Platform (Abbreviated as NEOSAP)




Category	Area	Airfield Service Equipment
	Theme	Advanced & high quality of maintenance

Product Summary	<ul style="list-style-type: none"> ■ Saas, which provides displacement maps based on analysis of satellite data (Released on 3rd / Feb/ 2025) ■ Subscription contract from 1 month (View/Download) ■ Visualization of displacement of man-made structures and land subsidence through interferometric analysis of SAR data
Features	<ul style="list-style-type: none"> ■ Displacement maps available for viewing and download: 1km×1km ■ No software installation required ■ Displacement measurement accuracy : 3-4mm (RMSE for survey data) ■ Analysis period : April/2022-March/2024 Update every six months with 2-year data ■ SAR data : Sentinel-1 (C-band, 5×20m resolution)
Applicability	<ul style="list-style-type: none"> ■ Airports/Runways ■ Port facilities (Fuel tanks/pipelines, etc.)
Usage examples	<ul style="list-style-type: none"> ■ Japan : Local governments, Energy companies, Insurance companies, etc. ■ Overseas : None


Feature1 : High-density measurement

- No need to install sensors on the ground.
- Abnormal local displacements compared to the surroundings can be extracted.
- Can be used as screening data for surveying work.



Feature2 : Time-series measurement

- Time series displacement graph of all measurement points can be displayed.
- Monthly displacement can be displayed.
- Graphs of selected points can be displayed simultaneously.
- Prediction of landslides and road collapses possible.



Contact Information

Yumie Kudo
Aerospace Business Sales Department
NEC Corporation
E-mail: ansglobal-pr@ans.jp.nec.com
URL: <https://www.nec.com>



\Orchestrating a brighter world


3-19. Road Pavement Damage Diagnosing System



Category	Area	Airfield Service Equipment
	Theme	Advanced and high quality of maintenance

Product Summary
Features
Applications
Past Installations

- By analyzing the video image of Runway surfaces taken from running cars, damage to Runways, such as cracks and rutted Runway, is checked.
- Inspection is possible at a low cost and over a short period of time.
- It is possible for the central government and local governments to make maintenance plans for higher-priority Runways and efficiently conduct inspection activities.
- Runways
- Japan : Nanki-Shirahama Airport
- Overseas : None
- * Individual consultations for overseas projects



Contact Information

Hasegawa
Technology Service and Software Department
NEC Corporation
E-mail: infra-diagnosis@sdd.jp.nec.com
URL: <https://www.nec.com>






Orchestrating a brighter world

3-20. Optical Fiber Sensing



Category	Area	Security Services
	Theme	Security and Safety, Advanced and high quality of maintenance

Product Summary	<ul style="list-style-type: none"> ■ Fiber sensing is a technology for detecting optical fiber vibrations in fences at important facilities, etc. and in ground and discovering behavior such as trespassing and lurking.
Features	<ul style="list-style-type: none"> ■ A single optical fiber can cover a wide range of several kilometers to several tens of kilometers. ■ Use of high spatial resolution and AI allows inhibition of erroneous warning and automatic event identification. ■ High security linked with cameras can be Implemented
Applications	<ul style="list-style-type: none"> ■ Perimeters for important facilities, such as airports and air traffic control facilities
Past Installations	<ul style="list-style-type: none"> ■ Japan : Demonstration test in important facilities ■ Overseas : Demonstration test in important facilities



Contact Information

Land, Infrastructure, Transport and Tourism
Solution Department, NEC Corporation
TEL: +81-3-3798-6683


3-21. airpalette UTM



Category	Area	Unmanned Vehicles(UV)and Cargo Drones
	Theme	Advanced and high quality of maintenance

Product Summary
Features
Applications
Past Installations

- airpalette UTM has a flight management function that sets flight routes and conducts automatic remote control and a traffic management function that avoids collisions between aircrafts and monitors intrusion into prohibited airspace, thereby ensuring safe drone operations.
- Creation of simple flight plans: It creates a flight plan with various factors such as no-fly zone and weather conditions taken into consideration.
- Simultaneous flight of multiple drones: It improves work efficiency by setting a wide range of flight ranges for multiple drones.
- High security: Cloud/on-premise data storage management to match the demands of customers
- Disaster response (assessment of disaster situation)
- Infrastructure inspection (electricity, telecommunications, etc.)
- Japan: Local government, Electric utilities



Contact Information

NTT DATA JAPAN Corporation
First Public Sector, Mobility&Resilience Division
TEL: +81 50 5546 2287
E-mail: info@airpalette.net
URL: <https://www.airpalette.net/utm>



3-22. RVA

(Remote VFR system for ATS)



Category	Area	Technical Systems and Services (Airside)
	Theme	Improving air traffic efficiency.Others

Product Summary

- Remote implementation of control tower operations such as air-to-ground communication.
- Ensuring a field of view equivalent to that of onsite control tower operations.
- 12 OTW cameras (fixed cameras) and 2 PTZ cameras (pan-tilt-zoom, movable cameras) are used. Video streams from these cameras are displayed in full HD on the OTW video display terminals and PTZ video display terminals at the remote center operation console.

Features

- Automatic aircraft tracking with PTZ cameras
- Detection of moving objects using OTW camera footage
- 360-degree field of view provided by 12 displays
- Capturing ambient sounds around the control tower
- Video recording and playback capability

Applications

- Various airports

Past Installations

- Domestic airport: Amami Airport



Contact Information

Tomokazu, Inoue
Oki Electric Industry Co., Ltd.
Public and Social Infrastructure Sales Division
TEL: +81-3-5635-8029
E-mail: inoue774@oki.com
URL: <https://www.oki.com/jp/>

OKI

Open up your dreams

3-23. CCS

(Communication Control System)



Category	Area	Technical Systems and Services(airside)
	Theme	Improving air traffic efficiency

Product Summary

- A device that provides high-quality voice communication between air traffic controllers, pilots, and related organizations to ensure smooth air traffic control operations.

Features

- Supports both conventional analog voice communication and VoIP communication
- Combines touch panels and hardware switches to achieve both compact operation units and immediate responsiveness
- Enables air traffic control operations while on the move with wireless operation terminals and wireless headsets
- High reliability and maintainability achieved by a control unit composed of dedicated hardware and software

Applications

- Various airports, Area Control Centers, and Flight Service Centers

Past Installations

- Japan : Haneda Airport, Narita Airport, and others



Contact Information

Tomokazu, Inoue
Oki Electric Industry Co., Ltd.
Public and Social Infrastructure Sales Division
TEL: +81-3-5635-8029
E-mail: inoue774@oki.com
URL: <https://www.oki.com/jp/>



Revised Edition, October 2025