CO2 reduction by **ITS**



MANANANANANANANANANANANANA TANANANA

Contents

- 1. Outline of ITS in Japan
- 2. CO2 emissions by each sector in Japan
- 3. Measures to reduce CO2 emissions in road sector
- 4. VICS (Vehicle Information and Communication System)
- 5. ETC (Electronic Toll Collection system)
- 6. ITS Spot service
- 7. Conclusion

1. Outline of ITS in Japan

• Environmental degradation :

• Traffic congestion Time loss :

- 20% of all CO2 emissions in transport sector
- 5 billion hours annually


• Traffic accidents :

• 690,000 accidents resulting in 4,600 fatalities (FY2011)




2. CO2 emissions by each sector in Japan

• 20% CO2 emissions in transport sector.



2. CO2 emissions by each sector in Japan

• Current goal plan in transport sector : reduce CO2 emissions by 55 million tons



3. Measures to reduce CO2 emissions by road sector

Perspective 1: Low carbon urban design tailored to the region

- Promote road greening
- Introduce LED road lighting
- Construct highway bridges that offer longer service life
- Promote public transport use (traffic node measures)


Perspective 2: Compliance with energy restrictions instituted in the wake of the Great East Japan Earthquake and creation of a desirable energy system

- Promote ITS (VICS, ETC, and ITS Spot)
- Construct a network of ring roads and other arterial roads, promote grade separated crossings, etc.
- Efficaciously administer expressway toll policies
- Reduce roadwork
- Measures for bottleneck railroad crossings, etc.
- Construct logistics network that will accommodate larger containers

Perspective 3: Global warming measures that promote changes in lifestyles and work styles

• Create and support a bicycle use environment

4. VICS (Vehicle Information and Communication System)




5. ETC (Electronic Toll Collection system)

 eliminates almost all toll-gate congestion on expressways (30% of all expressway congestion).

• usage rate on toll roads: 87% (39 million automobiles).

cuts CO2 emissions by about
0.21million tons per year




Deployment of "ITS Spots"

- Car navigation systems for ITS Spots released in 2009.
- 1,600 ITS Spots installed mainly on expressways.
- Encouraging smooth traffic flow with reduction of CO2.




Service1 : Dynamic Route Guidance

• Travel time information for applox. 1000km be received from ITS Spot.



Ministry of Land, Infrastructure, Transport and Tourism

• 60% of congestion occurs at sags and on upslope section. • Urgent measures urgently required.



Congestion on inter-city expressways

Total congestion amount = 107,516 km · h per year

Toll

plaza,

0.1%

Sag or

upslope

section,

60.3%


9

(congestion amount = number of congestion incidents x average congestion time x average maximum congestion length (2)

Sag congestion countermeasure based on cooperation between the road infrastructure and automobiles


- ITS Spots transmit optimum speed, headway distance.
- ACC* equipped automobiles automatically drive based on the information.
- Experiment to be carried out from 2012.

* ACC (Adaptive Cruise Control): Function which controls speed and headway of a moving automobile.



Congestion measure based on probe data

- Collected probe data via ITS spot use for travel speed survey.
- Understanding of travel speed is effective to congestion measures.



7. Conclusion

 Japan has implemented many policies in the ITS field, including ETS, VICS and ITS Spot service.

 ITS makes a major contribution to reducing CO2 emissions.

• Further promotion and research of ITS is underway.