

令和7年度 施工パッケージ型積算方式標準単価表 正誤表

誤	正	備 考																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
<p>No. 250 【 排水性舗装・表層（車道・路肩部） 】 < 積算単位：m² ></p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <thead> <tr> <th rowspan="3">項目</th> <th rowspan="3">種別</th> <th rowspan="3">単位</th> <th rowspan="3">積算方法</th> <th rowspan="3">材料</th> <th rowspan="3">標準仕様の単位</th> <th colspan="12">標準単価</th> </tr> <tr> <th colspan="4">1</th> <th colspan="4">2</th> <th colspan="4">3</th> </tr> <tr> <th>1</th><th>2</th><th>3</th><th>4</th> <th>1</th><th>2</th><th>3</th><th>4</th> <th>1</th><th>2</th><th>3</th><th>4</th> </tr> </thead> <tbody> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>2-1070(10)</td><td>1000(1000)</td><td>2,110.0</td><td>1.94</td><td>1.29</td><td>0.21</td><td>0.29</td><td>15.24</td><td>4.41</td><td>2.75</td><td>2.40</td><td>0.90</td><td>94.80</td><td>76.62</td><td>0.21</td><td>2.34</td><td>0.32</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>2-1070(10)</td><td>側入</td><td>2,043.3</td><td>1.92</td><td>1.25</td><td>0.22</td><td>0.31</td><td>12.97</td><td>4.97</td><td>2.70</td><td>1.01</td><td>85.11</td><td>79.12</td><td>0.20</td><td>0.30</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>各種1.0%以上2.0%未満</td><td>1000(1000)</td><td>2,009.0</td><td>2.04</td><td>1.31</td><td>0.22</td><td>0.31</td><td>13.49</td><td>4.94</td><td>2.71</td><td>1.00</td><td>84.51</td><td>78.54</td><td>0.21</td><td>2.34</td><td>0.34</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>各種1.0%以上2.0%未満</td><td>側入</td><td>2,003.2</td><td>1.94</td><td>1.26</td><td>0.22</td><td>0.31</td><td>13.22</td><td>4.95</td><td>2.62</td><td>1.00</td><td>84.81</td><td>78.74</td><td>0.49</td><td>0.34</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>各種1.0%以上2.0%未満</td><td>1000(1000)</td><td>2,130.4</td><td>1.92</td><td>1.26</td><td>0.21</td><td>0.29</td><td>12.90</td><td>4.71</td><td>2.74</td><td>0.82</td><td>84.90</td><td>77.64</td><td>0.11</td><td>2.34</td><td>0.32</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>各種1.0%以上2.0%未満</td><td>側入</td><td>2,063.9</td><td>1.90</td><td>1.26</td><td>0.22</td><td>0.29</td><td>12.71</td><td>4.71</td><td>2.71</td><td>0.90</td><td>85.11</td><td>79.12</td><td>0.21</td><td>0.34</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>各種1.0%以上2.0%未満</td><td>1000(1000)</td><td>2,121.2</td><td>1.92</td><td>1.22</td><td>0.20</td><td>0.21</td><td>12.52</td><td>4.51</td><td>2.60</td><td>0.70</td><td>84.02</td><td>77.54</td><td>0.02</td><td>2.34</td><td>0.30</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>各種1.0%以上2.0%未満</td><td>側入</td><td>2,104.7</td><td>1.92</td><td>1.20</td><td>0.21</td><td>0.29</td><td>12.34</td><td>4.49</td><td>2.61</td><td>0.80</td><td>83.30</td><td>80.20</td><td>0.00</td><td>0.32</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>各種1.0%以上2.0%未満</td><td>1000(1000)</td><td>2,312.0</td><td>1.74</td><td>1.17</td><td>0.19</td><td>0.21</td><td>12.07</td><td>4.29</td><td>2.54</td><td>0.64</td><td>80.10</td><td>76.71</td><td>0.15</td><td>2.17</td><td>0.44</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>各種1.0%以上2.0%未満</td><td>側入</td><td>2,241.3</td><td>1.74</td><td>1.15</td><td>0.20</td><td>0.21</td><td>11.80</td><td>4.12</td><td>2.50</td><td>0.70</td><td>80.40</td><td>81.01</td><td>0.49</td><td>0.34</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>各種1.0%以上2.0%未満</td><td>1000(1000)</td><td>2,302.0</td><td>1.72</td><td>1.13</td><td>0.19</td><td>0.21</td><td>11.60</td><td>4.14</td><td>2.42</td><td>0.50</td><td>80.40</td><td>79.42</td><td>0.09</td><td>2.04</td><td>0.47</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>各種1.0%以上2.0%未満</td><td>側入</td><td>2,320.3</td><td>1.69</td><td>1.17</td><td>0.19</td><td>0.21</td><td>11.39</td><td>4.04</td><td>2.42</td><td>0.40</td><td>80.40</td><td>81.42</td><td>0.72</td><td>0.44</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>側入</td><td>-</td><td>2-1070(10)</td><td>1000(1000)</td><td>1,990.2</td><td>1.81</td><td>1.22</td><td>0.20</td><td>0.21</td><td>12.52</td><td>4.57</td><td>2.64</td><td>0.90</td><td>81.00</td><td>82.49</td><td>0.12</td><td>0.34</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>側入</td><td>-</td><td>2-1070(10)</td><td>側入</td><td>1,993.1</td><td>1.82</td><td>1.20</td><td>0.21</td><td>0.29</td><td>12.31</td><td>4.71</td><td>2.60</td><td>0.90</td><td>81.31</td><td>82.39</td><td>0.12</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>側入</td><td>-</td><td>各種1.0%以上2.0%未満</td><td>1000(1000)</td><td>1,939.9</td><td>1.91</td><td>1.25</td><td>0.21</td><td>0.29</td><td>12.62</td><td>4.67</td><td>2.60</td><td>0.90</td><td>81.21</td><td>82.11</td><td>0.17</td><td>0.31</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>側入</td><td>-</td><td>各種1.0%以上2.0%未満</td><td>側入</td><td>1,924.4</td><td>1.90</td><td>1.22</td><td>0.21</td><td>0.29</td><td>12.50</td><td>4.52</td><td>2.70</td><td>0.90</td><td>81.31</td><td>84.94</td><td>0.12</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>側入</td><td>-</td><td>各種1.0%以上2.0%未満</td><td>1000(1000)</td><td>2,038.7</td><td>1.82</td><td>1.20</td><td>0.20</td><td>0.21</td><td>12.20</td><td>4.49</td><td>2.50</td><td>0.80</td><td>80.30</td><td>82.49</td><td>0.12</td><td>0.49</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>側入</td><td>-</td><td>各種1.0%以上2.0%未満</td><td>側入</td><td>1,930.2</td><td>1.74</td><td>1.24</td><td>0.20</td><td>0.29</td><td>12.07</td><td>4.42</td><td>2.42</td><td>0.70</td><td>80.40</td><td>80.57</td><td>0.11</td><td>-</td><td>-</td><td>-</td></tr> </tbody> </table>	項目	種別	単位	積算方法	材料	標準仕様の単位	標準単価												1				2				3				1	2	3	4	1	2	3	4	1	2	3	4	2-462.5	側入力	0.01	内積算	2-1070(10)	1000(1000)	2,110.0	1.94	1.29	0.21	0.29	15.24	4.41	2.75	2.40	0.90	94.80	76.62	0.21	2.34	0.32	-	2-462.5	側入力	0.01	内積算	2-1070(10)	側入	2,043.3	1.92	1.25	0.22	0.31	12.97	4.97	2.70	1.01	85.11	79.12	0.20	0.30	-	-	2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	1000(1000)	2,009.0	2.04	1.31	0.22	0.31	13.49	4.94	2.71	1.00	84.51	78.54	0.21	2.34	0.34	-	2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	側入	2,003.2	1.94	1.26	0.22	0.31	13.22	4.95	2.62	1.00	84.81	78.74	0.49	0.34	-	-	2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	1000(1000)	2,130.4	1.92	1.26	0.21	0.29	12.90	4.71	2.74	0.82	84.90	77.64	0.11	2.34	0.32	-	2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	側入	2,063.9	1.90	1.26	0.22	0.29	12.71	4.71	2.71	0.90	85.11	79.12	0.21	0.34	-	-	2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	1000(1000)	2,121.2	1.92	1.22	0.20	0.21	12.52	4.51	2.60	0.70	84.02	77.54	0.02	2.34	0.30	-	2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	側入	2,104.7	1.92	1.20	0.21	0.29	12.34	4.49	2.61	0.80	83.30	80.20	0.00	0.32	-	-	2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	1000(1000)	2,312.0	1.74	1.17	0.19	0.21	12.07	4.29	2.54	0.64	80.10	76.71	0.15	2.17	0.44	-	2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	側入	2,241.3	1.74	1.15	0.20	0.21	11.80	4.12	2.50	0.70	80.40	81.01	0.49	0.34	-	-	2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	1000(1000)	2,302.0	1.72	1.13	0.19	0.21	11.60	4.14	2.42	0.50	80.40	79.42	0.09	2.04	0.47	-	2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	側入	2,320.3	1.69	1.17	0.19	0.21	11.39	4.04	2.42	0.40	80.40	81.42	0.72	0.44	-	-	2-462.5	側入力	側入	-	2-1070(10)	1000(1000)	1,990.2	1.81	1.22	0.20	0.21	12.52	4.57	2.64	0.90	81.00	82.49	0.12	0.34	-	-	2-462.5	側入力	側入	-	2-1070(10)	側入	1,993.1	1.82	1.20	0.21	0.29	12.31	4.71	2.60	0.90	81.31	82.39	0.12	-	-	-	2-462.5	側入力	側入	-	各種1.0%以上2.0%未満	1000(1000)	1,939.9	1.91	1.25	0.21	0.29	12.62	4.67	2.60	0.90	81.21	82.11	0.17	0.31	-	-	2-462.5	側入力	側入	-	各種1.0%以上2.0%未満	側入	1,924.4	1.90	1.22	0.21	0.29	12.50	4.52	2.70	0.90	81.31	84.94	0.12	-	-	-	2-462.5	側入力	側入	-	各種1.0%以上2.0%未満	1000(1000)	2,038.7	1.82	1.20	0.20	0.21	12.20	4.49	2.50	0.80	80.30	82.49	0.12	0.49	-	-	2-462.5	側入力	側入	-	各種1.0%以上2.0%未満	側入	1,930.2	1.74	1.24	0.20	0.29	12.07	4.42	2.42	0.70	80.40	80.57	0.11	-	-	-	<p>No. 250 【 排水性舗装・表層（車道・路肩部） 】 < 積算単位：m² ></p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <thead> <tr> <th rowspan="3">項目</th> <th rowspan="3">種別</th> <th rowspan="3">単位</th> <th rowspan="3">積算方法</th> <th rowspan="3">材料</th> <th rowspan="3">標準仕様の単位</th> <th colspan="12">標準単価</th> </tr> <tr> <th colspan="4">1</th> <th colspan="4">2</th> <th colspan="4">3</th> </tr> <tr> <th>1</th><th>2</th><th>3</th><th>4</th> <th>1</th><th>2</th><th>3</th><th>4</th> <th>1</th><th>2</th><th>3</th><th>4</th> </tr> </thead> <tbody> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>2-1070(10)</td><td>1000(1000)</td><td>2,110.0</td><td>1.97</td><td>1.29</td><td>0.22</td><td>0.29</td><td>15.24</td><td>4.41</td><td>2.75</td><td>2.60</td><td>0.90</td><td>94.79</td><td>76.63</td><td>0.21</td><td>2.34</td><td>0.32</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>2-1070(10)</td><td>側入</td><td>2,048.0</td><td>1.92</td><td>1.20</td><td>0.22</td><td>0.31</td><td>12.97</td><td>4.97</td><td>2.64</td><td>2.70</td><td>1.01</td><td>85.11</td><td>79.12</td><td>0.20</td><td>0.30</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>各種1.0%以上2.0%未満</td><td>1000(1000)</td><td>2,009.7</td><td>2.00</td><td>1.31</td><td>0.22</td><td>0.31</td><td>13.49</td><td>4.90</td><td>2.60</td><td>2.71</td><td>1.00</td><td>84.51</td><td>78.10</td><td>0.21</td><td>2.34</td><td>0.34</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>各種1.0%以上2.0%未満</td><td>側入</td><td>2,003.1</td><td>1.97</td><td>1.26</td><td>0.23</td><td>0.31</td><td>13.22</td><td>5.07</td><td>2.60</td><td>2.62</td><td>1.01</td><td>84.80</td><td>78.80</td><td>0.49</td><td>0.34</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>各種1.0%以上2.0%未満</td><td>1000(1000)</td><td>2,100.0</td><td>1.92</td><td>1.24</td><td>0.21</td><td>0.29</td><td>12.90</td><td>4.72</td><td>2.70</td><td>0.82</td><td>84.90</td><td>85.00</td><td>0.11</td><td>2.34</td><td>0.32</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>各種1.0%以上2.0%未満</td><td>側入</td><td>2,064.0</td><td>1.90</td><td>1.26</td><td>0.22</td><td>0.29</td><td>12.71</td><td>4.87</td><td>2.70</td><td>0.71</td><td>83.99</td><td>85.41</td><td>0.27</td><td>0.34</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>各種1.0%以上2.0%未満</td><td>1000(1000)</td><td>2,101.0</td><td>1.92</td><td>1.22</td><td>0.20</td><td>0.21</td><td>12.52</td><td>4.51</td><td>2.60</td><td>0.70</td><td>83.92</td><td>77.54</td><td>0.02</td><td>2.34</td><td>0.30</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>各種1.0%以上2.0%未満</td><td>側入</td><td>2,104.0</td><td>1.91</td><td>1.20</td><td>0.21</td><td>0.29</td><td>12.34</td><td>4.49</td><td>2.60</td><td>0.80</td><td>83.90</td><td>80.20</td><td>0.00</td><td>0.32</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>各種1.0%以上2.0%未満</td><td>1000(1000)</td><td>2,310.0</td><td>1.74</td><td>1.17</td><td>0.20</td><td>0.21</td><td>12.07</td><td>4.29</td><td>2.54</td><td>0.64</td><td>80.10</td><td>76.70</td><td>0.15</td><td>2.17</td><td>0.44</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>各種1.0%以上2.0%未満</td><td>側入</td><td>2,240.0</td><td>1.74</td><td>1.15</td><td>0.20</td><td>0.21</td><td>11.80</td><td>4.12</td><td>2.50</td><td>0.70</td><td>80.40</td><td>81.01</td><td>0.49</td><td>0.34</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>各種1.0%以上2.0%未満</td><td>1000(1000)</td><td>2,300.0</td><td>1.72</td><td>1.13</td><td>0.19</td><td>0.21</td><td>11.60</td><td>4.14</td><td>2.42</td><td>0.50</td><td>80.40</td><td>80.42</td><td>0.09</td><td>2.04</td><td>0.47</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>0.01</td><td>内積算</td><td>各種1.0%以上2.0%未満</td><td>側入</td><td>2,320.0</td><td>1.70</td><td>1.17</td><td>0.20</td><td>0.21</td><td>11.39</td><td>4.04</td><td>2.42</td><td>0.40</td><td>80.40</td><td>81.40</td><td>0.72</td><td>0.44</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>側入</td><td>-</td><td>2-1070(10)</td><td>1000(1000)</td><td>1,990.0</td><td>1.81</td><td>1.22</td><td>0.20</td><td>0.21</td><td>12.52</td><td>4.57</td><td>2.64</td><td>0.90</td><td>81.00</td><td>82.49</td><td>0.12</td><td>0.34</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>側入</td><td>-</td><td>2-1070(10)</td><td>側入</td><td>1,990.0</td><td>1.81</td><td>1.22</td><td>0.20</td><td>0.21</td><td>12.52</td><td>4.57</td><td>2.64</td><td>0.90</td><td>81.00</td><td>82.49</td><td>0.12</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>側入</td><td>-</td><td>各種1.0%以上2.0%未満</td><td>1000(1000)</td><td>1,939.0</td><td>1.91</td><td>1.25</td><td>0.21</td><td>0.29</td><td>12.62</td><td>4.67</td><td>2.60</td><td>0.90</td><td>81.21</td><td>82.11</td><td>0.17</td><td>0.31</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>側入</td><td>-</td><td>各種1.0%以上2.0%未満</td><td>側入</td><td>1,939.0</td><td>1.97</td><td>1.20</td><td>0.23</td><td>0.29</td><td>12.50</td><td>4.63</td><td>2.70</td><td>0.90</td><td>81.31</td><td>84.90</td><td>0.12</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>側入</td><td>-</td><td>各種1.0%以上2.0%未満</td><td>1000(1000)</td><td>2,038.0</td><td>1.82</td><td>1.20</td><td>0.20</td><td>0.21</td><td>12.20</td><td>4.49</td><td>2.50</td><td>0.91</td><td>80.30</td><td>82.49</td><td>0.12</td><td>0.49</td><td>-</td><td>-</td></tr> <tr><td>2-462.5</td><td>側入力</td><td>側入</td><td>-</td><td>各種1.0%以上2.0%未満</td><td>側入</td><td>1,930.0</td><td>1.80</td><td>1.24</td><td>0.21</td><td>0.29</td><td>12.07</td><td>4.42</td><td>2.44</td><td>0.70</td><td>80.40</td><td>80.50</td><td>0.11</td><td>-</td><td>-</td><td>-</td></tr> </tbody> </table>	項目	種別	単位	積算方法	材料	標準仕様の単位	標準単価												1				2				3				1	2	3	4	1	2	3	4	1	2	3	4	2-462.5	側入力	0.01	内積算	2-1070(10)	1000(1000)	2,110.0	1.97	1.29	0.22	0.29	15.24	4.41	2.75	2.60	0.90	94.79	76.63	0.21	2.34	0.32	-	2-462.5	側入力	0.01	内積算	2-1070(10)	側入	2,048.0	1.92	1.20	0.22	0.31	12.97	4.97	2.64	2.70	1.01	85.11	79.12	0.20	0.30	-	-	2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	1000(1000)	2,009.7	2.00	1.31	0.22	0.31	13.49	4.90	2.60	2.71	1.00	84.51	78.10	0.21	2.34	0.34	-	2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	側入	2,003.1	1.97	1.26	0.23	0.31	13.22	5.07	2.60	2.62	1.01	84.80	78.80	0.49	0.34	-	-	2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	1000(1000)	2,100.0	1.92	1.24	0.21	0.29	12.90	4.72	2.70	0.82	84.90	85.00	0.11	2.34	0.32	-	2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	側入	2,064.0	1.90	1.26	0.22	0.29	12.71	4.87	2.70	0.71	83.99	85.41	0.27	0.34	-	-	2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	1000(1000)	2,101.0	1.92	1.22	0.20	0.21	12.52	4.51	2.60	0.70	83.92	77.54	0.02	2.34	0.30	-	2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	側入	2,104.0	1.91	1.20	0.21	0.29	12.34	4.49	2.60	0.80	83.90	80.20	0.00	0.32	-	-	2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	1000(1000)	2,310.0	1.74	1.17	0.20	0.21	12.07	4.29	2.54	0.64	80.10	76.70	0.15	2.17	0.44	-	2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	側入	2,240.0	1.74	1.15	0.20	0.21	11.80	4.12	2.50	0.70	80.40	81.01	0.49	0.34	-	-	2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	1000(1000)	2,300.0	1.72	1.13	0.19	0.21	11.60	4.14	2.42	0.50	80.40	80.42	0.09	2.04	0.47	-	2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	側入	2,320.0	1.70	1.17	0.20	0.21	11.39	4.04	2.42	0.40	80.40	81.40	0.72	0.44	-	-	2-462.5	側入力	側入	-	2-1070(10)	1000(1000)	1,990.0	1.81	1.22	0.20	0.21	12.52	4.57	2.64	0.90	81.00	82.49	0.12	0.34	-	-	2-462.5	側入力	側入	-	2-1070(10)	側入	1,990.0	1.81	1.22	0.20	0.21	12.52	4.57	2.64	0.90	81.00	82.49	0.12	-	-	-	2-462.5	側入力	側入	-	各種1.0%以上2.0%未満	1000(1000)	1,939.0	1.91	1.25	0.21	0.29	12.62	4.67	2.60	0.90	81.21	82.11	0.17	0.31	-	-	2-462.5	側入力	側入	-	各種1.0%以上2.0%未満	側入	1,939.0	1.97	1.20	0.23	0.29	12.50	4.63	2.70	0.90	81.31	84.90	0.12	-	-	-	2-462.5	側入力	側入	-	各種1.0%以上2.0%未満	1000(1000)	2,038.0	1.82	1.20	0.20	0.21	12.20	4.49	2.50	0.91	80.30	82.49	0.12	0.49	-	-	2-462.5	側入力	側入	-	各種1.0%以上2.0%未満	側入	1,930.0	1.80	1.24	0.21	0.29	12.07	4.42	2.44	0.70	80.40	80.50	0.11	-	-	-	<p>標準単価及び 機材構成比率 改訂</p>
項目							種別	単位	積算方法	材料	標準仕様の単位	標準単価																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
												1				2				3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	1	2	3	4	1	2						3	4	1	2	3	4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
2-462.5	側入力	0.01	内積算	2-1070(10)	1000(1000)	2,110.0	1.94	1.29	0.21	0.29	15.24	4.41	2.75	2.40	0.90	94.80	76.62	0.21	2.34	0.32	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
2-462.5	側入力	0.01	内積算	2-1070(10)	側入	2,043.3	1.92	1.25	0.22	0.31	12.97	4.97	2.70	1.01	85.11	79.12	0.20	0.30	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	1000(1000)	2,009.0	2.04	1.31	0.22	0.31	13.49	4.94	2.71	1.00	84.51	78.54	0.21	2.34	0.34	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	側入	2,003.2	1.94	1.26	0.22	0.31	13.22	4.95	2.62	1.00	84.81	78.74	0.49	0.34	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	1000(1000)	2,130.4	1.92	1.26	0.21	0.29	12.90	4.71	2.74	0.82	84.90	77.64	0.11	2.34	0.32	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	側入	2,063.9	1.90	1.26	0.22	0.29	12.71	4.71	2.71	0.90	85.11	79.12	0.21	0.34	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	1000(1000)	2,121.2	1.92	1.22	0.20	0.21	12.52	4.51	2.60	0.70	84.02	77.54	0.02	2.34	0.30	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	側入	2,104.7	1.92	1.20	0.21	0.29	12.34	4.49	2.61	0.80	83.30	80.20	0.00	0.32	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	1000(1000)	2,312.0	1.74	1.17	0.19	0.21	12.07	4.29	2.54	0.64	80.10	76.71	0.15	2.17	0.44	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	側入	2,241.3	1.74	1.15	0.20	0.21	11.80	4.12	2.50	0.70	80.40	81.01	0.49	0.34	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	1000(1000)	2,302.0	1.72	1.13	0.19	0.21	11.60	4.14	2.42	0.50	80.40	79.42	0.09	2.04	0.47	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	側入	2,320.3	1.69	1.17	0.19	0.21	11.39	4.04	2.42	0.40	80.40	81.42	0.72	0.44	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	側入	-	2-1070(10)	1000(1000)	1,990.2	1.81	1.22	0.20	0.21	12.52	4.57	2.64	0.90	81.00	82.49	0.12	0.34	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	側入	-	2-1070(10)	側入	1,993.1	1.82	1.20	0.21	0.29	12.31	4.71	2.60	0.90	81.31	82.39	0.12	-	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	側入	-	各種1.0%以上2.0%未満	1000(1000)	1,939.9	1.91	1.25	0.21	0.29	12.62	4.67	2.60	0.90	81.21	82.11	0.17	0.31	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	側入	-	各種1.0%以上2.0%未満	側入	1,924.4	1.90	1.22	0.21	0.29	12.50	4.52	2.70	0.90	81.31	84.94	0.12	-	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	側入	-	各種1.0%以上2.0%未満	1000(1000)	2,038.7	1.82	1.20	0.20	0.21	12.20	4.49	2.50	0.80	80.30	82.49	0.12	0.49	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	側入	-	各種1.0%以上2.0%未満	側入	1,930.2	1.74	1.24	0.20	0.29	12.07	4.42	2.42	0.70	80.40	80.57	0.11	-	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
項目	種別	単位	積算方法	材料	標準仕様の単位	標準単価																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
						1				2				3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
						1	2	3	4	1	2	3	4	1	2	3	4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
2-462.5	側入力	0.01	内積算	2-1070(10)	1000(1000)	2,110.0	1.97	1.29	0.22	0.29	15.24	4.41	2.75	2.60	0.90	94.79	76.63	0.21	2.34	0.32	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
2-462.5	側入力	0.01	内積算	2-1070(10)	側入	2,048.0	1.92	1.20	0.22	0.31	12.97	4.97	2.64	2.70	1.01	85.11	79.12	0.20	0.30	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	1000(1000)	2,009.7	2.00	1.31	0.22	0.31	13.49	4.90	2.60	2.71	1.00	84.51	78.10	0.21	2.34	0.34	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	側入	2,003.1	1.97	1.26	0.23	0.31	13.22	5.07	2.60	2.62	1.01	84.80	78.80	0.49	0.34	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	1000(1000)	2,100.0	1.92	1.24	0.21	0.29	12.90	4.72	2.70	0.82	84.90	85.00	0.11	2.34	0.32	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	側入	2,064.0	1.90	1.26	0.22	0.29	12.71	4.87	2.70	0.71	83.99	85.41	0.27	0.34	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	1000(1000)	2,101.0	1.92	1.22	0.20	0.21	12.52	4.51	2.60	0.70	83.92	77.54	0.02	2.34	0.30	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	側入	2,104.0	1.91	1.20	0.21	0.29	12.34	4.49	2.60	0.80	83.90	80.20	0.00	0.32	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	1000(1000)	2,310.0	1.74	1.17	0.20	0.21	12.07	4.29	2.54	0.64	80.10	76.70	0.15	2.17	0.44	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	側入	2,240.0	1.74	1.15	0.20	0.21	11.80	4.12	2.50	0.70	80.40	81.01	0.49	0.34	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	1000(1000)	2,300.0	1.72	1.13	0.19	0.21	11.60	4.14	2.42	0.50	80.40	80.42	0.09	2.04	0.47	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	0.01	内積算	各種1.0%以上2.0%未満	側入	2,320.0	1.70	1.17	0.20	0.21	11.39	4.04	2.42	0.40	80.40	81.40	0.72	0.44	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	側入	-	2-1070(10)	1000(1000)	1,990.0	1.81	1.22	0.20	0.21	12.52	4.57	2.64	0.90	81.00	82.49	0.12	0.34	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	側入	-	2-1070(10)	側入	1,990.0	1.81	1.22	0.20	0.21	12.52	4.57	2.64	0.90	81.00	82.49	0.12	-	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	側入	-	各種1.0%以上2.0%未満	1000(1000)	1,939.0	1.91	1.25	0.21	0.29	12.62	4.67	2.60	0.90	81.21	82.11	0.17	0.31	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	側入	-	各種1.0%以上2.0%未満	側入	1,939.0	1.97	1.20	0.23	0.29	12.50	4.63	2.70	0.90	81.31	84.90	0.12	-	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	側入	-	各種1.0%以上2.0%未満	1000(1000)	2,038.0	1.82	1.20	0.20	0.21	12.20	4.49	2.50	0.91	80.30	82.49	0.12	0.49	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2-462.5	側入力	側入	-	各種1.0%以上2.0%未満	側入	1,930.0	1.80	1.24	0.21	0.29	12.07	4.42	2.44	0.70	80.40	80.50	0.11	-	-	-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
250-3	250-3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

令和7年度 施工パッケージ型積算方式標準単価表 正誤表

誤	正	備 考																																																																																																																																																																																																																																																																																																																																																				
<p style="text-align: center;">No. 250 【 排水性舗装・表層（車道・路肩部） 】 < 積算単位：m² ></p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <thead> <tr> <th rowspan="2">工の種目・単位</th> <th rowspan="2">標準仕様の 上り厚</th> <th rowspan="2">標準工法の 設置</th> <th rowspan="2">作業原簿数</th> <th rowspan="2">材料</th> <th rowspan="2">標準材料の構成</th> <th rowspan="2">標準単価</th> <th colspan="16">積算材料単価</th> </tr> <tr> <th>4</th><th>8</th><th>12</th><th>16</th><th>20</th><th>24</th><th>28</th><th>32</th><th>36</th><th>40</th><th>44</th><th>48</th><th>52</th><th>56</th><th>60</th> </tr> </thead> <tbody> <tr> <td>土鋪上</td> <td>既入力</td> <td>無し</td> <td>-</td> <td>単層位 20kN/㎡以上 2.3kN/㎡未満</td> <td>ボークラスコン (1)</td> <td>2,061.4</td> <td>1.74</td><td>1.11</td><td>0.19</td><td>0.14</td><td>11.43</td><td>4.30</td><td>2.43</td><td>2.39</td><td>0.97</td><td>86.45</td><td>83.53</td><td>2.37</td><td>0.47</td><td>-</td><td>-</td> </tr> <tr> <td>土鋪上</td> <td>既入力</td> <td>無し</td> <td>-</td> <td>単層位 20kN/㎡以上 2.3kN/㎡未満</td> <td>無し</td> <td>2,011.0</td> <td>1.72</td><td>1.10</td><td>0.20</td><td>0.14</td><td>11.37</td><td>4.44</td><td>2.31</td><td>2.48</td><td>0.90</td><td>86.71</td><td>86.17</td><td>0.49</td><td>-</td><td>-</td><td>-</td> </tr> <tr> <td>土鋪上</td> <td>既入力</td> <td>無し</td> <td>-</td> <td>単層位 20kN/㎡以上 2.3kN/㎡未満</td> <td>ボークラスコン (1)</td> <td>2,162.2</td> <td>1.68</td><td>1.11</td><td>0.19</td><td>0.14</td><td>11.37</td><td>4.14</td><td>2.39</td><td>2.39</td><td>0.94</td><td>86.96</td><td>84.14</td><td>2.29</td><td>0.45</td><td>-</td><td>-</td> </tr> <tr> <td>土鋪上</td> <td>既入力</td> <td>無し</td> <td>-</td> <td>単層位 20kN/㎡以上 2.3kN/㎡未満</td> <td>無し</td> <td>2,007.9</td> <td>1.64</td><td>1.14</td><td>0.19</td><td>0.14</td><td>11.13</td><td>4.27</td><td>2.37</td><td>0.97</td><td>87.22</td><td>86.71</td><td>0.47</td><td>-</td><td>-</td><td>-</td><td>-</td> </tr> <tr> <td>土鋪上</td> <td>既入力</td> <td>無し</td> <td>-</td> <td>単層位 20kN/㎡以上 2.4kN/㎡未満</td> <td>ボークラスコン (1)</td> <td>2,243.4</td> <td>1.61</td><td>1.07</td><td>0.14</td><td>0.11</td><td>10.97</td><td>3.90</td><td>2.25</td><td>2.22</td><td>0.91</td><td>87.49</td><td>84.69</td><td>2.29</td><td>0.44</td><td>-</td><td>-</td> </tr> <tr> <td>土鋪上</td> <td>既入力</td> <td>無し</td> <td>-</td> <td>単層位 20kN/㎡以上 2.4kN/㎡未満</td> <td>無し</td> <td>2,179.4</td> <td>1.59</td><td>1.09</td><td>0.14</td><td>0.14</td><td>10.71</td><td>4.11</td><td>2.24</td><td>2.29</td><td>0.93</td><td>87.79</td><td>87.29</td><td>0.45</td><td>-</td><td>-</td><td>-</td> </tr> </tbody> </table> <p>注. この標準単価を適用する材料規格(アスファルト混合物) ・ボークラスコン (20) ・ボークラスコン (13)</p>	工の種目・単位	標準仕様の 上り厚	標準工法の 設置	作業原簿数	材料	標準材料の構成	標準単価	積算材料単価																4	8	12	16	20	24	28	32	36	40	44	48	52	56	60	土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.3kN/㎡未満	ボークラスコン (1)	2,061.4	1.74	1.11	0.19	0.14	11.43	4.30	2.43	2.39	0.97	86.45	83.53	2.37	0.47	-	-	土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.3kN/㎡未満	無し	2,011.0	1.72	1.10	0.20	0.14	11.37	4.44	2.31	2.48	0.90	86.71	86.17	0.49	-	-	-	土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.3kN/㎡未満	ボークラスコン (1)	2,162.2	1.68	1.11	0.19	0.14	11.37	4.14	2.39	2.39	0.94	86.96	84.14	2.29	0.45	-	-	土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.3kN/㎡未満	無し	2,007.9	1.64	1.14	0.19	0.14	11.13	4.27	2.37	0.97	87.22	86.71	0.47	-	-	-	-	土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.4kN/㎡未満	ボークラスコン (1)	2,243.4	1.61	1.07	0.14	0.11	10.97	3.90	2.25	2.22	0.91	87.49	84.69	2.29	0.44	-	-	土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.4kN/㎡未満	無し	2,179.4	1.59	1.09	0.14	0.14	10.71	4.11	2.24	2.29	0.93	87.79	87.29	0.45	-	-	-	<p style="text-align: center;">No. 250 【 排水性舗装・表層（車道・路肩部） 】 < 積算単位：m² ></p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <thead> <tr> <th rowspan="2">工の種目・単位</th> <th rowspan="2">標準仕様の 上り厚</th> <th rowspan="2">標準工法の 設置</th> <th rowspan="2">作業原簿数</th> <th rowspan="2">材料</th> <th rowspan="2">標準材料の構成</th> <th rowspan="2">標準単価</th> <th colspan="16">積算材料単価</th> </tr> <tr> <th>4</th><th>8</th><th>12</th><th>16</th><th>20</th><th>24</th><th>28</th><th>32</th><th>36</th><th>40</th><th>44</th><th>48</th><th>52</th><th>56</th><th>60</th> </tr> </thead> <tbody> <tr> <td>土鋪上</td> <td>既入力</td> <td>無し</td> <td>-</td> <td>単層位 20kN/㎡以上 2.3kN/㎡未満</td> <td>ボークラスコン (1)</td> <td>2,061.4</td> <td>1.74</td><td>1.11</td><td>0.19</td><td>0.14</td><td>11.43</td><td>4.30</td><td>2.43</td><td>2.39</td><td>0.97</td><td>86.45</td><td>83.53</td><td>2.37</td><td>0.47</td><td>-</td><td>-</td> </tr> <tr> <td>土鋪上</td> <td>既入力</td> <td>無し</td> <td>-</td> <td>単層位 20kN/㎡以上 2.3kN/㎡未満</td> <td>無し</td> <td>2,011.0</td> <td>1.72</td><td>1.10</td><td>0.20</td><td>0.14</td><td>11.37</td><td>4.44</td><td>2.31</td><td>2.48</td><td>0.90</td><td>86.71</td><td>86.17</td><td>0.49</td><td>-</td><td>-</td><td>-</td> </tr> <tr> <td>土鋪上</td> <td>既入力</td> <td>無し</td> <td>-</td> <td>単層位 20kN/㎡以上 2.3kN/㎡未満</td> <td>ボークラスコン (1)</td> <td>2,162.2</td> <td>1.68</td><td>1.11</td><td>0.19</td><td>0.14</td><td>11.37</td><td>4.14</td><td>2.39</td><td>2.39</td><td>0.94</td><td>86.96</td><td>84.14</td><td>2.29</td><td>0.45</td><td>-</td><td>-</td> </tr> <tr> <td>土鋪上</td> <td>既入力</td> <td>無し</td> <td>-</td> <td>単層位 20kN/㎡以上 2.3kN/㎡未満</td> <td>無し</td> <td>2,007.9</td> <td>1.64</td><td>1.14</td><td>0.19</td><td>0.14</td><td>11.13</td><td>4.27</td><td>2.37</td><td>0.97</td><td>87.22</td><td>86.71</td><td>0.47</td><td>-</td><td>-</td><td>-</td><td>-</td> </tr> <tr> <td>土鋪上</td> <td>既入力</td> <td>無し</td> <td>-</td> <td>単層位 20kN/㎡以上 2.4kN/㎡未満</td> <td>ボークラスコン (1)</td> <td>2,243.4</td> <td>1.61</td><td>1.07</td><td>0.14</td><td>0.11</td><td>10.97</td><td>3.90</td><td>2.25</td><td>2.22</td><td>0.91</td><td>87.49</td><td>84.69</td><td>2.29</td><td>0.44</td><td>-</td><td>-</td> </tr> <tr> <td>土鋪上</td> <td>既入力</td> <td>無し</td> <td>-</td> <td>単層位 20kN/㎡以上 2.4kN/㎡未満</td> <td>無し</td> <td>2,179.4</td> <td>1.59</td><td>1.09</td><td>0.14</td><td>0.14</td><td>10.71</td><td>4.11</td><td>2.24</td><td>2.29</td><td>0.93</td><td>87.79</td><td>87.29</td><td>0.45</td><td>-</td><td>-</td><td>-</td> </tr> </tbody> </table> <p>注. この標準単価を適用する材料規格(アスファルト混合物) ・ボークラスコン (20) ・ボークラスコン (13)</p>	工の種目・単位	標準仕様の 上り厚	標準工法の 設置	作業原簿数	材料	標準材料の構成	標準単価	積算材料単価																4	8	12	16	20	24	28	32	36	40	44	48	52	56	60	土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.3kN/㎡未満	ボークラスコン (1)	2,061.4	1.74	1.11	0.19	0.14	11.43	4.30	2.43	2.39	0.97	86.45	83.53	2.37	0.47	-	-	土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.3kN/㎡未満	無し	2,011.0	1.72	1.10	0.20	0.14	11.37	4.44	2.31	2.48	0.90	86.71	86.17	0.49	-	-	-	土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.3kN/㎡未満	ボークラスコン (1)	2,162.2	1.68	1.11	0.19	0.14	11.37	4.14	2.39	2.39	0.94	86.96	84.14	2.29	0.45	-	-	土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.3kN/㎡未満	無し	2,007.9	1.64	1.14	0.19	0.14	11.13	4.27	2.37	0.97	87.22	86.71	0.47	-	-	-	-	土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.4kN/㎡未満	ボークラスコン (1)	2,243.4	1.61	1.07	0.14	0.11	10.97	3.90	2.25	2.22	0.91	87.49	84.69	2.29	0.44	-	-	土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.4kN/㎡未満	無し	2,179.4	1.59	1.09	0.14	0.14	10.71	4.11	2.24	2.29	0.93	87.79	87.29	0.45	-	-	-	<p>標準単価及び 機材構成比率 改訂</p>
工の種目・単位								標準仕様の 上り厚	標準工法の 設置	作業原簿数	材料	標準材料の構成	標準単価	積算材料単価																																																																																																																																																																																																																																																																																																																																								
	4	8	12	16	20	24	28							32	36	40	44	48	52	56	60																																																																																																																																																																																																																																																																																																																																	
土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.3kN/㎡未満	ボークラスコン (1)	2,061.4	1.74	1.11	0.19	0.14	11.43	4.30	2.43	2.39	0.97	86.45	83.53	2.37	0.47	-	-																																																																																																																																																																																																																																																																																																																																	
土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.3kN/㎡未満	無し	2,011.0	1.72	1.10	0.20	0.14	11.37	4.44	2.31	2.48	0.90	86.71	86.17	0.49	-	-	-																																																																																																																																																																																																																																																																																																																																	
土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.3kN/㎡未満	ボークラスコン (1)	2,162.2	1.68	1.11	0.19	0.14	11.37	4.14	2.39	2.39	0.94	86.96	84.14	2.29	0.45	-	-																																																																																																																																																																																																																																																																																																																																	
土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.3kN/㎡未満	無し	2,007.9	1.64	1.14	0.19	0.14	11.13	4.27	2.37	0.97	87.22	86.71	0.47	-	-	-	-																																																																																																																																																																																																																																																																																																																																	
土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.4kN/㎡未満	ボークラスコン (1)	2,243.4	1.61	1.07	0.14	0.11	10.97	3.90	2.25	2.22	0.91	87.49	84.69	2.29	0.44	-	-																																																																																																																																																																																																																																																																																																																																	
土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.4kN/㎡未満	無し	2,179.4	1.59	1.09	0.14	0.14	10.71	4.11	2.24	2.29	0.93	87.79	87.29	0.45	-	-	-																																																																																																																																																																																																																																																																																																																																	
工の種目・単位	標準仕様の 上り厚	標準工法の 設置	作業原簿数	材料	標準材料の構成	標準単価	積算材料単価																																																																																																																																																																																																																																																																																																																																															
							4	8	12	16	20	24	28	32	36	40	44	48	52	56	60																																																																																																																																																																																																																																																																																																																																	
土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.3kN/㎡未満	ボークラスコン (1)	2,061.4	1.74	1.11	0.19	0.14	11.43	4.30	2.43	2.39	0.97	86.45	83.53	2.37	0.47	-	-																																																																																																																																																																																																																																																																																																																																	
土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.3kN/㎡未満	無し	2,011.0	1.72	1.10	0.20	0.14	11.37	4.44	2.31	2.48	0.90	86.71	86.17	0.49	-	-	-																																																																																																																																																																																																																																																																																																																																	
土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.3kN/㎡未満	ボークラスコン (1)	2,162.2	1.68	1.11	0.19	0.14	11.37	4.14	2.39	2.39	0.94	86.96	84.14	2.29	0.45	-	-																																																																																																																																																																																																																																																																																																																																	
土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.3kN/㎡未満	無し	2,007.9	1.64	1.14	0.19	0.14	11.13	4.27	2.37	0.97	87.22	86.71	0.47	-	-	-	-																																																																																																																																																																																																																																																																																																																																	
土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.4kN/㎡未満	ボークラスコン (1)	2,243.4	1.61	1.07	0.14	0.11	10.97	3.90	2.25	2.22	0.91	87.49	84.69	2.29	0.44	-	-																																																																																																																																																																																																																																																																																																																																	
土鋪上	既入力	無し	-	単層位 20kN/㎡以上 2.4kN/㎡未満	無し	2,179.4	1.59	1.09	0.14	0.14	10.71	4.11	2.24	2.29	0.93	87.79	87.29	0.45	-	-	-																																																																																																																																																																																																																																																																																																																																	
250-4	250-4	(控え頁) 3/3																																																																																																																																																																																																																																																																																																																																																				